

Thalestridae - Harpacticoida.

Dactylopodopsis.

G. O. Sars, 1911.

D. dilatata ^(M).

Syn. Dactylopodopsis Sars, 1911, p. 371.

Dactylopus and opsis, appearance.

General form like *Dactylopusia*. First antennae short and stout, number of joints reduced. Exopod of second antennae small, 3-jointed. Mandible palp narrow with rami poorly developed. First legs small, exopod scarcely prehensile, endopod 2-jointed. Rami of swimming legs subequal. Last legs with distal joint small.

Dactylopodopsis bathybates Monard

— — Monard 1936, p. 22, fig. 11, ♀, Algeria

— — HANCO, 1948, P. 559, Pl. 226:5. -
-- , Klie, 1941, p. 24

Thalestridae - Harpacticoida.

Dactylopodopsis dilatata G.O. Sars ♀. /

— — Sars, 1911, p. 372; suppl., pl. 12.

— —, HANL, 1948, P. 562, Pl. 229,

Habitat. Norway Coast.

Dactylopedopsis dilatata G.O. Sars

2

— — Sars, 1911, p. 372, suppl. pl. 12. Norway.

— — , Jespersen, 1940, p. 83. Iceland.

--, Vervoort, 1964, p. 141

--, Jakobi, 1959, p. 279

--, Klie, 1941, p. 23

--, BECKER, 1974: 22

--, COLL, 1973d: 592, 597 ♂; FIG. 7-4; TAB. 1

DACTYLOPODOPSIS SP.

DACTYLOPODOPSIS SP., FLEETTER, TANG & HIGGINS 1983:
940-941, TABS. 1, 2, CHANGJIANG ESTUARY, CHINA