

ECTINOSOMIDAE

(= ECTINOSOMATIDAE)

gen. & sp.?, Bodin, 1972, p. 859, 846.

gen. & sp.?--Kunz & Kunz, 1973, p. 56 (tbl. 5)

ECTINOSOMIDAE 38-8, HARTZBAND 1971: 17, ST. THOMAS

- MEDIONI & SOYER 1967: 318, PELTORADYA, N.G.

- SP. A, FLEGER, TANG + HIGGINS 1983: 940-942, 945,
TABS. 1, 2, CHINA

Haplocoelidae - Ectinosomidae

Ectinosoma valid.

Boeck, 1865.

E. melaniceps. ^(M)

Syn. Ectinosoma Boeck, 1865, p. 254.

Ectinosoma G.O. Sars, 1903, p. 29.

Ectinosoma Brady, 1880, vol. 2, p. 8.

Ectinosoma Schmeil, 1893, p. 91.

, Ectinosoma Guerne, 1887, c. p. 341.

Ektíros = to pay in full and Σώμα = body.

Ectinosoma Giesbrecht, 1881, p. 255.

Ectinosoma Pesta, 1921, p. 562.

Body slender, fusiform = last segt. of meta-
some not much narrower than preceding one =
urosome gradually narrowed - 1° antennae
5-7-jointed: exopod of 2° antennae 3-jointed.
1° legs no smaller than others, endopod longer
than exopod - 5° legs uniramous, 2-jointed.

Ectinosoma Brian, 1921, p. 55.

Oloffson 1917 Key

Nicholls 1939 b, p. 246

Ectinosoma Boeck

(2)

- Noodt, 1971, p. 98
- Lang, 1965 : 15-18
- Borutzky 1960: 102, key to some spp.; 160
- Lilljeborg 1902a: 65-66, DIAGNOSIS
- Douwe 1909b: 66, DIAGNOSIS
- Krishnaswamy 1957d: 12

Ectinosomidae-Harpacticoida
Subgen. Ectinosoma s. str., nov.

— Lang 1948, p. 200

key, Pesta, 1932, pp. 14-19

Ectinosoma abrau (Kritschagin) - see Halectinosoma

Ectinosoma acutorostratum Vervoort

-- -- Vervoort, 1962. pp. 403-407, fig. 3,4

KCTINOSOMA ANGULIFRONS - SEE HALECTINOSOMA

Ectinosomatidae - Harpacticoida

Ectinosoma antarcticum Giesbrecht, ♂♀.

— Giesbrecht, 1902, p. 31: pl. 12, figs. 7-17.

— T. Scott, 1912, p. 541: pl. 2. figs. 10-13.

— Wolfenden, 1911, p. 363.

— HANG. 1948, P. 221, Pl. 118: 5 - 5-279.

— Klie, 1941, p. 6

Habitat. Antarctic Ocean.

E. ANTARCTICA, Ritzoulis 1994: 9

Ectinosomatidae - Harpactridae

Ectinosoma arcticum Olofsson, ♀

— — Olofsson, 1918: p. 11: figs.

— — Borutzky, 1952, p. 90, USSR

Habitat. Arctic Ocean.

ECTINOSOMA ARENICOLA - SEE HALOCRINOSOMA

Ectinosomidae - Harpacticoida.

Ectinosoma armigerum T. & A. Scott, ♀.

-- T. & A. Scott, 1896, p. 434 : pl. 36, fig. 20, 43.

-- T. Scott, 1906, a, p. 308.

--, HANG, 1948, p. 210, Pl. 112:6 - 5-201, 116:3.

-- --, Wells, 1965. p. 2, 29, fig. 103-104

--, Jakobi, 1959, p. 279

Habitat. British Seas.

Ectinosomidae - Harpacocca.

Ectinosoma atlanticum (Brady & Robertson) ♀.

Microsetella Brady & Robertson, 1873, p. 130; pl. 9, fig. 11-16.

Ectinosoma a - Thompson & Scott, 1903, p. 257.

— — Brady, 1880, vol. 2, p. 13; pl. 38, fig. 11-19.

— — Brady, 1883, p. 100; pl. 4, fig. 10-14.

— , Giesbrecht, 1882, p. 104

— , Giesbrecht, 1881, p. 255

Habitat. Red Sea : Indian Ocean : Franz Josef Land : Arctic Ocean.

— , Fruchtl, 1924, p. 103

— Scott & Scott, 1901 : 342

- — (= Microsetella atlantica) Giesbrecht, 1892, p. 550
— — T. Scott, 1903, p. 10 : 1899⁶, p. 96.
— — Thompson, 1896, p. 24.
— — T. & A. Scott, 1896, p. 937 : pls. 36-38.
— — T. Scott, 1901, a, p. 352.
— — a Wolfenden, 1905, a, p. 1030 : 1911, p. 364.
— — um Pearson, 1905, p. 6.
— — A. Scott, 1902 : 409
A synonym of Microsetella norvegica
(A. Scott, 1909, p. 199).
— — Thompson, 1893, p. 192 : pl. 19, f. 1, a-d.
— — Mori, 1937, p. 116. JAPAN.
— (= Microsetella norvegica) Boxshall, 1979 : 207, 259 FIG. 2

Ectinosoma austrole. Brady, ♀. ♂. ①

— — — Brady, 1899, p. 39: pl. 10, figs. 18-25.

— — — Sars, 1905, c, p. 377: pl. 15, figs. 21-35

—, Klie, 1941, p. 6

— JOHNSON, S. C. & SCHEIDEL 1987: 130 -

Habitat New Zealand.

— — , Coull & Wells, 1983: 1604-1605

— , Aliens, 1971a: 452; MB. 3, 4

— FORRO' 1986: 559

Ectinosoma australe Brady, 1899

card 2

-- Pallares 1970: 259

ECTINOSOMA BARBICAUDA Bozic, 1978

--; Wenz, 1979: 1

ECTINOSOMA BARROISI - SEE HALLECTINOSOMA

Ectinosoma befurcatum

--, Bacescu, 1966, p. 179

Ectinosoma brevianiculum Lang 1965

--, Coull, 1971, p. 212, mention

— Lang, 1965: 26-29, fig. 5d-e, 8-9,

N. SP., CALIFORNIA

Ectinosomidae - Harpacticoida.

Ectinosoma brevirostre G. O. Sars, ♀.

— — Sars, 1904, p. 38 : pl. 21, fig. 2.

— —, Lang, 1948, p. 218, Pl. 112: 12, S-201.

— —, Por, 1960, pg. 104

— —, Dolzonolskaya, 1970, p. 61, pl. VII, fig. 3

Habitat. Norway Fjords.

— Por 1962: 31, 33, BLACK SEA

— Chislenko, 1977: TAB. I

ECTINOSOMA BRUNNEA/UM - SEE HALECTINOSOMA

Ectinosoma californicum Lang

- Lang, 1965: 29-33, fig. 10-12, n.sp.
CALIFORNIA
- Wells, 1967: 218-220, fig. 15
- Hicks 1980: 164-, BRITAIN

ECTINOSOMA CANALICULATUM - SEE HALECTINOSOMA

ECTINOSOMA CARNIVORA SEIFRIED + DÜRBAUM, 2000

-- SEIFRIED + DÜRBAUM, 2000: 1595-1617, FIGS. 1-19, 22,
N. SP., BAHAMAS

ECTINOSOMA CHRYSTALLI - SEE HALECTINOSOMA

ECTINOSOMA CLAVATUM - SEE HALECTINOSOMA

Ectinosomidae - Harpacticoida.

Ectinosoma compressum G.O.Sars. f.

— — Sars, 1920, p. 27; pl. 17, fig. 1.

— — Lang, 1948, p. 204 (Pl. 114:2)

Habitat. Norwegian Coast.

ECTINOSOMA CONCINNUM - SEE HALECTINOSOMA

= HAECTINOSOMA Ectinosoma concinnum Akatora ♂♀.
Ectinosomidae - Harpacticoida

E. — Akatora, 1935, p. 322: figs. 6-12.

E. —, Lang, 1948, P. 218. Pl. 17:6, 5-215.

E. CONCINUM, Por 1962:37.

Habitat. Caspian Sea.

H. —, Coull 1975: 117

Ectinosoma couceiroi Jakobi & Nogueira

--- Jakobi & Nogueira, 1960. pp. 2-6, fig. 1

ECTINOSOMA CURTICORNE - SEE HALECTINOSOMA

ECTINOSOMA

ECTINOSOMA CURVIFRONS G.O. SARS, 1927
(NOMEN NUDUM).

-- G.O. SARS, 1927: 328, CASPIAN SEA; IN LIST, NO
DESCRIPTION.

Ectinosomidae-Harpacticoida

Ectinosoma dentatum Steuer

Steuer, Adolf, 1940, pp. 124-130, figs. 1-10.

--, Noodt, 1955, p.p. 54.

--, Lang, 1948, p. 205, (pl. 114.4)

-- --, Petkovski, 1964, p. 4, fig. 3

-- --, Guille & Soyer, 1966, pp. 346-347

-- --, Hamond, 1968, p. 176

--, Vervoort, 1964, p. 5, 6, 67, figs. 19a, b, 20-22, I ^{FALUK}
^{ATOOL}

--, Coull, 1970: 339, 341, 346; FIG. 3; TAB. 8

--, Coull & Herman: 1970: 394; TAB. 1

--, MARCOTTE & COULÉ, 1974: TAB. 1

--> BODIN 1970: p. 391, 431; TAB. 3.

--> BODIN 1968: p. 279. - (Ect.) -.

- Hammond, — : table 2

-- ASSIS ET AL. 1984: 221-, PORTUGAL

- Por and Marcus, 1972:260 Suez Canal
- Coull 1968: 59-, BERMUDA
- Hicks 1980: 164-, BRITAIN
- Reid 1990g: 198
- E. (E.) -, Bodin 1964: 120-, GULF OF MARSEILLES
- Pasta 1959: 99-, FIGS. 4-7, OFF NAPLES, ITALY
- Pasta 1959: 99-, FIGS. 4-7, OFF NAPLES, ITALY
- E. (E.) -, Por 1962: 14, 15, 26-27, 48, MEDITERRANEAN
COAST OF ISRAEL, & RED SEA.

ECTINOSOMA DIOPTIS - SEE HALECTINOSOMA

Ectinosomidae - Harpacticoidae

Ectinosoma distinctum G.O. Sars, ♀

— Sars, 1920, p. 29: pl. 18, fig. 1.

— Lang, 1948, p. 218, Pl. 117: 5 - 5-215.

Habitat. Norwegian Coast.

card 2

Ectinosoma distinctum

--, Jakobi, 1959, p. 279

-(Halec.)-, BODIN 1968: p. 279.

Ectinosomidae - Harpacticoidea.

Ectinosoma edwardsi (Richard) ♀

Bradya e - Richard, 1890.c, p. 214: 10 text-figs.

— — Richard, 1891, p. 241: 10 text-figs.

— — Richard, 1891, p. 241: 10 text-figs.

Ectinosoma e - Schmeil, 1893, p. 92; pl. 8, figs. 1-21.

— abrau Borutzky, 1931, p. 53 : fig. 13.

Habitat. Salt Springs of Bois-du-Boulogne.

— Chappuis, 1927: 50

-- Gagern, 1925, p. 96: figs. 1-5 variations.

--, Pesta, 1932, p. 15, 19-20, fig. 14

--, Dolzonolskaya, 1970, p. 61, a sysn. of E. abrau

-- LILLJEBORG 1902a: 66-70, SWEDEN

-- FORRD 1986: 559

-- TUNN 1903: 292, 293, 300, ELBE RIVER

-- VAN DOUWE, 1909: 66, FIGS. 295-303, GERMANY

Ectinosoma edwardsi vitiosa

----, Pesta, 1932, p. 20

Ectinosoma elongata A.T. Scott

—Thompson, 1895: 100

ECTINOSOMA ELONGATUM SARS - SEE HALECTINOSOMA

= HALECTRINOSOMA Ectinosomidae - Harpacticoida

Ectinosoma elongatum G.O. Sars, ♀. ♂

- — Sars, 1904, p. 32: pl. 18, fig. 1.
- — Pesta, 1921, p. 563: text-fig. H4.
- — Klie, 1913, p. 11: fig. 2, text.
- — Klie, 1929, p. 333: figs. 1 — 2.
- — HANG, 1948, P. 212, PL. 112: 8, 5-201-116: 6, S. 210.

Habitat. Norway Fjords; Adriatic.

— — Hamond, 1968, p. 176

— — MARCUS, 1965: 88, 89, 91

-Wilson, 1932, p. 175: fig. 120.

--, NOODT, 1956, P. 44, N. SEA.

-- --, Por, 1960, pg. 103

--, Stock & Vos, 1960, p. 207

--, Pesta, 1932, p. 16, fig. 8

--, Dolzonolskaya, 1970, p. 61, pl. VII, fig. 5

--, Bacescu, 1966, p. 179

--, CHISLENKO, 1977: TAB. I

-- GOMORI 1971: 158-, BLACK SEA

E.(H.) -, POR 1962: 11, 16, 17, 27, 32, 48, 49, MEDITERRANEAN
COAST OF ISRAEL

HAELECTINOSOMA ELONGATUM R. SARS, 1904 M(2)

--, DRZYCIMSKI, 1975: 43; TAB. I

--, SOYER, 1972: 110

-- DRZYCIMSKI 1985: 554, H.E. OF DRZYCIMSKI (1974)
= PSEUDOBRADYA sp.

ECTINOSOMA-, GRANDORI 1914: 165, LAGOON, VENICE
E.(H.)-, BODIN 1964: 121-

Ectinosomidae - Harpacticoida.

Ectinosoma erythrops Brady, ♀

- — Brady, 1880, vol. 2, p. 12: pl. 36, fig. 11-17.
- — Norman & Brady, 1909, p. 119.
- — T. Scott, 1906, a, p. 307: 1903, p. 9.
- — T. & A. Scott, 1896, p. 431: pl. 36, fig. 24, 31, 36,

Habitat. English coast.

-- Thompson, 1893, p. 192: pl. 18, f. 8, c-d.

-- --, Wells, 1970, pg. 256

--, Giesbrecht, 1882, p. 107

--, Giesbrecht, 1881, p. 255

Ectinosoma finmarchicum T. Scott - see Halectinosoma

Ectinosoma gothiceps - see Halectinosoma

ECTINOSOMA GRACILE - SEE

PARARENOSTELLA ERYTHROPS

Ectinosomidae - Harpacticoida

Ectinosoma gracilicorne Brady, ♀.

— — Brady, 1910, p. 507: text-fig. 2.

— — , LANG, 1918, P 220.

Habitat Antarctic Ocean

Ectinosomidae - Harpacticoidea

Ectinosoma hennequyi (Labbé) ♀

— — Labbé, 1927, p. 146 : figs. 3 - 13
— — , HANG, 1978 (P. 205, Pl. 114:5.)

Habitat French Coast

ECTINOSOMA HERDMANI - SEE HALTECTINOSOMA

Ectinosoma inopinatum Por, 1964

-- -- Por, 1964, pp. 74-76, pl. 9 figs. 60-62

-- Por 1962: 49-50, pl. 9 FIGS. 60-62, MEDITERRANEAN
COAST OF ISRAEL (THESIS)

ECTINOSOMA INTERMEDIA - SEE

HALFECTINOSOMA INTERMEDIUM

Saimincola sp.

~~Shelf~~ 30

ECHINOSOMA INTERMEDIUM MARCUS, 1965

-- MARCUS, 1965: 88-91 figs; FIGS. 3, 4; syn:

E. HERDMANI; E. ELONGATUM

-- BACESCU 1966: 179

ECTINOSOMA ISCHNUM G. O. SARS, 1927 (NOMEN
NATUM)

-- G. O. SARS, 1927: 328, IN LIST; NO DESCRIPTION.
CASPIAN SEA.

Ectinosoma japonica Miura

-- -- Miura, 1964. pp. 133-136, fig. 1-17

HAECTINOSOMA JAPONICUM, Rouch 1969: 423, nom. nov.

ECTINOSOMA LEPTODERNA - SEE HASTIGERELLA

ECTINOSOMA LITORALE - SEE

HALECTINOSOMA LITTORALE S

Ectinosoma littorale - SEE *Hallectinosoma*

Ectinosomidae - Harpacticoida.

Ectinosoma longicorne T. & A. Scott.

— T. & A. Scott, 1896, p. 439: pl. 36, fig. 23, 38,
— T. Scott, 1906, a, p. 308.

— Monard 1935a, p. 13, ♀, Roscoff, France

Habitat. British Seas.

Ectinosoma longifurcatum

--, Bacescu, 1966, p. 179

ECTINOSOMA MAJOR - SEE PSEUDOBRADYIA

Ectinosoma mediterraneum n.sp.

--, Kunz, 1974, p. 257-259, figs. 1-11, tabs. 1, 2

Ectinosomidae-Harpacticoida

Ectinosoma melaniceps Boeck, ♀ ♂ ♂

- Boeck, 1865, p. 30 (254).
- Brady, 1880, vol. 2, p. 11: pl. 40, fig. 17-20.
- Norman & Brady, 1909, p. 119.
- T. Scott, 1902, b, p. 457: pl. 22, fig. 10-16.
- Scott & Scott, 1901: 342

Habitat. Tide pools, English coast; Polar Islands (2nd. Fram. Exp.). Norway Coast; Adriatic

- — T. Scott, 1906, p. 307.
- — G. O. Sars, 1904, p. 34: pl. 19, fig. 1.
- — Pesta, 1921, p. 563: text fig. H5.
- — Steuer, 1912, p. 66.
- — Brian, 1917, p. 177.
- — Brian, 1921, p. 55: fig. 10, text.
- — Klie, 1913, p. 10: fig. 1, text.
- — Sewell, 1924, p. 808: pl. 48, fig. 3.
- — Gurney, 1927, p. 491.
- — A. Monard, 1928, p. 292: fig. 3 (f)
- — Klie, 1927, p. 4:
- — Lang, 1934, p. 4: text-figs. 1-2.
- — Monard 1935a, p. 12, Roscoff, France ♀ ♂

Ectinosomidae - Harpacticoida.

Ectinosoma melaniceps Brady. ♀.

— — Brady, 1872, p. 435; pl. 20, fig. 1-12.

— — Brady & Robertson, 1873, p. 130.

A synonym of Ectinosoma sarsi.
(Brady, 1880, p. 9).

— — T. Scott, 1899^o, p. 95.

— — Thompson, 1893, p. 192; pl. 21, fig. 2, a.

— — Brian, 1928, p. 304

— — Hammond, 1968, p. 176

--, HICKS, 1977a: 452; FIGS. 3, 4

--, ROE, 1958: 225, 244, 252; FIG. 105

--, ROE, 1960: 278

13/1 :

Ectinosoma melaniceps Boeck-2

— — Sewell 1940, p. 139, Nicobar Ids.

— —, NOODT 1955, P. 201, CANARY IS. OR TENERIFFE.

— —, NOODT, 1956, P. 44, N. SEA

— —, NOODT, 1955, P. 54.

— —, SEWELL, 1947, P. 289, arabian Sea, Nicobar Is.

— —, BORUTSKY, 1952, P. 87, FIG. 31 USSR.

— —, LANG, 1948, P. 200, PL. 112:1, 113:1.

— —, ~~F~~ Jespersen, 1940, p. 73. Iceland.

— Michailova- Neikova, 1968:216

E. melaniceps, ♂ Chappuis, 1957. Puget Sound

-- --, Wells, 1963 p. 11

-- Bozic, 1964, p. 483, 481

-- --, Por, 1960, pg. 103, ta

-- --, Wells, 1970, pg. 255

-- --, Chappuis, 1958, p. 411

--, Stock & Vos, 1960, p. 207

--, Pesta, 1932, p. 15-6, fig. 7

--, Giesbrecht, 1882, p. 108

--, Dolzonolskaya, 1970, p. 62, pl. VIII, fig. 1

--, Giesbrecht, 1881, p. 255

Ictinosoma melaniceps Boeck

card 3

--, Bowman, Chappuis, Herbst, 1959, p. 266.

--, Jakobi, 1959, p. 137

--, Klie, 1941, p. 6

--, Lang, 1944, p. 6

--, CHISLENKO, 1977: 745. 1

--, BODIN 1972: pp. 658; Tab. 2.

--, BRADY 1899: 433.

--, Coffin, 1978-79, p. 593

--, Coull et al, 1983: passim.

— Hammond, — : tabl. 2.

— Mielke, 1974: 7 — , fig. 1A

—Willey, 1923: 327, 328

ECTINOSOMA MELANICEPS BOECK, 1864 CARD 4

-- KITO 1977:692-3

-- MASUNARI 1985: 53, SANTOS BAY, SÃO PAULO, BRAZIL

-- DINET 1971: 748-749, Pl. 1.

— Knatz, 1986: passim CALIFORNIA

— Lang, 1965: 18-22, fig. 2-4, Pl. I, fig. d.

— Wells, 1967: 218

-- BORUTZKY 1960: 102, FIG. 39(2)

— Serban, 1959: 261 Romania

— Vorobjeva, 1984: 47

- Makkaveeva, 1961: 154 , fig. 10-11

-- PALLARES 1975 b: 5, 7 - TIERRA DEL FUEGO

Ectinosoma melaniceps Boeck, 1864

- Por and Marcus, 1972:260 Suez Canal
- Por, 1979: 14 Gulf of Elat, Red Sea
- Timm 1903: 292, 300
- Hicks 1988: 500 -, NEW ZEALAND
- Krishnaswamy 1957d: 12, RECORDS, INDIA
- Dahms 1988 b: 14-, FIGS. 7B, 29E, 30C, 31C, 43D,
HELGOLAND - NORTH SEA
- Shih et al. 1971: 310, CANADA - ARCTIC
- (Ectinosoma) -, Crandell 1967: 37-, YAQUINA
BAY, OREGON

Ectinosoma melaniceps Boeck, 1864

card 6

-- Hicks 1980:164-, Britain

-- DAHMS 1991: 88-, FIG. 5B, HELGOLAND, GERMANY

-- CHISLENKO 1977b: 237-238, FIG. 1(1,2),
FRANZ JOSEF LAND

-- GRANDORI 1914: 165, VENICE LAGOON

-- BRADY 1872: 435, Pl. 20 FIGS. 1-12, ENGLAND

-- var., BODIN 1964: 121-

-- DAHMS 1992a: 227-, FIG. 6 C,D

-- PALLARES 1970: 257-, Pls. I, II, RÍA DESEADO, ARGENTINA

Ectinosoma melaniceps Boeck, 1864

card 7

-- Pesta 1959: 101-, FIGS. 8-8a, off Naples, Italy

-- Boer 1971: 64, TAB. I, ASSOCIATED WITH LIMNORIA,
FRANCE (ATLANTIC)

-- POR 1962: 11, 26, MEDITERRANEAN COAST, ISRAEL

MINOR - SEE PSEUDOBRADYA

Ectinosomidae - Harpacticoida.

Ectinosoma mixtum G.D. Sars, ♀, ♂.

- — Sars., 1904, p. 37: pl. 21, fig. 1.
- — Pesta, 1921, p. 564: text-fig. H6.
- —, HANG., 1948, P. 217, Pl. 112:11, 5-201, 117:4, 5-215.
- , Jakobi, 1959, p. 141

Habitat. Norway Fjords: Adriatic.

Ectinosoma neglectum Sars - see Halectinosoma

Ectinosoma nonpectinatum n. sp.

--, Mielke, 1979, p. 35-41, figs. 16-20

Ectinosomidae-Harpacticoida

Ectinosoma normani T. & A. Scott, ♀.

- T. & A. Scott, 1896, p. 435: pl. 36, figs. 21, 29,
39: pl. 37, figs. 12, 26, 34, 51; pl. 38, figs. 5, 18, 42, 45.
— Norman & Brady, 1909, p. 119.
— Thompson & Scott, 1903, p. 257.
— Thompson, 1895: 100

Habitat. English coast = Indian Ocean:
Rhode Islands: Franz Josef Land (Scott),
Finnmark: Adriatic!

- — Williams, 1907, p. 72: 1906, p. 652.
— — G. O. Sars, 1904, p. 35: pl. 19, fig. 2.
— — T. Scott, 1903, p. 9: 1899, p. 95.
— — Pesta, 1921, p. 565: text-fig. H8.
— — A. Monard, 1928, p. 293: fig. 3. (f)
— — Klie, 1927, p. 4:
— — Wilson, 1932, p. 173: fig. 118:
— — — Monard 1935a, p. 12, Roscoff, France
— — — NOODT, 1956, p. 44.
— — — NOODT, 1955, p. 54.
— — — LANG, 1948, p. 202, (Pl. 112: 2, 113: 2.)
— — — Chappuis, 1957, Puget Sound

Ectinosoma normani - 2

- —, Por, 1960, pg. 103
- —, Chappuis 1958 p. 411
- Hammond, — : 238
- , Pesta, 1932, p. 15, fig. 6
- Willey, 1923: 327,
- , Dolzonolskaya, 1970, p. 62, pl. VIII, fig. 2
- , Jakobi, 1959, p. 137
- , MARCOTTE & COULÉ, 1974: TAB. 1
- , BODIN 1970: pp. 391, 431, TAB. B.
- , BODIN 1971: pp. 417, 428 - TAB.
- , BRIAN 1923b: 869, 871.

- Noodt, 1952: 107
- Serban, 1959: 261 Romania
- KRISHNASWAMY 1957d: 12
- BURRELL & ZWERNER 1972: 139, CHESAPEAKE BAY
- HICKS 1990: 164-, BRITAIN
- CHISLENKO 1977b: 271, FRANZ JOSEF LAND
- GRANDORI 1914: 165, VENICE LAGOON
- E. (E.)-, POR 1962: 48

Ectinosomatidae - Harpacticoida.

Ectinosoma obtusum G.O. Sars, ♀,

— — Sars, 1920, p. 30, pl. 18, fig. 2.

— —, HANG, MVB, p. 205 (PL. 114:3)

— —, Petkovski, 1964. pp. 4-5, fig. 4

— —, Wells, 1964. p. 455, fig. 1 G-J

Habitat. Norwegian Coast.

— DAHMS 1988b: 147, FIG. 43C, HELGOLAND - NORTH SEA

Ectinosoma paradentatum Bozic, 1965

--, Bozic 1965: 354; Figs. 3+4.

Ectinosoma paranormani Lang, 1965

—Lang, 1965: 22-26, fig. 5a-c, 6a-e
Pl. I, fig. e
N. sp., CALIFORNIA

Ectinosoma pectinatum n. sp.

--, Mielke, 1979, p. 28-35, fig. 11-15

Ectinosoma pectinatum Wells & Rao, 1987

-- Gee 1994: 100

ECTINOSOMA PORRECTUM G.O. SARS, 1927
(NOMEN NUDUM)

-- G.O. SARS 1927: 328, CASPIAN SEA; IN LIST,
NO DESCRIPTION.

ECTINOSOMA PROPINGUUM - SEE HALECTINOSOMA

Ectinosoma proximum Sars - see Halectinosoma

Ectinosoma pruvoti n. sp.

--, Soyer, 1971, p. 126, figs. 3, 4

--, Kunz, 1974, p. 259 (tbl. 1, 2)

Ectinosomidae-Harpacticoida.

Ectinosoma pygmaeum T. & A. Scott, ♀.

- — T. & A. Scott, 1896, p. 433; pl. 36, f. 15, 41
— — T. Scott, 1899^o, p. 95.
— Thompson, 1895: 101

A synonym of Ectinosoma gothiceps.
(T. Scott, 1906, a, p. 308).

Ectinosoma (E.) reductum BOZIC, 1954

- , BOZIC 1954: 2-4; Figs. 1-9.
-- J. STR. KUNZ 1974: 259 (TBL. 1, 2)
-- WILLEMS 1981: 200, NORTH SEA (TWINTE BANK)
E.R. REDUCTUM, KUNZ 1983: 119, AZORES, FIGS. 17F, 21F,
pp. 121-122
---?, BODIN 1964: 120; GULF OF MARSEILLES

Ectinosoma reductum listensis Mielke
— Mielke, 1975: 17–22, fig 6–8.
— Kunk 1983: 122

Ectinosoma roseum Dana
Ectinosomidae - Harpacticoida.

-- Dana,
-- Thompson & Scott, 1903, p. 257,

Habitat. Indian Ocean,

Ectinosoma sarsi Boeck - see Halectinosoma

Ectinosoma scotti Brady, ♀.
Ectinosomidae - Harpacticoida.

— — Brady, 1910, p. 506; pl. 52, f. 3; textfig 1,
— —, HANG, 1988, p. 219, (pl. 118:2.)

Habitat, Antarctic Ocean.

Ectinosoma spinicauda Wells - see Halectinosoma

ECTINOSOMA SPINIPES - SEE HAECTINOSOMA

Ectinosomidae - Harpacticidae.

Ectinosoma tenerum G.O. Sars, ♀.

— — Sars, 1920, p. 25: pl. 16, fig. 1.

— —, HANG, 1948, P. 214, PL. 116:10, 5-210.

— —, Wells, 1963. p. 11

— —, Wells, 1970, pg. 256

— —, Jakobi, 1959, p. 143

Habitat. Norwegian Coast.

Ectinosomidae-Harpacticoidea

Ectinosoma tenue Brady & Robertson, ♀.

— Brady & Robertson, 1876, p. 196.

A synonym of Robertsonia tenuis.
(Norman & Brady, 1909, p. 124).

Ectinosomidae-Harpacticocida.

Ectinosoma tenuipes T. & A. Scott, ♀.

- — T. & A. Scott, 1896, p. 436; pl. 36, figs. 25, 32, 35; pl. 37,
- — T. Scott, 1906, a, p. 308 [figs. 9, 19, 30, 47]; pl. 38, figs. 12, 17,
- — G. O. Sars, 1920, p. 28; pl. 17, fig. 2. [36, 52]
- — Lang, 1918, p. 204 (Pl. 114: 1.)
- — Wells, 1963. p. 11

Habitat. British Seas.

- — Wells, 1970, pg. 255
- Lang, 1965: 33; fig. 13-14, REDescription, NORWAY
- Poe 1958: 252

--, Vervoot, 1964, p. 72

Ectinosomidae-Harpacticoida.

Ectinosoma tenuireme T. & A. Scott, ♀.

— — T. & A. Scott, 1896, p. 439; pl. 36, fig. 33; pl. 37, fig.

— — T. Scott, 1906, a, p. 308 [8, 27, 36, 46; pl. 38, fig. 1, 24, 40].

— — Sars, 1911, p. 438; Suppl. pl. 52.

2 Monard 1935a, p. 13 ♀, Roscoff, France

— —, Wells, 1970, pg. 256

Habitat. British Seas: Norway Coast.

ECTINOSOMA TENUISSIMA - SEE ARENOSETTELLA

Ectinosoma tholomiges

-- --, Jakobi 1954, pp. 210-232 figs. 1-15

Habitat: Bay of Parana Brazil.

Ecninosoma TRAVEI SOYER

--, SOYER, 1974b: 191

Ectinosomidae - Harpacticoida

Ectinosoma veili (Labbé) ♀

-- Labbé, 1927, p. 150 : figs. 14 - 19

--, LANG, 1948, P. 221, PL. 118: 6, 5-219.

Habitat Coast of France

Ectinosoma vervoorti n. sp.

--, Soyer, 1971, p. 122, figs. 1, 2

Ectinosoma virginensis Coull 1971

--, Coull, 1971, p. 208-212 (Fig 1-15)

- VIRGINIENSIS, Reid 1990g: 198

- HARTZBAND 1971: 12-, ST. THOMAS, VIRGIN IS.

Ectinosomidae - Harpacticoida

Ectinosoma wieseii Smirnov, ♀.

— — Smirnov, 1932, p. 200, 212: figs. 3-7.

— —, 1948, p. 222, Pl. 118: 1 - 5-219.

Habitat Coast of Franz Joseph Land.

①

Ectinosoma sp.

- spec., ANGER & SCHIEBEL 1976: Tab. 2.
- Reidenauer & Thistle, 1981: tab. 4
- KITO 1977: 692-3
- REID 1978: 45-, NORTH CAROLINA
- PRÉFONTAINE & BRUNEL 1962: 253, ST. LAWRENCE
- SHIH ET AL. 1971: 51, CANADA-ATLANTIC;
210, ARCTIC
- Decho & Fleeger, 1988: 234 - Louisiana
- HARTZBAND 1971: 12-, ST. THOMAS, VIRGIN IS.

ECTINOSOMA sp.

(2)
ECTINOSOMA sp., ALVAREZ 1987: 5, OFF SÃO PAULO,
BRAZIL.

ECTINOSOMA spp.

- KASA ET AL 1982: 33, BRITISH COLUMBIA
-- BANARESCU 1973: 20, TETHYS ORIGIN