

Euchirella

Giesbrecht, 1888

E. rostrata
(Claus)

Syn. Euchirella, Giesbrecht, 1892, p. 54, ²³²
Euchirella, Esterly, 1905, p. 150
Uudina (pars) Lubbock, 1856, p. 21,
Calanus (pars) Lubbock, 1856, p. 15,
Uudina Claus, 1863, p. 186,
Euchaeta (pars) Brady, 1883, p. 59.
Euchirella Cleve, 1900, p. 4.

Euchirella Wolfenden, 1903, p. 267.

Euchirella Esterly, 1909.

not Undina, Dana, 1849, 1852.

not Undina Brady, 1883.

Euchirella Giesbrecht, 1888, a, p. 336.

Euchirella Giesbrecht & Schmeil 1898, p. 34.

Euchirella Testa, 1921, p. 509

EUCHIRELLA

GIESBRECHT, 1888

CARDI

--, VAUPEL-KLEIN, 1972 SYSTEMATIC CHARACTER

--, TANAKA, 1957d: 176, 190, 192, 205

--, PARK, 1978: 147

--, Bradford & Jillett, 1980, pp 30-33.

--, Gardner & Szabo, 1982, p. 26, 233.

--, ~~Vaupel~~ Vaupel Klein, 1982: 1-48

--, Vaupel Klein, 1984: Part 1: 3-18! (Whole Book)

part. 5. 1-44

part. 6 1-48

part 7: 1-31, 164-17

EUCHIRELLA GIESBRECHT, 1888

CARD 2

- , NISHIDA, 1984: 37
- , FERRARI, 1980: 543
- MAUCHLINE 1988: 730-, FIG. 20A, PORE SIGNATURE
- SCHULZ 1990: 187-
- VYSHKVARTSEVA 1994: 120

Euchirella acadiana Willey

— — Willey 1918, p. 190, figs. 10-16, ♀. Gulf of
St. Lawrence

Euchirella acuta Tanaka & Omori

SYN: E. UNISPINA PARK, ~~1976~~

-- -- Tanaka & Omori, 1969, pp. 34-37, fig. 1 a-n

--, PARK, 1976^d: 101

Hetideaidea - Calanoida.

Euchirella amoena Giesbrecht, ♂.

= E. bellii

Length 3.35 mm.

— — Giesbrecht, 1888, p. 336.

— — Giesbrecht, 1892, p. 233, 244: pl. 15, f. 20

— — Giesbrecht & Schmeil, 1898, p. 36.

— — Esterly, 1905, p. 155: text-fig. 21, a-b.

— —, Owre, 1962

Habitat. California Coast: Mediterranean

— Bowman, 1971, p. 5-

— ~~Bronnerstaedt, 1972~~
~~Vauquel-Kleinfeld, 1972~~, 1972 pp. 501-511

- — A. Scott, 1909, p. 53.
— — Rose, 1929, p. 21. pl. I, fig. 3.
— —, Chiba, Tsuruta, & Maéda, 1955, p. 406, fig. 5. Immature! Bikini.
— —, MORI - 1937, P.P. 42. JAPAN
— —, BRODSKY, 1950, P. 174, FIG. 89, USSR
— —, A. G. Fish, 1962. p. 21, fig. 12
— —, Grice, 1962. pp. 194, 196. pl. 10, fig. 5-10
— — Park, 1968, pp. 527-572.
— —, Tanaka & Omori, 1969, pp. 37-38,
— —, Chiba, 1956, p. 32, fig. 22
— , Morris, 1970, p. 2300.
— , Roe, 1972a, pp. 294-

Euchirella amoena

card 2

-- TANAKA, O., OMORI, M., 1969, p. 155, 156.

--, Furuhashi, 1961: 106

--, VAUPEL KLEIN, 1980: 153

--, PARK, 1976 b: 101, 103-109, 119-121, FIG. 1

--, VAUPEL-KLEIN, 1972: 500, 501, 504, 506, 507, PL. 4a-c (SEM)

--, TANAKA, 1957d: 176-177

--, OWRE & FOYO, 1964b: 361, 363

--, OWRE & FOYO, 1972: 493; TAB. 3

--, CALEF & GRICE (UNPUBL.) in KETCHUM & RUTHER
1966 (UNPUBL.): APPENDIX

--, Bradford & Jillett, 1980, p. 33, fig. 19.

Euchirella amoena GIESBRECHT card 3

--, von Vaupel Klein, 1982, passim

-- Madhupratap et al 1981: 266-267

- Vampel Klein, 1984: ^{part 2} 501 - passim, Tbl. 1, 2
pl. 4 a - c

part. 7.: 36., fig. 5K, 6g, 8g, 9c, 10g, 11b, 12d, 16

-- SANDER & MOORE 1978: 232.

-- YOUNGBLUTH 1979: 22, CARIBBEAN

-- GRICE & HART 1962b: TABLE 3, w. NORTH ATLANTIC

- Bjornberg, 1981: 632, fig. 210 #11

EUCHIRELLA AMOENA GIESBRECHT

CARDY

--, MADHU PRATAP & HARIDAS, 1986: 108, 109,

INDIAN OCEAN

- Deevey & Brooks, 1977: 263

-- STEPHEN 1984: 169-, ARABIAN SEA

-- Soldevilla, et al. 1988: 58 Canary Islands

-- CUMMING 1982: 33-, GULF OF MEXICO

-- SUAREZ, E. & GASCA 1989a: 198-, YUCATAN CHANNEL

-- GRANT 1977: 4-8-, OFF NEW JERSEY

-- COPLEY ET AL. 1989: 12-, NW ATLANTIC

Euchirella amoena Giesbrecht

card 5

-- Suarez, E. et al. 1990:126-, w. Gulf of Mexico

-- REID 1990g: 185

-- SUÁREZ M. 1992:135-, GULF OF MEXICO

-- SUAREZ & GASCA 1991: 596-, GULF OF MEXICO

-- VYSHK VARTZEVA 1994: 119

-- VAUPEL KLEIN 1989: 164, 167, ALBATROSS STA. 4700, PACIFIC

EUCHIRELLA AREATA TANAKA, 1957

-- TANAKA, 1957 d: 186-187 ♀, FIG. 50

--, FURUHASHI, 1961: 106

-- VAUPEL KLEIN 1989:163

Euchirella atlantica Wolfenden ♀

— Wolfenden, 1905, p. 20.

— curticauda With, 1915, p. 118.

--

Aetideidae - Calanoida.

Euchirella bella Giesbrecht, ♀.
Length 3.8 mm.

- — Giesbrecht, 1888, p. 336.
— — Giesbrecht, 1892, p. 233: pl. 15, f. 26.
— — Giesbrecht & Schmeil 1898, p. 35.
— — Sewell 1929, p. 108 syn. list, p. 109

hessei, A. Scott 1909

Habitat. Tropical Pacific.

~~VAUPEL-KLEIN~~
~~Brongen~~, ~~1972~~, pp. 501-511

— — , SEWELL, 1947, P. 71 FIG. 13-A-F.

— — , VERVERD, 1949, P. 17, FIGS. 8a, 9c, G. CELEBES AREA.

E. bella, Grice, 1962. p. 194, pl. 9, fig. 1-13

--- --- Tanaka & Omori, 1969, pp. 38-40, fig. 2 a-1

---- Tanaka & Omori, 1969, pp. 155-156

--, VAUPEL KLEIN, 1980: 153

--, VAUPEL-KLEIN, 1972: 501, 504, 506, FIG. 2a,b

--, STEPANJANTS, 1977: 78, 85; TAB. 1, 3

Euchirella bella

card 2

--, ~~van~~ Vaupel Klein, 1982, passim

- Vaupel Klein, 1984 part. 2 : 501 - passim
tbl. 1, 2.

part. 7 : 36-37, fig. 50, 6h, 9d, j, 10h
11d, 12c, 16 +

-- MADHUPRATAP & HARIDAS, 1986: 108, INDIAN OCEAN

-- VAUPEL KLEIN 1989: 145, 146, 160-169, ALBATROSS STA. 4700,
PACIFIC

Euchirella bella var indica

--, Wolfenden, 1906: 1006-1007,
pl. 96, fig. 17-20

-- VAUPEL KLEIN 1989:163

Heteropoda-Calanoida

Euchirella bitumida With, ♂. ♀.
Length 6.1-6.7 mm.

— — With, 1915, p. 131¹³²: pl. 5, figs. 9, a-g;
pl. 8, figs. 4, a-e: text-fig. 34.

— — Sars, 1925, p. 74: pl. 21, figs. 15-18.

Sewell 1929, p. 110, may be syn. E. galeata

— — VERVOORT, 1919, p. 35, fig. 17, - Flores Sea.

Habitat. North Atlantic.

— — Jespersen, 1940, p. 25. S. of Iceland.

— — OWRE, 1962
~~VAUPEL-KLEIN~~
~~Baengesma, E.D., 1972 pp 501-511~~

- -- Tanaka & Omori, 1969, pp. 40-42, fig. 3 a-g
--, Morris, 1970, pp. 2300, 2306-7, fig. 4.
--, Roe, 1972a, pp. 294-
--, ~~Tanaka, Omori~~, 1969, pp. 155-156.
--, Furuhashi, 1961: 106
--, VAUPEL KLEIN, 1980: 153
--, PARK, 1976b: 101, 103-107, 109-110, 120-121, FIG. 2
--, VAUPEL-KLEIN: 1972: 500, 501, 504, 506, 507, FIG. 2c,d; PL. 5a
--, TANAKA, 1957d: 189-190 ♀ FIG. 52
--, OWREN FOXO, 1964b: 363

EUCHIRELLA BITUMIDA

CARD 2

- ; CALEF & GRICE (UNPUBL.) in KETCHUM & RYTHEM
1966 (UNPUBL.): APPENDIX
- ; Bradford & Jillett, 1980, pp. 33-35, fig. 20.
- ; Grice & Hulsemann, 1968: tabl. 2.
- ; Jaap Klein, 1984, part 2: 501-passim
tabl. 1-2, pl. 5 a~~xx~~
- part 7: 37-38, fig. 4a, 6f, 7g, 15f, 16g
- ; Deevy & Brooks, 1977: 263
- ; MAUCHLINE 1988: 730

Euchirella bitumida

card 3

-- Soldevilla, et al. 1988: 58 Canary Islands

-- Caminos 1982: 34-, GULF OF MEXICO

-- Copley ET AL. 1989: 12-, NW ATLANTIC

-- SUÁREZ, E. ET AL. 1990: 126-, W. GULF OF MEXICO

-- SUÁREZ M. 1992: 135-, GULF OF MEXICO

-- SUÁREZ & GASCA 1991: 596-, GULF OF MEXICO

-- VYSHKVERTSEVA 1994: 119

Aetideidae - Calanoidea.

Euchirella brevis G.O.Sars, ♀

①

Length 3.90mm.

— — Sars, 1905, p. 12

— — Sars, 1925, p. 71: pl. 21, figs. 1-7.

— — Farran, 1929, p. 234.

— — Sars, 1925, p. 71: pl. 21, figs. 1-7.

Habitat. Station 1639, 1802, 1856, Monaco,

Azores: Canaries, Australian

Archipelag ①

— — Rose, 1929, p. 20.

— — Wilson 1942, 185

— — Sewell 1929, p. 109, Indian O.

— —, BRODSKY, 1950, P. 177, FIG. 93. USSR

— —, Paiva, 1971, p. 21-22

— —, Wolfenden, 1905, p. 18-19, pl. 6

— —, Vives, 1972, pp. 210, 211, fig. 2.

— —, Bjornberg, 1963: 9, 37, 104 (2 tables), Table 10, 124

— — TRANTER 1977: 598.

EUCHIRELLA BREVIS G.O. SARS

CARD 2

- MADHUPRATAP & HARIDAS 1986: 108, INDIAN OCEAN
- SCIAREZ, E. & GASCA 1989C: 94-, COSTA RICA DOMS
- REID 1990g: 185
- ALVAREZ-SILVA 1996: 19, TAB. 2, VERACRUZ, MEXICO

Euchirella carinata Wolfenden, ♀

Chi ründina

Length 4.66mm.

367

— — Wolfenden, 1902, p. 366; 1904, p. 115.

— — With, 1915, p. 124. claims as a synonym
of E. intermedia, n.sp. With: but synonymy
would come the other way around.Habitat. Atlantic

— — Wolfenden, 1911, p. 236.

— — Fowler (Wolfenden), 1903, p. 126.

Chirundina ____ Sewell 1929, p. 123

--, Roe, 1972b, p. 342 (?Syn. Chirundina streetsii)

Actideidae - Calanidae

Fuchirella curticauda Giesbrecht, ♂. ♀.
Length 3.5 mm.

- — Giesbrecht, 1888, p. 336. [p. 1.36, fig. 19-20]
— — Giesbrecht, 1892, p. 233; pls. 15, fig. 3, 13, 25.
— — Giesbrecht & Schmeil, 1898, p. 36.
— — I. C. Thompson, 1902, p. 18.

Habitat. N. Atlantic: Malay Archipelago
Pacific

- — var. *atlantica* Wolfenden, 1904, p. 116.
- *atlantica*, n. sp., Wolfenden, 1905, p. 20.
- *curticeauda* Sars, 1905, p. 4; Farran, 1905, p. 35.
- Esterly, 1906, p. 59: pl. 9, fig. 6: pl. 10, fig. 27:
- Farran, 1908, p. 38 [pl. 12, fig. 62; pl. 13, fig. 67]
- Pearson, 1906, p. 15; v. Breemen, 1908, p. 48: fig. 54.
- A. Scott, 1909, p. 55; Wolfenden, 1911, p. 236.
- With, 1915, p. 118: ¹²²pl. 4, fig. 3, a-m: pl. 8,
fig. 2, a-e: text-fig. 29, a-e.
- Sars, 1925, p. 72: pl. 21, figs. 8-14.
- Wilson, 1932, p. 59: — fig. 38. 1942, p. 185
- — Sewell 1929, p. 109 fig. 41, Indian O.
- — BRODSKY, 1950, P. 176. FIG. 92. USSR

EUCHIRELLA CURTICAUDA GIESBRECHT

— —, JESPERSEN, 1934, p. 64, W. GREENLAND WATERS.
1940, p. 23-24. S. of Iceland.

— —, Grice, 1962. p. 196, fig. 11-14, pl. 10

— —, Owre, 1962

— — Park, 1968, pp. 527-572.

— — Tanaka & Omori, 1969, pp. 42-43

— —; Park, 1970, p. 475

— , Bowman, 1971, p. 6-

— , Morris, 1970, p. 2300.

— , Roe, 1972a, pp. 294-

- , Roe, 1972b, p. 322
- , Vives, 1972, pp. 210.
- , ~~Bronner et al.~~, F.L.D., 1972, pp. 501-511
VAUPEL-KLEIN
- , Tanaka, Omori, 1969, pp. 155, 157
- , Furuhashi, 1961: 106
- , PARK, 1976b: 101, 103-107, 110-112, 120-121, FIG. 3.
- , VAUPEL-KLEIN, 1972: 500, 501, 504, 506, 507, FIG. 3a, b
- , TANAKA, 1957d: 187-189 ♀ ♂ FIG. 51
- , DEEVEY, 1971: TAB. 3
- , JAWED, 1973: 62, 78, 79
- , OWREY FOYO, 1964b: 361, 363
- , OWREY FOYO, 1972: TAB. 3

EDCHIRELLA CORTICAUDA GIESBRECHT CARD 3

--, CALIF & GRICE (INPLUBL.) w KETCHUM & RYTHEM
1966 (INPLUBL.): APPENDIX

--, Gardner & Szabo, 1982, p. 26, 234-235, fig.
14.6.1

--, von Vaupel Klein, 1982, passim

-Vaupel Klein, 1984: part 2, 501-passim, tbl. 1, 2
part. 7: 38, fig. 3d, 4d, 6d, 8d, 10d, f, 11a, l
13e,g,j, 16g, 26a-c; pl. 2 b-c.

EUCHIRELLA CURTICauda GIESBRECHT CARDY

- MADHUPRATAP + HARIDAS 1986: 108, INDIAN OC.
- Deevey & Brooks, 1977: 263
- MAUCHLINE 1988: 730
- STEPHEN 1984: 169-, ARABIAN SEA
- Soldevilla, et al 1988: 58 Canary Islands
- CURTICauda, CUMMING 1982: 34-, GULF OF MEXICO
- COPLEY ET AL. 1989: 12-, NW ATLANTIC
- SHIH ET AL. 1971: 32, CANADA - ATLANTIC

ENCHIRELLA -, ALVARINÓ 1989: 69-, OFF S. CALIFORNIA

Euchirella curticauda Giesbrecht

card 5

-- Suarez M. 1992: 135-, Gulf of Mexico

Euchirella curticauda Atlantica Wolfenden, 1904

---, Wolfenden, 1905, p. 20

---, VAUPEL KLEIN, 1980: 153

---, Bradford & Jillett, 1980, p. 35, fig. 21.

= Euchirella curticauda, Gardiner & Szabo, 1982, p. 26,
234-235.

Acanthoidea - Caranidae

Euchirella dentata A. Scott, ♀

Length 7.5 mm.

— A. Scott, 1909, p. 59: pl. 13, figs. 13-21

Habitat: Manipa Strait.

Aetideidae - Calanoida

Euchiarella dubia A.Scott, ♀ Length 7 mm.

— A.Scott, 1909, p. 60: pl. 14, figs. 1-7.

--, (= PSEUDOCHIRELLA ORTUSA), Park, 1978: 158

Habitat, Manipa Strait.

Aetideidae - Calanoida

Euchirella elongata Wolfenden, ♀
Length 7.5-7.7 mm.

-- Wolfenden, 1911, p. 239; pl. 28, fig. 6
text-fig. 25.

nspl, Wolfenden, 1905, p. 19, pl. 6

--, (= PSEUDOCHIRELLA E.), PARK, 1978: 159

Habitat. Antarctic pack-ice, 3000m.

Aetideidae-Calanoidea

Euchirella formosa Vervoort

Vervoort, W., --- 1949, pp. 29-32, figs. 14-15.

Bowman, 1970, pp. 2300 & 2304.

--, Bradford & Jillett, 1980, p 35, fig. 22.

--, Grice & Hulsemann, 1968: fig. 2

-- Vampel-Klein, 1984: part 7: 38, fig. 10e, II,
12a, g, 16x, 17j.

Aetideidae - Calanocida.

Euchirella galeata Giesbrecht, ♀, ♂.
Length 6.4 mm.

- — Giesbrecht, 1892, p. 233, 244: pl. 15, fig. 18:
— — Esterly, 1912, p. 281 ff. pl. 36, fig. 22, 26
— — Giesbrecht, 1895, p. 251; 1888, p. 336.
— — Giesbrecht & Schmeil, 1898, p. 36.
— Tanaka, Omori, 1969, pp. 155, 157.

Habitat. California Coast, N. Atlantic.

~~Banges~~

- — Esterly, 1905, p. 155: text-fig. 22, a-b.
— — Giesbrecht, 1888, p. 336.
— — Sars, 1905, a, p. 4.
— — Farran, 1908, p. 37.
— — A. Scott, 1909, p. 55.
— — Wolfenden, 1911, p. 241.
— — Sewell 1929, p. 110, fig. 41, Indian O.
— —, BRODSKY, 1950, P. 176, FIG. 91. USSR
— —, SEWELL, 1947, P. 74, FIG. 14, A-F.
— —, VERVOORT, 1949, P. 32, FIG. 16, INDIAN O, & CELEBES SEA AREA.
— — — Tanaka & Omori, 1969, pp. 43-45, fig. 4 a-k
— — — VAUPEL-KLEIN, 1972, pp. 501-511.
— — — VAUPEL KLEIN, 1980 : 153

EUCHIRELLA GALEATA

Giesbrecht, Card et

--, VAUPEL-KLEIN, 1972: 501, 504, FIG. 3e

--, von Vaupel & Klein, 1982, passim

-Vaupel, Klein 1984: part 2: 501- passim, fig. 1-
part. 7: 38, fig. 4b, 5j, 1bz, pl. 2d-e

Aetideidae - Calanoida

Euchirella gracilis Wolfenden, ♀.
Length 5.6-6.0 mm.

-- Wolfenden, 1911, p. 237: pl. 27, figs. 8-10;
text-fig. 22.

-- With, 1915, p. 124 claims as a synonym
of E. intermedia n.sp. With; impossible.

Habitat. Atlantic Ocean.

--> Park, T., 1975, pp. 291, 296

Aetideidae-Calanoidea

Euchirella grandicornis Wilson

Wilson, C.B., 1950, pp. 223-225, Pl. 9, figs. 98-100;
Pl. 10, figs. 101-106.

-- -- Tanaka & Omori, 1969, pp. 45-47, fig. 5 a-i

--, VAUPEL KLEIN, 1980: 153

--, PARK, 1976 b: 101

--, PARK, 1978: 187

- VaupeL-Klein, 1984: 38-39-40.

part. 7: passim, fig. 4c, 7e, 15e

-- MAUCHLINE 1988: 730

Euchirella granulata A. Scott, ♀.
Length 5.5 mm.

-- A. Scott, 1909, p. 58; pl. 13, figs. 1-12.

Habitat. Manipa Strait.

ONI ET OITA

Euchaeta hessei Brady, 1883, p. 63 : pl. 23.

Euchirella bella Giesbrecht, 1888, p. 336.

— — Giesbrecht, 1892, p. 233 : pl. 15.

— — Giesbrecht & Schmeil, 1898, p. 35.

Habitat, Pacific Ocean.

Euchirella hirsuta Wolfenden, ♀
Length 8.5-9 mm.

— — Wolfenden, 1911, p. 240 : pl. 28, figs. 7-9.
— — Farran, 1929, p. 237.

1. sp., Wolfenden, 1905, p. 17-18, pl. 6

--, (= PSEUDOCHEIRELLA HIRSUTA), PARK, 1928: 163

Habitat. Antarctic : southern Atlantic.

Aetideidae-Calanoida

Euchirella indica Vervoort

Vervoort, W.--- 1949, pp. 23-28, figs. 8b, 9b, f, 11, 12

-- (= E. MESSINEUSIS INDICA) TANAKA & OMORI 1969: 155, 157
^b

--, Bradford & Tillett, 1980, pp 37-39, fig. 23.

--, von Vaupel Klein, 1982b, p. 5

--, Grice & Hulsemann, 1968: tabl. 2

-- VYSHKVARTZEEVA 1994: 119

Euchirella intermedia With, ♂. ♀.
Length 6.2 mm.

- — With, 1915, p. 124: ¹²⁷pl. 4, fig. 4, a-c: pl. 8, f. 3
text-fig. 32, a-g.
— — Sars, 1925, p. 68: pl. 20, figs. 1-4.
— — Rose, 1929, p. 20.
— — Wilson 1942, p. 185

Habitat. North Atlantic.

- — Vervoort, 1949, p. 28, FIG. 13 - AZORES AREA.
— — Deevey, 1971: TAB. 3
— — Beaufort, 1973: 25, 138

- , Vives, 1972, p. 210.
- , Park, 1975, pp. 291, 295, 6.
- , TANAKA, 1957d: 183-184 ♀, 186, FIG. 48
- , CALEF & GRICE (UNPUBL.). in KETCHUM & RYTHEE
1966 (UNPUBL.): APPENDIX
- GRICE & HART 1962a: 294, w. NORTH ATLANTIC
- GRICE & HART 1962b: TABLE 3
- Björnberg, 1981: 632, fig. 210 #12
- COALEY ET AL. 1989: 12-, NW ATLANTIC

Aetideidae - Calanoida ①
Euchirella latirostris Farran ♀ length 5.4mm.

— — — Farran, 1929, p. 234: text-fig. 7, a-g.

— — —; Vervoort, 1957, p. 64, fig. 41

— — —, VAUPEL KLEIN, 1980: 153

— — —, (= E. COSTROMAGNA), PARK, 1978: 153

Habitat. Antarctic.

— — —, Bradford & Jilllett, 1980, p. 39, fig. 24.

— — —, Vaupel-Klein, 1984; part 7: 40, fig. 4m, 13b
+ pl. 1'a

— — —, RAZOUKS 1994: 78, 10

Euchirella latirostris Farran, 1929

card 2

-- Vyshkvertzeva 1994: 119

EUCHIRELLA LISSETTAE VAUPEL KLEIN, 1989

-- VAUPEL KLEIN 1989: 145-169, FIGS. 1-6, N.S.P., E.
PACIFIC OFF CENTRAL + SOUTH AMERICA

Aetideidae-Calanoida

Euchirella maxima Wolfenden, ♂. ♀.

Length - 7.5-8mm.

Diagn. Wolfenden, 1905, p. 18: pl. 6, figs. 9-11

-- -- Farran, 1908, p 38; A. Scott, 1909, p. 57: pl. 12, f. 12-20.

-- -- Wolfenden, 1911, p. 238: pl. 28, f. 3-5; text f. 24, a-b.

-- -- With., 1915, p. 127: ⁻¹³⁰pl. 4, f. 5, a-h; text f. 33, a-i.

-- Tanaka, Onori, 1969, pp. 155, 157, Fig 1

Habitat. N. & S. Atlantic: Malay Archipelago.

--; OWREN FOYO, 1964a: 343

— — A. Scott, 1909, p. 57: pl. 12, figs. 12-20.
— — Sars, 1925, p. 75: pl. 22. figs. 1-7.

— — Sewell 1929, p. 112, fig. 42-43; dev. stages

— — SEWELL, 1947, p. 88, FIG (19-1-6.) ARABIAN SEAS.

— — Jepsen, 1940, p. 25-~~2~~. S. of Iceland.

— —, Grice, 1962. p. 196, pl. 10, fig. 15

— —, Tanaka & Omori, 1969, p. 48,

— , Roe, 1972a, pp. 294-

— , Roe, 1972b, pp. 340.

?— , Vives, 1972, p. 210.

— , ^{VAUPEL KLEIN} ~~BRANGERSTAD~~, F. L. D., 1972, pp. 501-511.

— , VAUPEL KLEIN, 1980: 153

— , PARK, 1976 b : 101, 103-

107, 112-113, 120-121, FIG. 4

EUCHIRELLA MAXIMA

CARD 2

-- FERRARI 1993b: 767, TAB. 2

--, VAUPEL-KLEIN, 1972: 500, 501, 504, 506, 508, PL. 5c, 6a, b

--, PARK, 1978: 147, 149-151 δ^2 ; FIG. 30

--, Grice & Hulsemann, 1968:tbl. 2

-Vaupeл Klein, 1984: part 2: 501-passim,tbl. 1-
pl. 5c, pl. 6 a, b.

part 7: 40-41, fig. 3 c, 4e, 5n, 6e
7d, i, 9h, 14h

-- MAUCHLINE 1988: 730

-- CHAMBERS 1983: 35, FIGURE 11

Euchirella maxima Wolfenden, 1905

card 3

-- Razouls 1994: 10

Heterodeidae - Calanoida

Euchirella messinensis (Claus), ♂. ♀.
Length 4.75 mm.

Undina — Claus, 1863, p. 187: pl. 31, fig. 8-18,

Euchirella — Giesbrecht, 1892, p. 232: pls. 15 & 36.

— — Canu, 1896, p. 424: Giesbrecht, 1903, p. 201.

— — Giesbrecht & Schmeil, 1898, p. 35

Habitat. N. & S. Atlantic: Mediterranean:
Pacific.

- not — Th. Scott, 1894, p. 45: pl. 6, fig. 15-16.
— Thompson & Scott, 1903, p. 244.
— Cleve, 1904, p. 190: Esterly, 1905, p. 151: fig. 18.^a
— Sars, 1905, p. 4: Farran, 1908, p. 37.
— Pesta, 1909, p. 23: A. Scott, 1909, p. 56.
— Pesta, 1912, p. 13: Wolfenden, 1911, p. 237.
— With, 1915, p. 122¹²⁴: pl. 4, fig. 2, a-c: pl. 8, fig. 1:
text-fig. 31, a-g.

Undina — Carus, 1885, p. 336.
Euchirella — Stebbing, 1910, p. 527.

- Pesta, 1921, p. 509:
— A. Scott, 1909, p. 56.
— ^{VIAUPEL KLEM} Brongersma, F.L.D., 1972, pp. 501-511.

Euchirella E. messinensis.

(2)

- — Sars, 1925, p. 65: pl. 19, figs. 6-13.
— — Rose, 1929, p. 20.
— — Wilson, 1932, p. 56: fig. 36 1942, p. 185
— — Sewell 1929, p. 115, fig. 44, Indian O. ♂
— —, BRODSKY, 1950, P. 172. FIG. 87. USSR
— —, SEWELL, 1947, P. 78, FIG. 15.
— —, VERVOORT, 1949, P. 28, (FIG. 9A, E, 12C) CELEBES SEA AREA.
— —, Jeppesen, 1940, p. 22-23. S. of Iceland.
— —, Owre, 1962
— —; Park, 1970, p. 475
— —, Hure & Scotto di Carlo, 1968, p. 47.
— Bowman, 1971, p. 6 -
— MacLellan, SHIH, 1974, p. 1348.

- - . Berdugo & Kimor, 1968, p. 448
---, Rose, 1937, p. 154, illus.
---, Ehrhardt, 1967, p. 738
---, Kolesnikov, 1966, p. 156
---, Morris, 1970, p. 2300.
---, Roe, 1972a, pp. 294-
---, Roe, 1972b, pp. 337, 339, 340.
---, Vives, 1972, p. 210.
-- Park, 1975, p. 297
-- , Furuhashi, 1966: 312
-- , Furuhashi, 1961: 106
-- , VAUPEL KLEIN, 1980: 152
-- , PARK, 1976 b: 101, 103-107, 113-114, 120-121, FIG. 5

EUCHIRELLA MESSINENSIS

CARD 3

- , VAUPEL-KLEIN, 1972: 500, 501, 504, 506 FIG. 4c
- , TANAKA, 1957d: 179, 180-181 ♀♂, 182, 183, 185-34a UNDINELLA
- , DEEVY, 1971: TAB. 3
- , BINET & DESGIER, 1971: 437, 452
- , FRASCHAM, ET AL., 1974: TAB. 1
- , OWRE & FOYO, 1964a: 354
- , OWRE & FOYO, 1972: TAB. 3
- , OWRE & FOYO, 1964b: 363

- , CANEF & GRICE (UNPUBL.) IN KETCHAM & RUMKE
1966 (UNPUBL.): APPENDIX
- , Bradford & Jillett, 1980, p. 39, fig. 25.
- , Vauquel Klein, 1982, passim

Euchirella messinensis

card 4

Vaupel

--, Klein, 1982a, passim

--, von Vaupel Klein, 1982b, passim

—(Vaupel Klein, 1984: part 1: 11-14.

~~W. Vaupel~~

part. 2: 501 passim, fig. 4c
tbl. 1-2

part. 4: 374-391, fig. 1—, pl. 1-3

part. 6: 1-116, fig. 1-17, pl. 1-23

part. 7: 34-35, fig. 5e-f, 8K, 17a, 25b

EUCHIRELLA MESSINENSIS

CARD 5

--, NISHIDA, 1984: 37

--, FERRARI, 1980: 543

-- VAUPEL KLEIN 1984b: 110-112, FIG. 1.

-- GRICE & HART 1962b: TABLE 3, w. NORTH ATLANTIC

- Tanaka, 1965a: 21, fig. 8a-d

- Björnberg, 1981: 632, fig. 210 #1b

-- BRESCIANI, 1986: 126, 137 - tegument

-- MADHUPRATAP & HARIDAS, 1986: 108 - INDIAN OCEAN

- Deevy & Brooks, 1977: 263

- Hure, 1955: 25
- Hure, 1961: 19
- MAZZA 1965: 285, 296-307, FIGS. 11-17, DEVELOPMENT,
W. MEDITERRANEAN
- Vives, 1978: 265, fig. 1
- MAUCHLINE 1988: 730
- KIORTSIS ET AL. 1969: 37-, AEGEAN
- LE BORGNE 1986: 133-
- VAUPEL KLEIN 1986: 494-499, FIGS. 1c, 3c-e, h-i

Euchirella messinensis

card 6

-- Soldevilla et al. 1988: 58 Canary Islands

-- SCHULZ 1989: 191-

-- CUMMINAS 1982: 33-, GULF OF MEXICO

-- SUAREZ, E. & GASCA 1989a: 198-, YUCATAN CHANNEL

-- COPLEY ET AL. 1989: 12-, NW ATLANTIC

-- SUÁREZ, E. ET AL. 1990: 126-, W. GULF OF MEXICO

-- REID 1990g: 185

-- OHTSUKA & MITSUZUKI 1990: 97

-- SUAREZ M. 1992: 135-, GULF OF MEXICO

-- SUAREZ & GASCA 1991: 596-, GULF OF MEXICO

Euchirella messinensis

card 7

-- Ferrari 1993b: 767, Tab. 2

-- VYSHKVERTZEEVA 1994: 119

-- VAUPEL KLEIN 1989: 145, 156, 164

-- ROSE 1927: 145, OFF ALGERIA

-- ROSE 1934: 77, " "

Euchirella messinensis messinensis (Claus, 1863)
---, von Vaupel Klein, 1982b, passim

EUCHIRELLA MESSINENSIS INDICA (VERVOORT, 1949)

- , TANAKA & OMORI, 1969: 48-51 FIG. 6 F-M
- , TANAKA & OMORI, 1969: 158, 157 SYN: E. INDICA VEROORT
- , VAUPEL-KLEIN, 1972: 500, 501, 505, 506 Pl. 12, 5d (SEM)
- , VAUPEL-KLEIN, 1980: 152
- Vaupel Klein, 1984: part 2, 501-passim, + bl. 1-2
pl. 1a-d, pl. 2a-d, pl. 5d
part 7: 35-, fig. 14c, l, 16iv

Euchirella orientalis Sewell

- — — Sewell 1929, p. 115, fig. 44, (includes *E. pulchra* of Sewell 1913)
- — —, SEWELL, 1947, P. 76. FIG. 15, B-H. N. ARABIAN SEA.
- — — Tanaka & Omori, 1969, pp. 52-54, fig. 7 a-i
- — — ~~Bromsgrove~~^{VAUPEL-KLEIN}, F.L.D., 1972, p. 501-511.
- — — Tanaka & Omori¹⁹⁶⁹, p 155, 157.
- — —, VAUPEL-KLEIN, 1980 : 152
- — —, VAUPEL-KLEIN, 1972: 502, 505, 506, FIG. 4a, b
- — — Vaupel-Klein, 1984: part 2: passim, 501, + bl. 1, 2.
Fig. 4a, b. part 7: 49-50

Euchirella paulinae Vaupel Klein

- , Vaupel Klein, 1980: p. 132, figs 1-9, plates 1-2 (SEM)
- , Vaupel Klein, 1982, p. 95
- Vaupel Klein, 1984: Part 1: 9
- Vaupel Klein, 1984: part 3: 132 - 156, fig 1-9,
part. 7: 41
pls 1-2.

Heteracidae - Caranocidae
Euchirella plumosa Brady, ♀

— Brady, 1918, p. 20: pl. 2, figs. 14-19.
E. rostrormagna; Verwoert, 1957, p. 63-64.

Habitat. Antarctic Ocean.

Aetideidae - Caranoida.

Euchirella propria Esterly, ♂.
Length 5.6 mm.

— Esterly, 1911^{1/2}, p. 321: pl. 27, f. 14, 30;
pl. 30, figs. 67, 83: pl. 31, f. 85

—, BRODSKY, 1959, P. 178, FIG. 95, USSR

—, PARK, 1976^b: 101

—, (= *E. nevadata*) PARK, 1978: 147

Habitat. California Coast.

Euchirella pseudopulchra Park

--, Park, 1976a: 208-212, fig.1

--, Park, 1976b: ~~101~~ 101

--, Vaupel Klein, 1980: 153

--, Gardner & Szabo, 1982, p.26, 238-239, fig. 14.6.3

— Vaupel-Klein 1984: part 7, 41-43,
fig. 4f, 6i, 7r, 10c, 13d

-- VAUPEL KLEIN 1989: 162, 169

Euchirella pseudotruncata Park

--, Park, 1975, p. 291, figs 1-2

--, Vaupel Klein, 1980: 153

--, PARK, 1976^b: 101, 103-107, 115-116, 120-121, FIG 16

- Vaupel-Klein, 1984 : part 7: 43, fig. 7b, 9g
14i, 15a, l.

Euchirella pulchra (Lubbock), ♀.
Length 4.4 mm.

Undina — Lubbock, 1856, p. 26; pl. 4, fig. 5-8; pl. 7, fig. 6, 7.
Euchirella Esterly, 1912, p. 281 ff.; p. 309.
— Giesbrecht, 1892, p. 233, 244; pl. 15, fig. 22.
23; pl. 36, fig. 13, 27; 1888, p. 336.

Habitat. California Coast.

— Thompson, 1900: 278

- — Giesbrecht & Schmeil, 1898, p. 36. fig. 8-11
Calanus latus ♀ Lubbock, 1856, p. 15: pl. 2, f. 12: pl. II,
Euchaeta pulchra ♂ Brady, 1883, p. 63: pl. 14, f. 7: pl. 20,
Euchirella — Esterly, 1905, p. 153: text-fig. 20, 2a } f. 75, 17, 19
— — A. Scott, 1909, p. 56.
— — v. Breemen, 1908, p. 47: text-fig. 53.
— — I. C. Thompson, 1903, p. 17.
— — Sars, 1925, p. 69: pl. 26, figs. 5-7.
— — Wilson, 1932, p. 58: fig. 37. 1942, p. 186
— —, BRODSKY, 1950, P. 175, FIG. 90, USSR.
— —, SEWELL, 1947, P. 80, FIG. 16, A-E.
— —, VERVOORT, 1949, P. 20, FIG. 9 D. & H. CELEBES SEA WATERS.
— —, Grice, 1962. p. 194. pl. 10, fig 1-4

Euchirella pulchra(Lubbock)2

-- --, Tanaka & Omori, 1969, pp. 55-56, fig. 8 a-f

-- --; Park, 1970, p. 475

--, Fulton, 1968, p. 37, fig. 11

--, Cushing, 1951, p. 178

--, Bowman, 1971, p. 6-

--, Morris, 1970, p. 2300.

--, Roe, 1972a, pp. 294-

--, Roe, 1972b, pp. 322, 337, 339-340.

--, Brongersma, T.N.D., 1972, pp. 501-511.
VAUPEL-KLEIN

-- Tanaka, Omori, 1969, pp. 155, 158

-- Park, 1975, p. 297

- , Furuhashi, 1961: 106
- , VAUPEL-KLEIN, 1980: 152, 153
- , PARK, 1976^a: 208, 210-212, FIG. 2
- , PARK, 1976 b: 101, 103-107, 116-117, 120-121, FIG. 7
- , VAUPEL-KLEIN, 1972: 500, 502, 505, 506, PL. 3 (SEM)
- , TANAKA, 1957d: 178-180 ♀♂, 181 FIG. 45
- , WHEELER, 1970: TAB. 4
- , BINET & DESSIER, 1974: 427, 453
- , FASHAM, ET AL., 1974: TAB. 1
- , JAWED, 1973: 68, 80, 88-90, 94, 96, 102-104
- , OWRE & FOY, 1964a: 343
- Vaupel-Klein, 1984: Part 7: 43-44

EUCHIRELLA PULCHRA (Lubbock, 1856) CARD 3

-- SHIH ET AL. 1971: 143, CANADA-PACIFIC

--, OWRE & FOYO, 1972: 493; FIG. 3

--, OWRE & FOYO, 1964b: 363

--, CALEF & GRICE (UNPUBL.) in KETCHUM & RYTHEM
1966 (UNPUBL.): APPENDIX

--, EVANS, 1961: 196

--, FIGUEIRA 1971: 143.

--, Gardner & Szabo, 1982, p. 26, 236-237, fig. 14.6.2

--, Von Vaupel Klein, 1982, *passim*

--, Margues, 1953, p. 98-99

-Chen, Zhang, Chen, 19--: 65

-Vampel-Klein, 1984: part 2, 501-passim, tbl. 1-2
pl. 3a-d.

part 7 ipassim, fig. 6j, 11c, 13e, 16j,k,v,
pl. 1 e,f.

-- SANDER & MOORE 1978: 232.

- Binet & Dessier, 1968: 7, OFF MADAGASCAR

- Bjornberg, 1981: 632, fig. 210 #13

- Dawson & Knatz, 1980: 63, pl. 50, fig. a-i

- Deevney & Brooks, 1977: 263

- PULCHURA, Caminos 1982: 33; GULF OF
MEXICO

Euchirella pulchra (Lubbock, 1856)

card 4

-- Suárez, E., ^{ET AL.} 1990:126-, w. Gulf of Mexico

-- SUAREZ M. 1992: 135-, GULF OF MEXICO

-- SUAREZ & GASCA 1991: 596; GULF OF MEXICO

-- VAUPEL KLEIN 1989: 162-163, 168, 169

Euchirella rostramagna - see rostromagna

Hedaeidae - Calanoida

Euchirella rostrata (Claus), ♂. ♀.
Length 3.10 mm.

pl. 23, f. 11-14

Undina — Claus, 1866, p. 11; pl. 1, fig. 2.

Euchaeta hessei Brady, 1883, p. 63; pl. 20, fig. 1-13

Euchirella rostrata Giesbrecht, 1892, p. 232; pl. 15

— — Giesbrecht & Schmeil, 1898, p. 36
^{fig. 4-11, 217-28}

Habitat: N. & S. Atlantic: Pacific.

- Cleve, 1900, b, p. 4 : pl. 2, figs. 1-12.
— Wolfenden, 1902, p. 367 : Norman, 1903, p. 137.
— I. C. Thompson, 1903, p. 18 : Wolfenden, 1904, p. 129.
— Saris, 1905, p. 4 : Th. Scott, 1905, p. 223.
— Esterly, 1905, p. 152 : Farran, 1905, p. 36.
— Pearson, 1906, p. 15 : Farran, 1908, p. 38.
— v. Breemen, 1908, p. 47 : fig. 52.
— Wolfenden, 1911, p. 235 : Esterly, 1912, p. 311.
Not — Thompson & Scott, 1903, p. 244.
Not — (var. magna) Wolfenden, 1905, p. 18.
— With, 1915, p. 113 : pl. 4, f. 1, a-h : textfig. 29, a-k.
— Cleve, 1900, a, p. 141.

Euchirella rostrata

- Euchaeta hessel, var. similis, nov. var. T. Scott,
1894, p. 58; pl. 6, figs. 24-25,
— Cleve, 1900, p. 141 $\sqrt{pl. 30, f. 66 : pl. 32, f. 116}$
E. rostrata Esterly, 1911 $\frac{1}{2}$, p. 321; pl. 29, f. 52
— Esterly, 1912, p. 281 ff.
— Esterly, 1905, p. 152; text=fig. 19, a-b.
— Farran, 1929, p. 234.
— Sars, 1925, p. 69; pl. 20, figs. 8-15
— Rose, 1929, p. 20. — Wilson, 1932, p. 55; fig. 35
— Owre, 1962

Cleve, 1900, p. 65.

— Wilson 1942, p. 186

E. bella, Sewell 1929, p. 109

E. rostrata, Brodsky, 1950, p. 173-174; fig. 88.

— — Verwoort, 1952, p. 2-5, fig. 24,

— —, JESPERSEN, 1934, P. 64, w. GREENLAND WATERS: 1940, p. 23. Iceland.

— —, Conover, 1960. p. 405

— —, Honjo et al, 1957. pp. 120-128

— —, Omori, 1965. pp. 18-27

— — Park, 1968, pp. 527-572.

— —, Tanaka & Omori, 1969, p. 56,

— —; Park, 1970, p. 472 475

— —, Bradford, 1970. p. 347

Euchirella rostrata (Claus, 1866) card 3

-- --, Hure & Scotto di Carlo, 1968, p. 48.

--, Bradford, 1972, p. 38, fig. 7.8-7.10

--, Paiva, 1971, p. 21

--, Seno, Komaki & Takeda, 1963, tab. 2

--, Fulton, 1968, p. 37, fig. 21

--, Wolfenden, 1905, p. 18

--, Bowman, 1971, p. 6 -

--, Morris, 1970, p. 2300.

--, ~~Bronneromyia~~ F.L.D., 1972 pp. 58-59.
VAUPEL-KLEIN

-- Tanaka, & Amori, 1969, pp 155, 158

--, Bjornberg, 1963: 9, 37, tables 8+10, 121, 124

- , TANAKA, 1957d: 177-178, 185, 187 ♀ FIG. 44
- , WHEELER, 1970: TAB. 4
- , ITOH, 1970: TAB. 2
- , OWRE & FOYO, 1964a: 354
- , CALEF & GRICE (UNPUBL.) IN KETCHUM & RUTHER
1966 (UNPUBL.): APPENDIX
- Tanaka, 1965a: 21, fig. 7a-d
- Björnberg, 1981: 632, fig. 210^I-14
- Develey & Brooks, 1977: 263
- De Decker, 1984: 316

Euchirella rostrata (Claus, 1866)

23

-- --; Vervoort, 1957, p. 63.

--, Bradford, 1970, p. 354, fig. 17

--, Vives, 1972, pp. 210, 238.

--, Furuhashi, 1966: 305, 312

--, Furuhashi, 1961: 76, 77, 78, 100, 106

--, VAUPEL KLEIN, 1980: 153

--, PARK, 1976 ♂: 101, 103-107, 117-118, ¹¹⁹"120-121, FIG. 8

--, PARK, 1978: 94, 147-149, 153, FIG. 29 ♀

--, DEEVEY, 1971: TAB. 3

--, BINET & DESSIER, 1971: 457, 458

--, BEAUDOIN, 1973: 25, 137-138; TAB. 1

--, FIGUEIRA 1971:143.

--, Chiba + Hirakawa 1972: Tab. 2.

--, Bradford + Jillett, 1980, pp. 39, 40, fig. none.

--, Gardner + Szabo, 1982, p. 26, 240-241, fig. 14.6.4

- Ramirez, 1969: 59-61, fig. 66, 67, 69, 70, 72, 74

- Vampel-Klein, 1984: part 2, 501, passim, fig. 1-2

~~- Tracy~~ part. 7: 44, fig. 5c, f, h, 6b, 9a, i
10a, 11e, K, 12b, 13K, 16p, 18c

- MASSAT + NAVARRO 1980: 27.

-- GRICE + HART 1962a: 295, W. NORTH ATLANTIC

-- GRICE + HART 1962b: TABLE 3

Euchirella rostrata (Claus, 1866)

card 5

-- Mazza 1965:297

-- MAUCHLINE 1988: 730

-- KIORTSIS ET AL. 1969: 37-, AEGEAN

-- LE BORGNE 1986: 140-

-- Nakamura et al. 1982: 28-30 fig 2 tab 1 Antarctic (Indian)

-- Marin & Antezana 1985: 963 tab 1 Chile

-- Soldevilla, et al 1988: 58 Canary Islands

-- Cummins 1982: 34, GULF OF MEXICO

-- GRANT 1977: 4-58-, OFF NEW JERSEY

-- COPLEY ET AL. 1989: 12-, NW ATLANTIC

Euchirella rostrata (Claus, 1866)

card 6

-- Shih et al. 1971:32, Canada - Atlantic; 143, Pacific

-- LAKKIS 1984: 289-, E. MEDITERRANEAN

-- ALVARINO 1989: 69-, OFF S. CALIFORNIA

-- REID 1990g: 185

-- SUÁREZ M. 1992: 136-, GULF OF MEXICO

-- SUAREZ + GASCA 1991: 596-, GULF OF MEXICO

-- RAZOUKS 1994: 78, 10

-- LEGARÉ + MACLELLAN 1960: 434, MAINE/NEW BRUNSWICK,
USA/ CANADA

EUCHIRELLA ROSTRATA (CLAUS, 1866)

CARD 7

-- ROSE 1927: 145, OFF ALGERIA

-- ROSE 1934: 54-81, "

Asteridae - Calanoida
Euchirella rostromagna Wolfenden, ♀, ♂.

- Wolfenden, 1905: 18 Length 6 mm ♀,
— — Wolfenden, 1911, p. 235: no figs.
— — Farran, 1929, p. 236: text-fig. 8, a-g, ♂.
— —, Vervoort, 1951, p. 82, Figs. 45-50.
— —; Vervoort, 1957, p. 63-64.
—, Seno, Komaki & Takeda, 1963, tab. 2
—, ~~VAUPEL-KLEIN~~ VAUPEL-KLEIN, 1972, pp. 501-511.

Habitat. Antarctic.

- , Vaupel-Klein, 1980: 153
—, Vaupel-Klein, 1972: 502, 505, FIG. 56
— Vaupel Klein, 1984: part 2, 501, passim, Tbl. 1-2

- , PARK, 1979: 94, 147, 151-155 ♀ ♂ ; FIGS. 31-34; 540.

E. LATIROSTRIS

- , Bradford & Jillett, 1980, p 40, 42, 43, fig. 26.

- Vampel-Klein, 1984: part 7: 44-46
fig. 14a, 25a , pl. 1b.

- Bjornberg, 1981: 632, fig. 210 # 15

- ZMIEWSKA 1983: 33-45, PRYDZ BAY, ANTARCTICA

- Montaú & CORDEIRO 1986: 88-, ANTARCTIC

EUCHIRIELLA - , MARIN 1987: 109- SCOTIA SEA

EUCHIRIELLA - , MARIN 1986: 62- SCOTIA SEA

Euchirella rostromagna Wolfenden, 1905

card 2

E. rostramagna, P. Ward 1989:144-, S. Georgia, Antarctica

-- OHMAN ET AL. 1989:1322 -

-- RAZOUK 1994: 78-, Pl. 32, ANTARCTIC; 10

-- VYSHKVARTZEEVA 1994: 119

Euchirella similis Wolfenden, ♀ Length 4 mm.
Aetideidae - Calanoida

— — Wolfenden, 1911, p. 238: pl. 28, figs. 1-2:
text-fig. 23, a-d.

— —; Vervoort, 1957, p. 64.

— —, VAUPEL KLEIN, 1980: 152

— —, PARK, 1978: 95, 147, 155-158; FIG. 35-36 ♀

Habitat. Atlantic Ocean 1500-3000 m.

Euchirella similis Wolfenden, 1911

--, Bradford & Jillett, 1980, p. 43, fig. 27

--, Brice & Hulsemann, 1968: fig. 2

- Vampel-Klein, 1984: part 7: 46., fig. 5 d, 7
8f, 14j, 15c, 1bc, pl. 1e, pl. 2f-g

-- RAZOUKS 1994: 10

Euchirella simplex Esterly, ♀,
Helicidae - Calanoida.
Length 6.36 mm.

— — Esterly, 1911 "", p. 320; pl. 26, fig. 10; pl.
29, fig. 50, 62.

— —, Brodsky, 1950, p. 177, FIG. 94, USSR

--, Park, 1978: 149

Habitat. California Coast.

Euchirella speciosa Grice and Hulsemann

--Grice and Hulsemann, 1968

--, Vaupel Klein, 1980: 152

--, PARK, 1976^b: 101

--, PARK, 1978: 147

--, Bradford & Jillett, 1980, p. 43, fig. 28.

--, Grice & Hulsemann, 1968: 325-327, fig. 14-19

- Vaupel-Klein, 1984: 46-47.

part. 7: *passim*, fig. 8l, o, 9b, 14b, 15d
18a, j, l.

Aetideidae - Calanoida

Euchirella spinosa Wolfenden, ♀.
Length 6.2 mm.

— — Wolfenden, 1911, p. 235: pl. 27, figs. 3-7
n. sp., Wolfenden, 1905, p. 19-20, pl. 6

Habitat. Atlantic

Euchirella splendens Vervoort, 1963

- ., Park, 1975, J. 291, 296-7 fig 4.
- .; Park, 1970, p. 475
- ., ^{VAUPEL-KLEIN} Brongersma, F.L.D., 1972, pp. 501-511.
- ., VAUPEL KLEIN, 1980: 152
- ., PARK, 1976^b: 101, 103-107, 118-119, 120, 121, FIG. 9
- ., VAUPEL-KLEIN, 1972: 502, 505, FIG. 4d
- ., PARK, 1978: 147, 157
- ., GRICE, 1969: 453; FIGS. 35-48
- ., BINET & DESSIER, 1971: 437, 453
- ., OWRE & FOYO, 1972: TAB. 3

- , CALEF Y GRICE (DNPUBL.) IN KETODAM Y RYDER,
1966 (DNPUBL.): 36; APPENDIX
- Vampel-Klein, 1984: part 2, 501, passim, + bl. 1-2
part. 7: 47, fig. 6K, 10b. fig. 1 d.
- Soldevilla, et al 1988: 58 Canary Islands
- SUÁREZ, F. ET AL. 1990: 126-, W. GULF OF MEXICO
- SUÁREZ, F. 1992: 136-, GULF OF MEXICO
- SUÁREZ Y GASCA 1991: 596-, GULF OF MEXICO

Euchirella tanseii Omori

--- -- Omori, 1965. pp. 60-65, fig. 1-18

--, VAUPEL KLEIN, 1980: 153

--, PARK, 1976^b: 101

--, PARK, 1978: 147

Euchirella trigada Tanaka 1957

-- TANAKA, 1957d: 184-186 ♀ FIG. 49

Syn. E. formosa Vervoort 1949

Morris, 1970, p. 2304

Metideidae - Calanoida.

①

Euchirella truncata Esterly, ♀,
length 6.6mm

- — Esterly, 1911 $\frac{1}{2}$, p. 322: pl. 26, f. 5; pl. 28,
f. 35: pl. 29, f. 63: pl. 30, f. 71: pl. 31, f. 104
- —, BRODSKY, 1950, p. 178, FIG. 96, USSR
- —, SEWELL, 1947, p. 83, FIG. 17, A-E. S. ARABIAN SEA.
- — — Park, 1968, pp. 527-572.

Habitat. California Coast.

- —, TANAKA & OMORI, 1969 pp. 57-59 Fig. 9 a-q
- — Tanaka & Omori, 1969, pp. 155, 159
- — Bradford & Jillett, 1980, p. 43, fig. 29'

--, Roe, 1972a, pp. 294-

--, Roe, 1972b, pp. 340.

--, VAUPEL-KLEIN, 1972, pp. 501-571.

--, ~~Brongersma~~, F.L.D., 1972, pp. 291, 294-6, fig. 3.

--, VAUPEL-KLEIN, 1980: 153

--, VAUPEL-KLEIN, 1972: 502, 505, FIG. 5d, PL. 5b

--, PARK, 1978: 147; 84n. E. PROPRIA

--, GRICE, 1969: 454

--, Grice & Hulsemann, 1968: tb1.2

--, Vaupel-Klein, 1984: part 2, 501, passim, tb1. 1-2, pl. 5b.
part. 7: 47, fig. 5m, 6c, 7p, 11j, 16y.

(2)

EUCHIRELLA TRUNCATA ESTERLY, 1911

--, FERRARI, 1980: 543

— Deevey & Brooks, 1977: 263

-- MAUCHLINE 1988: 730

Aetideidae - Calanocida

Euchirella tumida Brady ♂♀.

— — Brady, 1918, p. 20: pl. 3, figs. 7-12.

--, (= SCOЛЕCITHRIX DANAE) VERVOORT, 1965: 85-87

Habitat. Antarctic Ocean.

Euchirella unispina

Park.

-- -- Park, 1968, pp. 527-572.

---, Morris, 1970, p. 2300.

~~-----~~

--- Tando, & Omori, 1969, pp. 155, 159

-- Park, 1975, p. 297

--, VAUPEL KLEIN, 1980 : 153

--, PARK, 1976^o : 101

--, VAUPEL-KLEIN, 1972 : ~~497~~, 502, 505, FIG. 5

--, PARK, 1978 : 197

- Vaupel Klein, 1984: part 2, 501, passim, Tbl. 1-2.
part. 7 : 47, fig. 3e, 5i, 8e

Euchirella venusta Giesbrecht, ♀, 1892

- — Giesbrecht, 1888, p. 336. 18.21
- — Giesbrecht, 1892, p. 233: pl. 15, fig. 19: pl. 36,
- — Cleve, 1904, p. 190.
- — Stebbing, 1910, p. 527.
- VAUPEL · KLEIN
~~Brengersma~~, F.L.D. 1972, pp. 501-512.

Habitat, S. Atlantic; Mediterranean.

Tropical Pacific.

- Tonaka, Omori, 1969, pp. 155, 159.

- — Giesbrecht & Schmeil, 1848, p. 35,
— — Sars, 1905, a, p. 4, 1925, p. 68 (*E. intermedius*)
— — A. Scott, 1909, p. 57.
— — Harran, 1929, p. 237.
— —, SEWELL, 1947, P. 85, FIG. 18, A-G.
— —, VERVOORT, 1949, P. 20, FIG. 10. CELEBES SEA AREA.
— —, Grice, 1962. p. 9, fig. 14-25
— —, Tanaka & Omori, 1969, pp. 59-61, fig. 10 a-i
— —, Bradford, 1972, p. 38, fig. 7.11-7.12
— , Wolfenden, 1905, p. 18
— , Furuhashi, 1961: 106
— , VAUPEL KLEIN, 1980; 152, 153
— , PARK, 1976 b: 101

EUCHIRELLA VENUSTA

CARD 2

--, VAUPEL-KLEIN, 1972: 502, 505, pl. 4d (SEM)

--, TANAKA, 1957d: 182-183 ♀♂ FIG. 47

--, OWRE & FOYO, 1964b: 363

--, Bradford & Jillett, 1980, pp. 43, 44, fig. 30.

--, von Vaupel Klein, 1982, passim

- Vaupel-Klein, 1984: part 2, 50, passim, Tbl. 1-2.
pl. 4 d. ; part 7: 47-48-49, fig.

7K, l, m, 13l

-- SANDER & MOORE 1978: 232.

Euchirella venusta Giesbrecht, 1892

card 3

-- Youngbluth 1979: 22, Caribbean

-- Cummings 1982: 34, GULF OF MEXICO

-- Suárez, E. ET AL. 1990: 126; W. GULF OF MEXICO

-- Reid 1990g: 185

-- Suárez, E. 1992: 136; GULF OF MEXICO

Aetideidae-Calanoida

Euchirella wolfendenii Farran, ♀.

— — Farran, 1908, p. 38: pl. 2, fig. 18-19; pl. 4, fig. 3.

A synonym of Chirudina pustulifera.
(Witte, 1915, p. 145)

--, (= PSEUDOCHIRELLA PUSTULIFERA), Park, 1978: 158

Euchirella sp.

(1)

-- sp., Tanaka, 1960. p. 38, pl. 15, fig. 105

--, Ostapenya & Shushkina, 1971, p. 195

--, SENO, ET AL., 1963: TAB. 2

--, JAWED, 1973: 22-26, 28, 29, 31, 33-35, 37, 39-41,
49-51, 55, 57, 60, 61, 63, 64, 89, 95, 98

--, Bjornberg, 1963: 123

-- SreeKumar et al 1981: passim

--, Grice & Hulsemann, 1968: tabl. 2

- Vampel-Klein, 1984: part 7: 49

Euchirella sp.

card 2

-- Jimenez-Perez & Lara-Lara 1988:126-, Gulf of California

Euchirella spp.

-- Tranter 1977: 598.

-- LE BORGNE 1986: 192 -