

#) Giardella, ~~Ectopoda~~ - Clausidiidae.
POECILOSTOMATOIDA

Canu, 1888.

G. callianassa

Syn. Giardella Canu, 1888, p. 420
Giardella, A. Scott, 1906, p. 51.

To Prof. Giard of Winereux.

Body flattened, cyclopoid, and of distinct segts,
♂ + ♀ with 10; first antenna 7-jointed: 2nd. one
4-jointed: mandibles large, bearing at their distal
ends as accessory pieces a claw & 2 large, bearded
hooks: First maxpd. different in 2 sexes - (I) in ♀
of 3 parts carrying bearded hooks (II) in ♂ a basal
joint with 2 bearded hooks, a median long & enlarged
joint, toothed on its inner edge, and armed with
2 hooks on its interior surface: finally a terminal
joint in v form of a spine, recurved at its tip. &
almost as long as v rest of appendage. Thorax legs of
1st. 4 pairs of normal form, biramous, 3-jointed -
5th. pair simple, 2-jointed and flat. (Cann 1888)

GIARDELLA

Canu.

②

- , Bocquet + Stock 1957A: p. 213, Key to genera.
- Gotto 1993: 123, DIAGNOSIS

~~Hersiliidae~~ — ~~Cyclopoda~~.

Giardella callianassae Canu, ♀

— — Canu, 1888, p. 793.

— — Thompson, 1893, p. 189: pl. 17, f. 6, a-b.

--, Stock, 1973, passim

-- Goto 1993: 123-, Figs. 296-L

Host. In the burrows of Callianassa
subterranea.

Wimereux, France

~~Hersiliidae~~ — ~~Cyclopoida~~.

Giardella Thompsoni A. Scott, ♂.

— — A. Scott, 1906, p. 51: pl. 4.

--, Stock, 1973, p. 40

-- GOTTO 1993: 124-, FIG. 29M

Habitat. Bhamra Banks.

GIARDELLA sp.

-- IZAWA 1991: 72 -