

Leptinogaster valid.  
Clausidiidae

Pelseneer, 1921

Clausidiidae-Cyclopoida  
~~POECILOSTOMATOIDA~~

(M) ①

L. pholadis.

Syn. Leptinogaster, Pelseneer, 1929, p. 37.

- HUMES 1987a: 655
- ROCHA, C. 1989: 177, cf. DOVIELLA N.GEN.
- TODA ET AL. 1992: 109
- HO & WARDLE 1992: 43-44
- HUMES 1986b: 244

Leptinogaster Pelseneer

card 2

syn. Myocheres Wilson: Bocquet & Stock 1958:

Myocheres, Wilson, M.S. 1950: 298-299, n. gen.

Myocheres, Bocquet & Stock 1957a: 213, key to genera

L.-, Götto 1993: 123, DIAGNOSIS

L.-, Humes & Huys 1992: 1378, INKEY

Leptinogaster californiensis Gooding, 1963

-- Kim & Ho 1991: 6

Leptinogaster dentata (Humes & Cressey, 1958)

Myocheres dentata, Humes & Cressey 1958: 933-935, figs.  
84-98, n. sp., female + male, <sup>ex</sup> Macoma cumana, Gold Coast  
L.- Kim & Ho 1991: 6

Leptinogaster digita Kim & Ho, 1991

-- Kim & Ho 1991: 1-6, figs. 1-3, n. sp. female + male,  
ex bivalve Solen grandis, shore near Tongjin River,  
Korea

~~LEPTINOCASTER~~

Cyclopoida-

Strongylopleura histrio Pelseneer, ♀.

1

— — . Pelseneer, 1928, p. 39; fig. 3.

— — . Monod & Dollfus, 1932, p. 178

Host. Syndosmya alba (mollusk).

Boulogne-sur-Mer.

Leptinogaster histrio (Pelseneer)

--, Stock & Vos, 1960, p. 206

-- PEESA 1963:805, BLACK SEA

-- GOTTO 1993:123-, FIG 2 9A-D

-- RÖTTGER 1969:190-

Leptinogaster inflata (Allen, 1956)

Myocheres inflata, Allen 1956: 61-67, fig. 1-17(Pls. 1-3)

1 table, n. sp., Bahamas

-- Kim & Ho 1991: 6

~~LEPTINO GASTER~~  
~~Myocheres~~  
Myicola major

Lichomolqidae - Cyclopoida  
(Williams) ♀, ♂

①

Lichomolqus — Williams, 1907, p. 77, pl. 3; 7 figs.

Myicola —<sup>C.O.</sup> Wilson, 1932, p. 347: fig. 208.

Myocheres — , M.S. Wilson, 1950

Leptinogaster — , Bocquet + Stock, 1958

Myocheres — , Humes + Gressey, 1960, pp. 307-325. Seasonal pop. change

Habitat Narragansett Bay

Myicola spinosa Pearse, 1947

= Leptinogaster Humes, 1986 b {

--, Dinamani and Gordon, 1974, pp. 305-308.

Leptinoqaster major (Williams, 1907) @

= (Myochernes) Williams

- HUMES 1986b: 227-244, fig. 1-9; syn.
- DISTRIBUTION: MASSACHUSETTS.
- GOODING 1988: 363
- BURRELL & ZWERNER 1972: 141, CHESAPEAKE BAY,  
IN TAGELUS
- HO 1987c: 79-
- IZAWA 1991: 72-
- HO & WARDLE 1992: 43, EX CYRTOPLEURA COSTATA,  
GALVESTON BAY ESTUARY, TEXAS

- AEP/INNO-HOTEL

Myicola major (Williams, 1907) 3

--, Deevey, 1948, p. 22

— Deevey, 1960a: 16

-- CAUSEY 1953: 12 - , FIG. 6, HOST Pholas costata,  
GRAND ISLE, LOUISIANA

L. -, KIM & HO 1991: 6

L. -, KIM & HO 1992: 695

~~Clausiidae~~ ~~Clausiidae~~ Cyclopoida

Leptinogaster pholadis Pelseneer, ♀.

— — Pelseneer, 1920, p. 37: fig. 2.

— — Monod + Dollfus, 1932, p. 178.

Host. Pholas dactylus (mollusk).

Naples.

=LEPTINOASTER

Cyclopoida

Strongylopleura pruvoti Monod & Dollfus, ♀

- — Monod & Dollfus, 1932, p. 295: figs. 1-2.  
— — Monod & Dollfus, 1934, p. 315: figs. 7-8.

Hast On mollusks.

Leptinogaster scobina (Humes & Cressey, 1958)

Myocheres -, Humes & Cressey 1958: 928-932, figs.

48-83, n. sp., ex TELLINA NYMPHALIS, MOYEN-CONGO,  
SIERRA LEONE

1974

Leptinogaster stocki n.sp. Ranade

--, Ranade, M.R., no date given on reprint,

"A new copepod from Ratnagiri" pp. 46-50,  
figs. 1-12 (see author card for journal ref.)

LEPTINO GASTER sp.

-- IZAWA 1991: 72