

✓ Paramesochridae Remaneidae - Harpacticoida.

Remanea valid

Klie, 1929.

R. arenicola ^(M)

Syn. Remanea, Klie, 1929, p. 364

Nicholls 1945, p. 101

- Hays 1987: 203 - 206

- Kunz 1981a: 6

Endopods of first 4 pairs of legs 2-segd, basal
segt of 1st endopod 8 times as long as exopod:
exopods 3-segd; 5th legs 2-segd, of the usual
pattern; exopod of 2nd antenna 2-segd: 1005-
trum small but wide: metasome passing insen-
sibly into urosome, no epimeral plates.

~~Canthocamptidae~~ - Harpacticoida

Remaneidae Nicholls 1945

Remanea arenicola (Klie) ♀, ♂

— — Klie, 1929, p. 364 : figs. 44 — 56.

Nicholls 1939 a, p. 339, Firth of Clyde

Nicholls 1945c, p. 101, new family, diagnosis of
genus, fig. 4

— —, NOODT, 1954, P. 6. - ♀♀ 2

Habitat. Baltic Sea, Kieler Bay

— —, LANG, 1948, P. 878.

— —, NOODT, 1956 P. 54,

- --, Wells, 1970, p. 264
- , Pesta, 1932, p. 90-1, fig. 19-20
- , Jakobi, 1959, p. 143
- , Wells, et al., 1975: 184
- , Bozic 1954: 10; Pl. 4, Figs. 7+8.
- Mielke 1975: 76, fig. 50
- Noodt, 1952: 121
- Drzyckiński; 1975 Tab. 1 - Misspelled Romaniae
- DRZYCKIŃSKI 1986: 552 - PUCK BAY, BALTIC: in
 Schriever, Schunke + Shih - table 1
- BECKER & KUNZ 1981: 36

Remanea plumosa Pennak

— — Pennak 1942, p. 278, pl. I, figs. 12-21, ♀,
Woods Hole, Mass.

-- --, Kunz, 1962. p. 249 fig 5

-- BECKER + KUNZ 1981: 36

-- KUNZ 1981a: 6