

SPECIES/SUBSPECIES (WoRMS)	STATUS(WoRMS)	ORIGINAL DESCRIPTION	ORIGINAL SPELLING, FIRST SOURCES OF SYNONYMY, AND RELEVANT COMMENTS	SUBSEQUENT SPELLING	SOURCE
Nitokra affinis affinis Gurney, 1927	Accepted	Gurmeý, R. (1927) Report on the Crustacea:-Copepoda (Littoral and semi-parasitic). Zoological Results of the Cambridge Expedition to the Suez Canal, 1924. Transactions of the Zoological Society of London 22(4): 451-577.	Nitocra affinis	Nitocra	Por, F. D. (1964) A study of the Levantine and Pontic Harpacticoida (Crustacea, Copepoda). Zoologische Verhandlungen 64: 1-128.
Nitokra affinis californica Lang, 1965	Accepted	Lang, K. (1965) Copepoda Harpacticoidea from the Californian Pacific coast. Kungl. Svenska Vetenskapsakademiens Handlingar, 10(2) 560 pp. Almquist & Wiksell, Stockholm.	Nitocra affinis californica	Nitocra	Chappuis, P. A. (1924) Sur quelques harpacticides dela Nouvelle-Guinée et de Patagonie.Bulletin de la Société des Sciences de Cluj. 2(2): 96-103.
Nitokra affinis colombiensis Fuentes-Reinés & Suárez-Morales, 2014	Accepted	Fuentes-Reinés & E. Suárez-Morales (2014) A new subspecies of Nitokra affinis Nitokra affinis colombiensis Gurney, 1927 (Copepoda, Harpacticoida) from the Caribbean coast of Colombia. <i>Zoobair</i> 379: 1-15	Nitokra affinis colombiensis	Nitocra	Gómez, S., N.K. Carrasco & F.N. Morales-Serna, 2012. (2012). A new species of Nitocra Boeck, 1865 (Harpacticoida, Ameioides, Ameioides) from South America. <i>Journal of Zoology</i> 276: 1-15
Nitokra affinis rijekana Petkovski, 1954	Accepted	Petkovski T. K. (1954) Harpacticiden des Grundwassers unserer Meeresküste. Musei Macedonici Scientiarum Naturalium 2(5/16): 92-123.	Nitocra affinis rijekana	Nitocra	Marcus, A. & Por, F. D. (1961) Die Copepoden der polyhalinen Lagunen Sinoe (Schwarzes Meer-Rumänischen Küsten). Acta Musei Macedonici Scientiarum Naturalium. 7(6): 105-126.
Nitokra affinis stygia Por, 1968	Accepted	Por, F. D. (1968) Copepods of some land-locked basins on the islands of Entedebir and Nocra (Dahlak Archipelago, Red Sea). Reports of the Israel South Red Sea Expedition, 1962. 31: 32-50.	Nitocra affinis stygia	Nitocra	Lang, K. (1965) Copepoda Harpacticoidea from the Californian Pacific coast. Kungl. Svenska Vetenskapsakademiens Handlingar, 10(2) 560 pp. Almquist & Wiksell, Stockholm.
Nitokra arctolongus Shen & Tai, 1973	Accepted	Shen, C.J. & A.Y. Tai. (1973). Preliminary analysis of the characteristics of the harpacticoid Copepoda fauna of China and description of some new species. Acta Zoologica Sinica 19(4):365-484.	Nitocra arctolongus	Nitocra	Scott, T. (1906) Notes on British Copepoda: Change of names. Annals and Magazine of Natural History 16(7): 1-16.
Nitokra australis Soyer, 1975	Accepted	Soyer, J. (1974). Harpacticoïdes (Crustacés Copépodes) de l'archipel de Kerguelen. I. Quelques formes mésopsammiques. Bull. Mus. natn. Hist. nat., Paris. 168 (244): 1169-1223.	Nitocra australis	Nitocra	Lang, K. (1948) Monographie der Harpacticiden. Vbols I & II. A-B. Nordiska Bokhandeln, Stockholm. 1682 pp.
Nitokra balli Rouch, 1972	Accepted	Rouch, R. (1972). Deux Harpacticides nouveaux de l'île de Long-Island (Territoire de Papouasie et de Nouvelle-Guinée). Archives de Zoologie Expérimentale et Générale 113(1):147-164.	Nitocra balli	Nitocra	Sars, G. O. (1907) Copepoda Harpacticoida. Parts XVII & XVIII Canthocamptidae (continued). An account of the Crustacea of Norway with short descriptions and figures of all the species. 5: 197-220.
Nitokra balnearia Por, 1964	Accepted	Por F.D. (1964). The genus Nitocra Boeck (Copepoda Harpacticoida) in the Jordan Rift valley. Israel Journal of Zoology, 13: 78-88.	Nitocra balnearia	Nitocra	Chappuis, P. A. (1936) Subterrane Harpacticiden aus Jugoslaviens. Bulletin de la Société des Sciences de Cluj 8: 386-398.
Nitokra baltica Arlt, 1983	Accepted	Arlt, G. (1983). Taxonomy and ecology of some harpacticoids (Crustacea, Copepoda) in the Baltic Sea and Kattegat. Zoologische Jahrbücher, Abteilung für Systematik 110(1):45-85.	Nitocra baltica	Nitocra	Wells, J. B. J. (2007) An annotated checklist and keys to the species of Copepoda Harpacticoida (Crustacea). Zootaxa 1568: 1-872.
Nitokra bdelluræ (Liddell, 1912)	Accepted	Liddell, J. A. (1912) Nitocrameira bdelluræ, nov. gen. et sp., a copepod of the family Canthocamptidae, parasitic in the egg-cases of Bdellura. Journal of the Linnean Society 32: 87-94.	Nitocrameira bdelluræ. Accepted as Nitocra bdelluræ (Liddell, 1912) in Lang (1948: 819)	Nitocra	Tai, A.-Y. & Song, Y.-Z. (1979) Harpacticoida Sars, 1903. In Shen, C. J. , ed. Fauna Sinica. Crustacea. Freshwater Copepoda. Science Press, Peking. pp. 164-300.
Nitokra bisetosa Mielke, 1993	Accepted	Mielke, W. (1993). Species of the taxa Orthopsyllus and Nitocra (Copepoda) from Costa Rica. Microfauna Marina, Gustav Fischer Verlag, Stuttgart 8:247-266.	Nitocra bisetosa	Nitocra	Dussart, B. & Defaye, D. (1990) Répertoire mondial des crustacés copépodes des eaux intérieures. III. Harpacticoides. Crustaceana Suppl. 16: 1-384.
Nitokra blochi Soyer, 1975	Accepted	Soyer, J. (1975) Harpacticoïdes (Crustacés Copépodes) de l'archipel de Kerguelen. I. Quelques formes mésopsammiques. Bulletin du Muséum National d'Histoire Naturelle 168(244): 1169-1223.	Nitocra blochi	Nitocra	Ishida, T. & Kikuchi, Y. (2000) Illustrated fauna of the freshwater harpacticoid copepods of Japan. Bulletin of the Biogeographical Society of Japan 55: 7-94.

Nitokra brevisetosa Daday, 1901	Accepted as <i>Viguiereella coeca brevisetosa</i> (Daday, 1902), accepted as <i>Phyllognathopus coecus brevisetosus</i> (Daday, 1901)	Daday, E. (1901) Mikroskopische Süßwassertiere aus Deutsch-New Guinea. Természettudományi Füzetek 24: 1-56.	Nitokra brevisetosa as member of <i>Canthocamptus</i> (Gurney, 1920: 220). Gurney (1927: 546) accepted <i>Nitokra brevisetosa</i> as member of the genus <i>Viguiereella</i> . Chappuis (1924: 98) accepted the species as <i>Viguiereella coeca brevisetosa</i> . Gurney (1932: 8) accepted the species as <i>Phyllognathopus viguieri</i> Maupas, 1892. The same in Lang (1948: 267)
Nitokra cari Petkovski, 1954	Accepted	Petkovski T. K. (1954) Harpacticiden des Grundwassers unserer Meeresküste. Musei Macedonici Scientiarum Naturalium 2(5/16): 92-123.	Nitokra cari
Nitokra chelifer Wilson C.B., 1932	Accepted	Wilson, C.B. (1932). The copepods of the Woods Hole region, Massachusetts. Bulletin of the United States National Museum. 158:1-635.	Nitokra chelifer
Nitokra delaruei Soyer, 1975	Accepted	Soyer, J. (1975). Harpacticoïdes (Crustacés Copépodes) de l'archipel de Kerguelen. I. Quelques formes mésopsammiques. Bull. Mus. natn. Hist. nat., Paris. 168 (244): 1169-1223.	Nitokra delaruei
Nitokra divaricata Chappuis, 1923	Accepted	Chappuis, P. A. (1923) Description de deux harpacticides nouveaux de Transylvanie. Bulletin de la Société des Sciences de Cluj. 2: 23-26.	Nitokra divaricata
Nitokra divaricata caspica Behning, 1936	Accepted	Behning, A. L. (1936) <i>Nitokra divaricata</i> Chappuis im Kaspisee. In: Miscellanea aralocaspica. Internationale Revue der gesamten Hydrobiologie und Hydrographie 33(3): 247-249.	Nitokra divaricata caspica
Nitokra dubia Sars G.O., 1927	Accepted	Sars, G. O. (1927) The fresh-water Entomostraca of the Cape Province (Union of South Africa). Annals of the South African Museum 25: 85-149.	Nitokra dubia
Nitokra elegans (Scott T., 1905)	Accepted	Scott, T. (1905) On some new and rare crustacea from the scottish seas. Rep. Fishery Bd Scotl 23(3): 141-153.	Nitokra elegans
Nitokra elongata Marcus, 1968	Accepted	Marcus, A. (1968) Copepoda from the midlittoral zone of the Black Sea-Rumanian shore. Travaux du Museum d'Histoire Naturelle "Grigore Antipa" 9: 15-24	Nitokra elongata
Nitokra evergladensis Bruno & Reid in Bruno, Reid & Perry, 2002	Accepted	Bruno, M.C., J.W. Reid & S.A. Perry. (2002). New records of harpacticoid copepods from Everglades National Park (Florida, U.S.A.): Description of <i>Nitokra evergladensis</i> , new species (Ameiridae), supplementary description of <i>Attheyella americana</i> , and redescription of <i>Bryocamptus newyorkensis</i> (Canthoc Journal of Crustacean Biology 22(4):834-854.	Nitokra evergladensis
Nitokra fallaciosa fallaciosa Klie, 1937	Accepted	Klie, W. (1937) Ostracoden und Harpacticoiden aus brackigen Gewässern an der bulgarischen Küste der Schwarzen Meeres. Mitteilungen aus den Königlichen Naturwissenschaftlichen Instituten 10: 1-42	Nitokra fallaciosa
Nitokra fallaciosa baltica Lang, 1965	Accepted	Lang, K. (1965) Copepoda Harpacticoidea aus dem Küstengrundwasser dicht bei dem Askölaboratorium. Arkiv för Zoologi Ser 2, 18(6): 73-83.	Nitokra fallaciosa baltica
Nitokra fragilis Sars G.O., 1905	Accepted	Sars, G. O. (1905) Pacificische Plankton-Crustaceen. (Ergebnisse einer Reise nach dem Pacific. Schauinsland 1896-1897). II. Brackwasser-Crustaceen von den Chatham-Inseln. Zoologische Jahrbücher 21(4): 371-414.	Nitokra fragilis
Nitokra fragilis paulistana Jakobi, 1956	Accepted	Jakobi, H. (1956) Novas espécies de Harpacticoidea (Copepoda-Crustacea) provenientes de regi ões de água salobra da costa São Paulo-Paraná. Dusenya 7(3): 159-171	Nitokra fragilis paulistana

Nitocra	Bodin, P. (1997) Catalogue of the new marine harpacticoid copepods. Documents de travail de l'Institut Royal des Sciences Naturelles de Belgique. l'Institut Royal des Sciences Naturelles de Belgique, Belgium. 304 pp.
Nitocra	Wells, J. B. J. & Rao, G. C. (1987) Littoral Harpacticoida (Crustacea: Copepoda) from Andaman and Nicobar Islands. Memoirs of the Zoological Survey of India 16: 1-385.
Nitokra	Chang, C. Y. & Yoon, H. J. (2008) Nitokrea copepods (Harpacticoida: Ameiridae) from Korea. Korean Journal of Systematic Zoology 24(1): 115-127.
Nitokra	Chang, C. Y. (2009) Illustrated encyclopedia of fauna & flora of Korea. Vol. 42 Inland-water Copepoda. 687 pp.
Nitokra	Sars, G. O. (1927) Notes on the crustacean fauna of the Caspian Sea. (Sbornik v chest professora Nikolaya Mikhailovicha Knipovicha: 1885-1925. (Festschrift Knipowitsch): 315-329.
Nitokra	Defaye, D. & Dussart, B. (2011) World directory of Crustacea Copepoda of Inlands Waters. III-Harpacticoida, IV-Gelyelloida. Backhuys Publishers, Msargraf Publishers GmbH, Germany.450pp.
Nitokra	Brady, G. S. & Robertson, D. (1873) Contributions to the study of the Entomostraca. VIII. On marine Copepoda taken in the west of Ireland. The annals and Magazine of Natural History including Zoology, Botany, and Geology 12(4): 126-142.

Nitokra galapagoensis Mielke, 1997	Accepted	Mielke, W. (1997). Interstitial fauna of Galapagos. XXXIX. Copepoda, part 7. <i>Microfauna Marina</i> 11:115-152.	Nitocra galapagoensis
Nitokra gracilimana Giesbrecht, 1902	Accepted	Giesbrecht, W. (1902) Copepoden. In: Résultats du voyage du S. Y. Belgica. Rapports scientifiques, Zoologie: 1-49.	Nitocra gracilimana. "The smooth anal operculum, slenderness of first leg, form of the sensory spine of the male first leg, and the structure of the fifth feet indicate the genus Ameira (Gurney, 1920: 220)
Nitokra hamata Bodin, 1970	Accepted	Bodin, P. (1970). Copepodes Harpacticoides marins des environs de La Rochelle. 1. Espèces de la vase intertidale de Chatelaillon. <i>Tethys</i> . 2 (2): 385-436.	Nitocra hamata
Nitokra hibernica hibernica (Brady, 1880)	Accepted	Brady, G.S. (1880). A monograph of the free and semi-parasitic Copepoda of the British Islands, vol. II. The Ray Society Series, 55. Ray Society: London, UK. 183 pp.	Canthocamptus hibernicus. Accepted as Nitocra hibernica (Brady, 1880) in Schmeil (1893: 7, 78) and in subsequent authors (e.g. Lang, 1948: 814, and references cites therein)
Nitokra hibernica bulgarica (Apostolov, 1976)	Accepted	Apostolov, A. (1976). Novye vidy Copepoda (Harpacticoida) iz Bolgarii. New species of Harpacticoida (Copepoda) from Bulgaria. <i>Zoologicheskii Zhurnal</i> 55(3):453-458	Nitocrella hibernica bulgarica. Accepted as Nitocra hibernica bulgarica in Apostolov (1980)
Nitokra hibernica hyalina Jakubisiak, 1929	Accepted	Jakubisiak, S. (1929) Sur les Harpacticidae observés en Pologne. <i>Bulletin de la Société Zoologique de France</i> 54: 191-193.	Nitocra hibernica hyalina
Nitokra humphreysi Karanovic & Pesce, 2002	Accepted	Karanovic, T. & G.L. Pesce. (2002). Copepods from ground waters of Western Australia,VII. Nitokra humphreysi sp.nov. (Crustacea: Copepoda: Harpacticoida). <i>Hydrobiologia</i> 470:5-12.	Nitokra humphreysi
Nitokra hyperidis Jakobi, 1956	Accepted	Jakobi, H. (1956) Novas espécies de Harpacticoida (Copepoda-Crustacea) provenientes de regiões de água salobra da costa São Paulo-Paraná. <i>Dusenya</i> 7(3): 159-171	Nitocra hyperidis
Nitokra incerta (Richard, 1893)	Accepted	Richard, J. (1893) Copépodes recueillis par M. le Dr. Th. Barrois en Égypte, en Syrie et en Palestine (Mars-juin 1890). <i>Revue Biologique du nord de la France</i> 5: 458-475.	Canthocamptus hibernicus incertus. Accepted as Nitocra hibernica in Behning (1926), and subsequent authors (e.g. Lang (1948: 814) and references cited therein)
Nitokra inuber (Shmankevich, 1875)	Accepted	Shmankevich, V. I. (1875) Nekotoryya rakoobraznyya solyano-ozernykh' i presnykh vod' i otneshenie ikh' k' srede. Some Crustacea of salt- and fresh-water lakes, and their relation to the surrounding environment. <i>Zapiski Novorossiiskago Obshchestva Estestvoispytatelei (Mémoires de la Société des Naturalistes de la Nouvelle Russie, Odessa)</i> 3(2):1–391.	Dactylopus inuber. Accepted as Nitocra hibernica in Borutzky (1928), Gurney (1927: 545), and subsequent authors (e.g. Lang (1948: 814) and references cited therein)
Nitokra japonica (Miura, 1962)	Accepted	Miura, Y. (1962) Three new harpacticoid copepods from the subterranean waters of Shikoku in Japan. <i>Japanese Journal of Zoology</i> , 13, 267–274.	Nitocrella japonica. Accepted as Nitocrella japonica in Defaye & Dussart (2011)
Nitokra karanovici Chullasorn, Kangtia & Klangsin, 2014	Accepted	Chullasorn, S., Kangtia, P. & Klangsin, P. (2014). A new species of Nitocra Boeck, 1865 (Copepoda: Harpacticoida: Ameiridae) from a brown alga in Thailand. <i>Proceedings of the Biological Society of Washington</i> 127(1): 122-137.	Nitocra karanovici
Nitokra koreanus Chang, 2007	Missing in WoRMS	Chang, C. Y. (2007) Two harpacticoid species of genera Nitocra and Ameira (Harpacticoida: Ameiridae) from brackish waters in Korea. <i>Integrative Biosciences</i> 11: 247-253.	Nitocra koreanus
Nitokra lacustris azorica Kunz, 1983	Accepted	Kunz, H. (1983) Harpacticoiden (Crustacea: Copepoda) aus dem Litoral der Azoren. <i>Arquipelago Ciencias da Natureza</i> 4: 117-208.	Nitocra lacustris azorica
Nitokra lacustris colombianus Reid, 1988	Accepted	Reid, J. W. (1988) Cyclopoid and harpacticoid copepods (Crustacea) from Mexico, Guatemala, and Colombia. <i>Transactions of the American Microscopical Society</i> 107(2): 190-202.	Nitocra lacustris colombianus
Nitokra lacustris incerta Chappuis, 1933	Accepted	Chappuis, P. A. (1933) Süß- und Brackwasser-Copepoden von Bonaire, Curaçao und Aruba. I. Harpacticoida. <i>Zoologische Ergebnisse einer Reise nach Bonaire, Curaçao und Aruba im Jahre 1930</i> . No. 6. <i>Zoologische Jahrbücher Systematik, Geographie und Morphologie der Tiere</i> 64:391–404.	Nitocra lacustris incerta

Nitokra lacustris lacustris (Schmankevitsch, 1875)	Accepted	Shmankevich, V. I. (1875) Nekotoryyya rakoobraznyya solyano-ozernykh' i presnykh vod' i otneshenie ikh' k' srede. Some Crustacea of salt- and fresh-water lakes, and their relation to the surrounding environment. Zapiski Novorossiiskago Obshchestva Estestvoispytatelei (Mémoires de la Société des Naturalistes de la Nouvelle Russie, Odessa) 3(2):1–391.	Transfuga lacustris. Accepted as Nitocra lacustris in Gurney (1927: 549) and subsequent authors (e.g. Lang (1948 :812) and references cited therein)
Nitokra lacustris pacifica Yeatman, 1983	Accepted	Yeatman, H. (1983) Copepods from microhabitats in Fiji, Western Samoa, and Tonga. Micronesica 19(1-2): 57-90.	Nitocra lacustris pacificus. Accepted as Nitocra lacustris pacifica Yeatman, 1983 in Fiers (1986: 104)
Nitokra lacustris reducta Schäfer, 1936	Accepted	Schäfer, H. W. (1936) Harpacticoiden aus dem Brackwasser der Insel Hiddensee. Zoologisches Jahrbücher Systematik 68: 545-588.	Nitocra lacustris reducta
Nitokra lacustris sinoi Marcus & Por, 1961	Accepted	Marcus, A. & Por, F. D. (1961) Die Copepoden der polyhalinen Lagunen Sinoe (Schwarzes Meer-Rumänischen Küsten). Acta Musei Macedonici Scientiarum Naturalium. 7(6): 105-126.	Nitocra lacustris sinoi
Nitokra laingensis Fiers, 1986	Accepted	Fiers, F. (1986). New and interesting copepods (Crustacea, Copepoda) from brackish waters of Laing Island (Northern Papua New Guinea). Léopold III Biological Station, Laing Island - Contribution no. Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie 56:99-120,	Nitocra laingiensis
Nitokra malaica Kiefer, 1929	Accepted	Kiefer, F. (1929) Neue Ruderfusskrebse von den Sunda-Inseln. 1. Mitteilung über Copepoden der Sunda-Expedition Rensch-Heberer). Zoologischer Anzeiger 84(1-2): 46-49.	Nitocra malaica
Nitokra mediterranea mediterranea Brian, 1928	Accepted	Brian, A. (1928) Descrizione di specie nuove o poco conosciute di copepodi bentonici del mare Egeo. Bollettino dei Musei di Zoologia e Anatomia Comparata della Università di Genova 7(18): 1-37.	Nitocra pusilla mediterranea. Accepted as Nitocra mediterranea Brian, 1928 in Lang (1948: 821)
Nitokra mediterranea pontica Apostolov, 1980	Accepted	Apostolov, A. G. (1980) Deux formes nouvelles du genre Nitocra Boeck (Copépoda, Harpacticoida) de la mer Noire (ôte bulgare). Acta Zoologica Bulgarica 15: 36-42.	Nitocra mediterranea pontica
Nitokra medusaea Humes, 1953	Accepted	Humes, A. G. (1953) Two new semiparasitic harpacticoid copepods from the coast of New Hampshire. Journal of the Washington Academy of Sciences 43(11): 360-373	Nitocra medusaea
Nitokra minor Willey, 1930	Accepted	Willey, A. (1930) Harpacticoid Copepoda from Bermuda. Part I. Annals and Magazine of Natural History Ser. 10, Vol 5: 81-114.	Nitocra minor
Nitokra minor mozambicae Wells, 1967	Accepted	Wells, J. B. J. (1967) The littoral Copepoda (Crustacea) of Inhaca Island, Mozambique. Transactions of the Royal Society of Edinburgh 67(7):189--358.	Nitocra minor mozambicae
Nitokra muelleri Douwe, 1905	Accepted as Nitokra lacustris lacustris (Schmankevitsch, 1875)	Douwe, C. (1905) Neue Süßwasser-Harpacticiden Deutschlands. Zoologischer Anzeiger 28(12): 433-438.	Nitocra muelleri. Accepted as Nitocra lacustris (Schmankevitsch, 1875) in Gurney (1927) and subsequent authors (e.g. Lang (1948: 812) and references cited therein)
Nitokra oligochaeta Giesbrecht, 1882	Accepted	Giesbrecht, W. (1882) Vorläufig Mitteilungen aus einer Arbeit ueber die freilebenden Copepoden des Kieler Hafens. Zoologischer Anzeiger 4: 254-258.	Nitocra oligochaeta. Accepted as Nitocra typica Boeck, 1865 in Sars (1907: 12-13) and subsequent authors (e.g. Lang (1948: 808))
Nitokra palustris (Brady, 1880)	Accepted	Brady, G.S. (1880). A monograph of the free and semi-parasitic Copepoda of the British Islands, vol. II. The Ray Society Series, 55. Ray Society: London, UK. 183 pp.	Canthocamptus palustris. Accepted as Nitocra typica Boeck, 1865 in Sars (1907: 212) and as Nitocra spinipes Boeck, 1865 in Lang (1948: 810)
Nitokra paradoxa Daday, 1903	Accepted	Daday, E. (1904) Mikroskopische Süßwasserthiere aus Turkestan. Zoologische Jahrbücher Abtheilung für Systematik, Geographie und Biologie der Thiere 19: 469-553.	Nitocra paradoxa. Accepted as Schizopera paradoxa (Daday, 1903) in Gurney (1927: 514) and subsequent authors (e.g. Lang (1948: 738))
Nitokra parafragilis Roe, 1958	Accepted as Nitocra spinipes spinipes Boeck, 1865	Roe, K. M. (1958) The littoral harpacticids of the Dalkey (Co. Dublin) area with descriptions of six new species. Proceedings of the Royal Irish Academy 59 (12): 221-225	Nitocra parafragilis. Accepted as Nitocra spinipes Boeck, 1865 in Lang (1965: 352)

Nitokra phlegraea Brehm, 1909	Accepted	Brehm, V. (1909) Copepoden aud en phlegräischen Feldern. Zoologischer Anzeiger 34: 420-423.	Nitocra phlegraea. "Brehm's description is somewhat incomplete, but the extreme elongation of the endopodite of the first leg and the form of the sensory spine at the base of this leg in the male agree more with the genus Ameira than with Nitocra (Gurney, 1920: 219). Incertae sedis in Lang (1948: 824) and Defaye & Dussart (2011: 245)
Nitokra phreatica Bozic, 1964	Accepted	Bozic B., (1964). Copépodes harpacticoides et cyclopoïdes de la Réunion. II. Plage Saint- Pierre. Bulletin du Muséum National d'Histoire Naturelle 36(4): 481-499.	Nitocra phreatica
Nitokra platypus platypus Daday, 1906	Accepted	Daday, E. (1906) Untersuchungen über die Copepodenfauna von Hinterindien, Sumatra und Java nebst einem Beitrag zur Copepodenkenntnis der Hawaii-Inseln (Reise von Dr. Walter Volz.). Zoologische Jahrbücher. Abteilung für Systematik, Geographie und Biologie der Tiere 24: 175-206.	Nitocra platypus
Nitokra platypus pietschmanni Chappuis, 1934	Accepted as Nitokra pietschmanni Chappuis, 1934	Chappuis, P. A. (1934) Süßwasser Harpacticiden aus dem Hawaiischen Inselgebiet. Bulletin de la Société des Sciences de Cluj 7: 631-635.	Nitocra platypus pietschmanni. Accepted as Nitocra platypus Daday, 1906 in Lang (1948: 817), as Nitocra pietschmanni in Tai & Song (1979), Dussart & Defaye (2009) and Ishida & Kikuchi (2000), but as Nitokra pietschmanni (Chappuis, 1934) in Chang & Yoon (2008)
Nitokra platypus bakeri, Chappuis, 1930	Accepted	Chappuis, P.A. (1930) Copepoda Harpacticoida von der Insel Luzon, Philippinen. The Philippine Journal of Science, 41(2): 143-147.	Nitocra platypus bakeri. Accepted as Nitocra platypus Daday, 1906 in Lang (1948: 817)
Nitokra pontica Jakubisiak, 1938	Accepted	Jakubisiak, St. (1938) Les harpacticoides de la Mer Noire (Côtes Roumaines). Extrait des Annales Scientifiques de l'Université de Jassy. 24(2): 388-402.	Nitocra typica pontica. Accepted as Nitocra pontica Jakubisiak, 1938 in Lang (1948: 823)
Nitokra psammophila Noodt, 1952	Accepted	Noodt W. (1952) Subterrane Copepoden aus Norddeutschland. Zoologischer Anzeiger 148: 331-348.	Nitocra psammophila. Noodt (1953) is sceptical about the validity of N. psammophila and the species may be N. fallaciosa Klie, 1937 (Lang, 1965: 352). Bodin (1997) considers N. psammophilas as synonym of N. fallaciosa Klie, 1937
Nitokra pseudospinipes Yeatman, 1983	Accepted	Yeatman, H. (1983) Copepods from microhabitats in Fiji, Western Samoa, and Tonga. Micronesica 19(1-2): 57-90	Nitocra pseudospinipes
Nitokra pusilla pusilla Sars, 1911	Accepted	Sars, G. O. (1911) Copepoda Harpacticoida. Parts XXXI & XXXII Supplement (continued). An Account to the Crustacea of Norway 5: 369-396.	Nitocra pusilla
Nitokra pusilla mediterranea Brian, 1928	Accepted	Brian, A. (1928) Descrizione di specie nuove o poco conosciute di copepodi bentonici del mare Egeo. Bollettino dei Musei di Zoologia e Anatomia Comparata della Università di Genova 7(18): 1-37.	Nitocra pusilla mediterranea Brian, 1928 but accepted as Nitocra mediterranea Brian, 1928 in Lang (1948: 821)
Nitokra quadriseta Wells & Rao, 1987	Accepted	Wells, J.B.J. & Rao, G. C. (1987). Littoral Harpacticoida (Crustacea: Copepoda) from Andaman and Nicobar Islands. Memoirs of the Zoological Survey of India 16(4):1-385	Nitocra quadriseta
Nitokra reducta reducta Schäfer, 1936	Accepted	Schäfer, H. W. (1936) Harpacticoiden aus dem Brackwasser der Insel Hiddensee. Zoologisches Jahrbücher Systematik 68: 545-588.	Nitocra lacustris reducta. Accepted as Nitocrella reducta (Schäfer, 1936) in Lang (1948: 848), and as Nitocra reducta in Noodt (1957) and Lang (1965)
Nitokra reducta fluviatilis Galhano, 1968	Accepted as Nitokra fluviatilis Galhano, 1968	Galhano, M. H. (1968) Two new interstitial Ameiridae (Copepoda Harpacticoida) from Portugal. Publicações do Instituto de Zoologia "Dr. Augusto Nombro" 104: 9-21.	Nitocra reducta fluviatilis. Accepted as Nitocra fluviatilis Galhano, 1968 in Gómez et al. (2012)
Nitokra reunionensis Bozic, 1969	Accepted	Bozic, B. (1969) Copépodes harpacticoides de la Réunion VI. Bulletin du Muséum National d'Histoire Naturelle 41(4): 867-882.	Nitocra reunionensis

Nitokra salina (Schmankevitsch, 1875)	Accepted	Shmankevich, V. I. (1875) Nekotoryyya rakoobraznyyya solyano-ozernykh' i presnykh vod' i otneshenie ikh' k' srede. Some Crustacea of salt- and fresh-water lakes, and their relation to the surrounding environment. Zapiski Novorossiiskago Obshchestva Estestvoispytatelei (Mémoires de la Société des Naturalistes de la Nouvelle Russie, Odessa) 3(2):1–391.	Transfuga salinus. Relegated to nomina nuda in Lang (1948: 1472). This species most probably belongs to Mesochra (Borutzky, 1927).
Nitokra sewelli Gurney, 1927	Accepted	Gurmey, R. (1927) Report on the Crustacea:-Copepoda (Littoral and semi-parasitic). Zoological Results of the Cambridge Expedition to the Suez Canal, 1924. Transactions of the Zoological Society of London 22(4): 451-577.	Nitocra typica lacustis Sewell, 1924 but accepted as Nitocra sewelli Gurney, 1927 in Gurney (1927: 547) and Lang (1948: 820)
Nitokra sewelli husmanni Kunz, 1976	Accepted as Nitokra husmanni Kunz, 1976	Kunz, H. (1976) Eine neue Unterart der Gattung Nitocra (Copepoda, Harpacticoidea) aus Norddeutschland. Gewässer und Abwässer 60/61: 27-34	Nitocra sewelli husmanni. Accepted as Nitocra husmanni in Gómez et al. (2012: 52)
Nitokra simplex Schmeil, 1894	Accepted	Schmeil, O. 1894. Einige neue Harpacticiden-Formen des Süßwassers. Zeitschrift für Naturwissenschaften 67: 341-350.	Nitocra simplex. Accepted as Nitocra lacustris in Lang (1948: 812)
Nitokra sphaeromata Bowman, 1988	Accepted	Bowman, T.E. (1988). Nitokra sphaeromata, a new harpacticoid copepod crustacean associated with the wood-boring isopod, Sphaeroma peruvianum, in Costa Rica. Proceedings of the Biological Society of Washington 101(1):171-175.	Nitokra spaheromata
Nitokra spinipes spinipes Boeck, 1865	Accepted	Boeck, A. (1865) Oversigt over de ved Norges Kyster iagttagne Copepoder henhørende til Calanidernes, Cyclopidernes og Harpacticidernes Familier. Forhandlinger i Videnskabselskabet i Kristiania 1864: 226-282.	Nitokra spinipes. Accepted as Nitocra spinipes Boeck, 1865 in Lang (1948: 810)
Nitokra spinipes armata Lang, 1965	Accepted as Nitokra spinipes spinipes Boeck, 1865	Lang, K. (1965) Copepoda Harpacticoidea from the Californian Pacific coast. Kungl. Svenska Vetenskapsakademiens Handlingar, 10(2) 560 pp. Almquist & Wiksell, Stockholm.	Nitocra spinipes armata. Accepted as Nitocra spinipes Boeck, 1865 in Wells & Rao (1987), and as Nitokra spinipes Boeck, 1864 in Chang & Yoon (2008: 115)
Nitokra spinipes orientalis Sewell, 1924	Accepted	Sewell, R. B. (1924) Fauna of the Chilka Lake. Crustacea Copepoda. Memoirs of the Indian Museum, Calcuta 5: 771-851.	Nitocra spinipes orientalis. Accepted as Nitocra spinipes Boeck, 1865 in Lang (1948: 810) and in Wells & Rao (1987)
Nitokra stygia (Apostolov, 1976)	Accepted	Apostolov, A. (1976). Novye vidy Copepoda (Harpacticoida) iz Bolgarii. New species of Harpacticoida (Copepoda) from Bulgaria. Zoologicheskii Zhurnal 55(3):453–458	Nitocrella stygia. Accepted as Nitocra stygia in Apostolov (1980)
Nitokra subterranea Chappuis, 1928	Accepted	Chappuis, P. A. (1928) Nouveaux Copépodes cavernicoles. (Descriptions préliminaires). Buletinul societății de stiinte din Cluj 4(2): 20-34	Nitocra subterranea. Accepted as Nitocrella subterranea (Chappuis, 1928) in Chappuis (1937) and Lang (1948: 846)
Nitokra tau Giesbrecht, 1881	Accepted as Ameira parvula (Claus, 1866)	Giesbrecht, W. (1882) Vorläufig Mitteilungen aus einer Arbeit ueber die freilebenden Copepoden des Kieler Hafens. Zoologischer Anzeiger 4: 254-258.	Nitocra tau. Accepted as Ameira parvula (Claus, 1866) (=Canthocamptus parvulus Claus, 1866) in Brian (1926: 248), Gurney (1927: 545) and Lang (1948: 790)
Nitokra taylori Gómez, Carrasco & Morales-Serna, 2012	Accepted	Gómez, S., Carrasco, N. K. & Morales-Serna, F. N. (2012) A new species of Nitocra Boeck, 1865 (Harpacticoida, Ameiridae, Ameirinae) from South Africa, with notes on its ecology and remarks on the status of Nitocra sewelli husmanni Kunz, 1976. Zookeys 244: 33-58	Nitocra taylori Gómez, Carrasco & Morales-Serna, 2012
Nitokra tenuicornis Brady & Robertson D., 1873	Accepted	Claus , C. (1863) Die Freilebenden Copepoden mit besonderer Berücksichtigung der Fauna Deutschlands, der Nordsee und des Mittelmeeres. Verlag von Wilhelm Engelmann, Leipzig. 230 pp.	Dactylopus tenuicornis Claus, 1863. Accepted as Nitokra tenuicornis (Claus, 1863) in Brady & Robertson (1873: 137) and as Diosaccus tenuicornis (Claus, 1863) in Lang (1948: 617)
Nitokra treforti (Daday, 1884)	Accepted	Daday, E. (1884) Adatok a dévai vizek faunájának ismeretéhez. Orvos Természet- tudományi Értesítő 2(8): 197-228.	Canthocamptus treforti. Accepted as Nitocra treforti in Chappuis (1923) and as Nitocra lacustris (Schmankevitsch, 1875) in Borutsky (1927) and Lang (1948: 812)

Nitokra tridens (Bozic, 1969)	Accepted	Bozic, B. (1969) Copépodes harpacticoïdes de la Réunion VI. Bulletin du Muséum National d'Histoire Naturelle 41(4): 867-882.	Nitocrella tridens. Accepted as Parapseudoleptomesochra tridens (Bozic, 1969) in Petkovski (1976: 19)
Nitokra typica typica Boeck, 1865	Accepted	Boeck, A. (1865) Oversigt over de ved Norges Kyster iagttagne Copepoder henhørende til Calanidernes, Cyclopidernes og Harpactidernes Familier. Forhandlinger i Videnskabselskabet i Kristiania 1864: 226-282.	Nitokra typica. Accepted as Nitocra typica Boeck, 1865 in Lang (1948: 808)
Nitokra typica adriatica Petkovski, 1954	Accepted	Petkovski T. K. (1954) Harpacticiden des Grundwassers unserer Meeresküste. Musei Macedonici Scientiarum Naturalium 2(5/16): 92-123.	Nitocra typica adriatica
Nitokra typica pontica Jakubisiak, 1938	Accepted	Jakubisiak, St. (1938) Les harpacticoïdes de la Mer Noire (Côtes Roumaines). Extrait des Annales Scientifiques de l'Université de Jassy. 24(2): 388-402.	Nitocra typica pontica
Nitokra typica lacustris Sewell, 1924	Accepted as Nitokra sewelli Gurney, 1927	Sewell, R. B. (1924) Fauna of the Chilka Lake. Crustacea Copepoda. Memoirs of the Indian Museum, Calcuta 5: 771-851.	Nitocra typica lacustris. Accepted as Nitocra sewelli Gurney, 1927 in Gurney (1927: 549) and Lang (1948: 820)
Nitokra uenoi Miura, 1962	Accepted	Miura, Y. (1962) Three new harpacticoid copepods from the subterranean waters of Shikoku in Japan. Japanese Journal of Zoology, 13, 267–274.	Nitocra uenoi. Accepted as Nitokra uenoi Miura, 1962 in Defaye & Dussatrs (2011)
Nitokra vietnamensis Tran & Chang, 2012	Accepted	Tran, D. L. & Chang, C. Y. (2012). Two new species of harpacticoid copeopds from anchialine caves in karst area of North Vietnam. Animal Cells and Svstems. 16(1): 57-68.	Nitocra vietnamensis
Nitokra wolterecki Brehm, 1909	Accepted	Brehm, V. (1909) Copepoden aud en phlegräischen Feldern. Zoologischer Anzeiger 34: 420-423.	Nitocra wolterecki. Incertae sedis in Lang (1948: 824) and Defaye & Dussart (2011: 245)
Nitokra yahiai (Blanchard & Richard, 1891)	Accepted	Blanchard, R. & Richard, J. (1891) Faune des lacs salés d'Algerie. Cladocères et copépodes. Mémoires de la Société Zoologique de France 4: 512-535.	Canthocamptus yahiai. Accepted as Nitocra lacustris (Schmankevitsch, 1875) in Gurney (1927) and Lang (1948: 812)