

(M) Chondracanthidae - Hernaeopodoidea.

Acanthochondria OAKLEY, 1930

♂

Leigh-Sharpe, 1927.

A. cornuta.

Syn. Acanthochondria, Leigh-Sharpe, 1927, p. 466.

CHONDRACANTHIDAE - POECIKOSTOMATOIDEA

Acanthochondria Oakley, 1927-1930

①

- Kabata 1984: 1703-1713.
- KABATA 1988: 90, 96-97, DIAGNOSIS + KEY TO CANADIAN SPECIES
- LÜWINKO 1953: 13-, ♀
- Ho 1970: 115, syn. Rylovia MARKEWITSCH, NEW SYNONYMY; 118-, DIAGNOSIS, REVISION
- KABATA 1992: 180-, DIAGNOSIS, KEY TO BRITISH SPECIES
- Ho 1994: 515

Acanthochondria Oakley, 1930

card 2

-- Ho & Kim 1995b: 45-, review, keys

ACANTHOCHONDRIA ALBIGUTTA - see

A. GALERITA

Acanthochondria argatula (Markewitsch, 1940)

Rylovia -, Markewitsch 1940:

Acanthochondria -, n. comb., Ho 1970: 115, returned

Rylovia to synonymy of Acanthochondria

A. -, Ho 1972: 149

A. -, Kabata 1987: 215

A. ARGUTULA, Ho & Kim 1995a: 32, TAB. 1

A. ARGUTULA, Ho & Kim 1995b: 59

Acanthochondria ateleopi Capart, 1959

— Capart, 1959 : 99 — fig. 24 a-b. — ex

-- Kabata 1984: 1705.

ATELEOPUS. BARNARDI,
OFF W. AFRICAN COAST

-- kabata, 1987 : 215

~~KABATA 1987~~

-- HOGANS 1992: 31-36, FIGS. 1, 2, EX ATELEOPUS
LOPPEI, GULF OF MEXICO (NEW HOST & GEOGRAPHIC
RECORD)

-- Ho + Kim 1995b: 59

Acanthochondria barnardi Capart, 1959

— Capart, 1959: 101–102 , fig. 25a–b.

-- Kabata 1984: 1704.

-- Ho 1970: 127, PROBABLY SYN. OF A. CORNUTA

-- Ho + Kim 1995 b: 59

Acanthochondria bicornis Shiino ♀ ♂

--- Shiino, 1955, PP. 103-107, Figs. 21-22. Japan

Host: Upper side gill arches *Zenion japonicum*, Minabe,
Japan.

-- Kabata 1984: 1708, 1710.

-- Ho + Kim 1995b: 60-

Chondracanthidae - Lernaeopodoida

Acanthochondria brevicorpa Yu, ♂♀

— — Yu, 1935, p. 9: pl. 4, figs. 1-8.

.. Ho + Kim 1995 b: 60-, syn. A. HAZEKUTI

Host. Gills of Synechogobius hasta, Chefoo.

= *A. BREVICORPA* Chondracanthidae Bernaeopodoida

Acanthochondria hazekuti Yamaquti ♂♀.

— — Yamaquti, 1939, p. 535: pl. 37, figs. 27–32.

-- Kabata 1984: 1708, 1710.

-- Ho & Kim 1995b: 60 –, SYNONYM OF *A. BREVICORPA*,
NEW SYNONYMY

Host. Gills, *Acanthogobius hastes* (Temm. & Schleg.)

Ariake Bay, Japan

Acanthochondria briani (Yü & Wu, 1932)

-- Kabata 1984: 1706.

-- Kabata, 1987: 215

--

Ho + Kim 1995 b: 59

-- Ho 1991: 55, TAB. I

ACANTHOCHONDRIA BULBOSUS - see A. TCHANGI

ACANTHOCHONDRIA CHILENSIS - see
A. PHYCIDIS

Acanthochondria chylomycteri - see Pseudochondracanthus

Chondracanthidae-Ternaeopodoida

Acanthochondria clavata (Bassett-Smith) ♂, ♀, 2

Chondracanthus - us. B.-S., 1896^b, p. 13: pl. 5, fig. 1.

— — See card C. clavatus

Acanthochondria -a, Oakley, 1930, p. 190: fig. 4, A, C, D,
A. -, KABATA 1968: 341, FIGS. 76, 93 NO RECORD

A. -, KABATA 1984: 1704, 1708

Host. Gills of Pleurnectidae.

A. CLAVATUS, BOER 1970: 2, TABLE I, HOLLAND

A. - A, KABATA 1992: 182; FIG. 40B, C, SYNONYMY, HOST LIST

A. - A, HO + KIM 1995b: 60-

C. - us, VILLALBA + FERNANDEZ 1985: 31

ACANTHOCHONDRIA

Chondrocanthus clavatus, ^{Chondracanthidae,} T. Smilt. 1896. 3. ♀.

C. —, T. Smilt. 1896, p. 13 : pl. V, fig. 1. ①

C. —, —, 1899, p. 492.

C. —, T. Scott, 1900, p. 165 : pl. VII, figs. 35-37.

C. —, A. Scott, 1901, a, p. 351.

Acanthochrondria clavata, Oakley 1930, p. 186

Host. Gills of Lemon Soles, Pleuronectes microcephalus.

Faroës:

English Seas.

- C. —, A. Scott, 1904, b, p. 122; 1904, a, p. 42.
C. —, B.- Smith, 1896, a, p. 161.
C. —, T. Scott, 1906, b, p. 371.
C —, Hansen, 1923, p. 44

Acanthochondria
Clavata ②

ACANTHOCHONDRIA CLAVATA (BASSITT-SMITH) ③

- HO 1991: 55, TAB. I

CHONDRACANTHUS-US, ATRIA G. 1980: 303, 307

Acanthochondria compacta Markevitch, 1956

-- Kabata 1984: 1710.

-- Ho 1970: 127, PROBABLY SYN. OF A. CORNUTA

-- Ho & Kim 1995b: 60

= ACANTHOCHONDRIA

Chondracanthus cornutus (Müller). ♂♀.
syn.

Chondracanthidae.

① ①

p. 227.

Lernaea cornuta, Müller, 1776, pl. XXXIII, fig. 6.

Schisturus cornutus: Oken, 1816, Vol. III, p. 183.

Entomoda cornuta, Lamarck, 1818, p. 685.

Lernentoma cornuta, Blainville, 1822, p. 441, No. 6.

Acanthochrondria cornuta, Oakley 1930, p. 186

Host. Sills of the Pleuronectidae.

New England: Greenland: Bohuslän: Faroes:

France: Iceland:

Europe.

LERNENTOMA - , TEMPERE 1898: 123-224, PL. 29 FIG. 14

- Lernentoma cornuta, Blainville, 1823, p. 126. (2)
Horned Ternaea, Shaw, 1800-1826, p. 295.
Ch. cornutus, Cuvier, 1830, vol. III, p. 258
— — . Nordmann, 1832, p. III; pl. IX, figs. 5-10.
— — . Kröyer, 1837, p. 196.
— soleae, Kröyer, 1838, p. 139; pl. III, fig. 4.
— cornutus, M. Edwards, 1840, p. 500; pl. Xb, figs. 18-22.
— soleae, — , 1840, p. 501.
Lernentoma cornuta, Baird, 1850, p. 328; pl. xxxv, fig. 2.
— — . White, 1850, p. 128! 1857, p. 327.
Ch. cornutus, van Beneden, 1851, a, p. 108; pl. IV, figs. 1-4.
Anops cornuta Oken, 1816, p. 359.
Acanthocondria cornuta

= ACANTHOCHONDRIA

Chondracanthidae

Ch. cornutus, van Beneden, 1861, p. 157. ②3

—, Kröyer, 1863, p. 249; pl. XIII, fig. 7, a-d.

—, Heller, 1866, p. 755.

—. Olsson, 1868, p. 29, ^{pl. II}fig. 12 : 1871, p.

—. van Beneden, 1870, pp. 72, 76, 77; pl. II. fig. 1.

—. Smith, 1871-2, p. 578.

—. Tütker, 1875, p. 162.

—. Vogt, 1877, b, p. 75; pl. VI, figs. 4-8, 249.

—. Stossich, 1880, p. 252.

—. Valle, 1880, — p. 72.

—. Richiardi, 1880, p. 6.

- . Carus, 1885, p. 355.
- . B. Smith, 1899, p. 491: 1896, a, p. 161.
- . T. Scott, 1900, p. 164: pl. VII, figs. 19-31.
- . A. Scott, 1901, a, p. 351.
- . Thompson & Scott, 1903, p. 294
- . A. Scott, 1904b, p. 122: 1904, a, p. 42.
- . Stossich, 1880, p. 252.
- . M. J. Rathbun, 1905, p. 100
- . Stephensen, 1913, p. 342.
- . Pearson, 1906, p. 28.
- . Brian, 1899, b, p. 3, footnote.

Acanthocondria
coronata

Chondracanthidae-Lernaeopodoida

Acanthochondria cornuta (O. F. Müller). ♂. ♀. (5)

Lernaea cornuta Müller, 1776, p. 227; pl. 33, fig. 6.

Schisturus — vs Oken, 1816, p. 183.

Entomoda — a Lamarck, 1818, p. 685.

Lernentoma — Blainville, 1822, p. 441.

Chondracanthus — vs Cuvier, 1830, vol. 3, p. 258.

Host. Gills of Pleuronectidae.

Acanthochondria — a Oakley, 1930, p. 189: fig. 3, A-D. (6)
Chondracanthus — See card. C. cornutus.

A. cornuta (6)

Acanthochondria cornuta (O. Fr. Müller, 1776)

7

--, Stephensen, 1940, p. 8-9, Chondracanthus c. &
flurae are syns.

--, Ho, 1978, p. 7, ♀, fig. 13

--, Pillai, 19?, p. 1573

-- DO ET AL. 1984:22

-- KABATA 1984: 1703, 1704, 1708

-- Kabata 1986c: 213, 215 not syn. w/ A. hippoclossi

-- Ho 1970: 119 - 127, FIGS. 8-33, SYNONIMY

-- Ho 1991: 55, TAB. I

= ACANTHOCHONDRIA

C. cornutus ~~6~~

CH. — T. Scott, 1906, b, p. 371.

8

— — Wilson, 1920, p. 52.

— — Hansen, 1923, p. 43.

— — Bere, 1930, p. 7: pl. I, figs. 1-2.

--, Beneden & Bessels, 1868?, p. 33-, pl. 3; fig. 15

--, Stephensen, 1940, a syn. of Acanthochondria c.

--, Acloque, 1899: 197, as CONDRCANTHUS.

9 (B)

Acanthocondria cornuta

--, Ho, 1971, p. 3 Key

--, Kabata, 1969, p. 506.

--, Polianskii, 1955, p. 95

-- Boxshall 1974: 699

-- IZAWA 1987: 153-

-- KABATA 1988: 96, FIG. 41A; HOST RECORDS-CANADA

-- kabata, 1987: 213, 215

-- Ho 1987c: 80

-- LÜNING 1953: 13-, FIG. 3a, b, d

-- KABATA 1992: 183-, FIG. 40 F, G; SYNONYMY, HOST LIST

ACANTHOCHONDRIA CORNUTA (MÜLLER OF 1776) ~~CARD 7~~

-- IZAWA 1986b: 160

-- HOGANS 1992: 35

-- HO & KIM 1995b: 60-, SYNONYMY, HOST LIST

-- HOLMES 1983: 21, IRELAND, HOST FLOUNDER
PLATICHTHYS FLESUS.

CHONDRACANTHUS -, HO 1991: 54

=A. CORNUTA Chondracanthidae - Lernaeopodoida.

Acanthochondria depressa (T. Scott). ♀. ♂.

Chondracanthus — vs, T. Scott, 1905^a, p. 114: pl. 6. f. 7-13.

— — T. Scott, 1906^b, p. 372.

Acanthochondria — a, Oakley, 1930. p. 191: fig. 4, 73, E, F.

— — Wilson, 1932, p. 503: fig. 299.

— Stock & Vos, 1960, p. 206

Host. Gills of Pleuronectes flesus.

— Ho & Kim 1995 b: 57, TAB. I, SYN. OF A. CORNUTA

— Ho 1991: 55, TAB. I

--, Boer, 1970-2, p. 8,9,10, tbl. 1&2

(2)

-- Ho 1970:123-, syn. of A. cornuta

Acanthocandrea
depressa.

= A. CORNUTA

Chondracanthidae-Terraeopodida

Acanthochondria fluriae (Krøyer) ♀. ♂. ①

Chondracanthus — Krøyer, 1863, p. 249: pl. 13, fig. 6.

— — See card C. fluriae.

Acanthochondria — Oakley, 1930, p. 192: fig. 5, E, F, G.

— — Wilson, 1932, p. 502: pl. 37, f - n.

— —, Ronald, 1958. p. 5

Host. Gills of Drepanopsetta platessoides.

A. fluriae, Polianskii, 1955, p. 90-

= A. CORNUTA

Acanthochondria flurae

(2)

--, Boer, 1970-2, tbl. 1

-- Ho 1970: 119 -, POSSIBLE SYNONYM OF A.
CORNUTA

-- Ho & Kim 1995b: 57, TAB. 1, SYN. OF A. CORNUTA

A. S., Ho 1991: 55, TAB. 1

= ACANTHOCHONDRIA CORNUTA

Chondracanthidae

Chondracanthus floral, Kröyer, ♀.

— —, Kröyer, 1863, p. 249; pl. XII, fig. 6.

— —, B-Smith, 1899, p. 492 (= Ch. cornutus).

— —, T. Scott, 1900, p. 166; pl. VII, figs. 32–34.

— —, T. Scott, 1906, b, p. 371.

Acanthochrondria —, Oakley 1930, p. 186

Host. Gills of Rough Dab. Patessa limandaoides:
or Drepanopsetta platesoides, Fabr.

English Seas.

— — I. & H. Scott, 1913, p. 171: pl. 47, f. 5.
= *C. cornutus*, Hansen, 1923, p. 43. [pl. 53, f. 10, 11]

--, Stephensen, 1940, p. 8, ^{of Scott is} ₁ a syn. of Acanthochondria
cornuta

ACANTHOCHONDRIA CRASSICORNIS - ssp.
HETEROCHONDRIA

Acanthochondria cyclopsetta Pearse

1952---- Pearse, A.S., pp. 37-39, figs. 145-149.

--, Ho, Ju-Shey, 1971, p. 3, Fig 1, Key

-- Ho & Kim 1995b: 60, Host list

Chondracanthidae—Lernaeopodoida

Acanthochondria cynoglossidis (Thompson & Scott) ♀

Chondracanthus — T. & S., 1903, p. 294; fig. 1, text.

Acanthochondria — Oakley, 1930, p. 186.

— —, Pillai, 19?, p. 1573

— — kabata, 1987: 215

Host. Nasal coeca of Cynoglossus.

— Ho & Kim 1995 b: 59

— Ho 1991: 55, FIG. 1

ACANTHOCHONDRIA DELTOIDEA -

SEE CHONDRACANTHUS

ACANTHOCHONDRIA DEPRESSA - see A. CORNUTA

acanthochondria diastema sp. nov. KABATA, 1965

--- Kabata, 1965, pp. 12-13.

-- Ho & DOJIRI 1988: 273 - 279, FIGS. 1-29,
HOST PLATYCEPHALUS sp., AUSTRALIA; NOT =
PTEROCHONDRIA ALATALONGICOLLIS

-- Ho & KIM 1995b: 60

Acanthochondria dilatata Shiino, 1955

-- Shiino 1955: 107-110, figs. 23-24, ♀♂, n. sp.

Kumano Dist., Japan. Host: Helioclenus
dastylopterus.

-- Kabata 1984: 1708.

-- Ho + Kim 1995b: 60

Acanthochondria dilata

--, Ho, 1972, p. 149

Acanthochondria dojirii Kabata 1984

-- Kabata 1984: 1703, 1708-1710, figs. 29-41, n. sp. ♀

British Columbia; host Parophrys vetulus Girard.

p. 1710: = Acanthochondria sp. A of Dojiri, 1977.

-- KABATA 1988: 97, FIG. 41E; HOST RECORD-CANADA

-- Ho + Kim 1995b: 60

= ACANTHOCHONDRIA Chondracanthidae-Ternaeopodoida
Chondracanthus elongatus B-Smith J.F.

— — B-Smith, 1898, a, p. 14: pl. 6, fig. 4-6.

— — B-Smith, 1899, p. 493.

— — Pillai, 19?, p. 1571,

ACANTHOCHONDRIA ELONGATA, Horkim 1995b: 61-,

n. comb.

Host. Gills of Solea sp.

A. ELONGATA, Ho 1991: 55, TAB. I

Bombay-

Chondracanthidae - Lernaeopodoida

Acanthochondria epachthes (Wilson) ♀.♂.

Chondracanthus - Wilson, 1908, p. 434; pl. 66, fig. 1-10.

Acanthochondria - Oakley, 1930, p. 192, 186

A. - Wilson, 1935, p. 787. Pacific coast.

A. - Kabata 1984: 1710, A. holocephalarum Kabata, 1968

is a synonym.

Host. Gills of Chimaera, CALIFORNIA

-- KABATA 1988: 97, FIG. 41C; HOST RECORDS - CANADA

-- Ho & Kim 1995b: 61-

-- Ho 1991: 55, TAB. I



= A. EPACHTHES

Acanthochondria holocephalarum Kabata, 1968

n. sp. Kabata, 1968, pp. 339-344, figs. 77, 79-92

(A. clavata of Wilson, 1935 a synonym)

-- Kabata 1984: 1710, a synonym of A. epachthes
(Wilson, 1908).

-- Ho + Kim 1995b: 57, TAB. I, syn. of A. EPACHTHES

Chondracanthidae-Lernaeopodoida

Acanthochondria exilipes, n.sp., ♂, ♀.

— Wilson, 1931.

— Wilson, 1932, p. 501 : pl. 37, a - e.

— Ho, Ju-Shen, 1971, p. 3-7, Fig 2-4

— Ho, 1978, p. 7, 10, fig. 12

Host. Gills of Lophotilus chameleonticeps.

— Ho + Kim 1995b: 61-

Acanthochondria constricta Shiino ♀ ♂

-- -- Shiino, 1955. PP. 96-100, Figs. 17-18.

--, Kabata, 1968, p. 344

Hoat: Buccal cavity of *Diederleinia berycoides*, Mie,
Japan

--, Ho, 1975, p. 304-305

-- Kabata 1984: 1706.

-- kabata, 1987: 215

-- Ho + Kim 1995 b: 60-

= ACANTHOCHONDRIA

Chondracanthus cornutus (Müller). ♂♀.
syn.

Chondracanthidae.

① ①

p. 227.

Lernaea cornuta, Müller, 1776, pl. XXXIII, fig. 6.

Schisturus cornutus: Oken, 1816, Vol. III, p. 183.

Entomoda cornuta, Lamarck, 1818, p. 685.

Lernentoma cornuta, Blainville, 1822, p. 441, No. 6.

Acanthochrondria cornuta, Oakley 1930, p. 186

Host. Sills of the Pleuronectidae.

New England: Greenland: Bohuslän: Faroes:

France: Iceland:

Europe.

LERNENTOMA - , TEMPERE 1898: 123-224, PL. 29 FIG. 14

- Lernentoma cornuta, Blainville, 1823, p. 126. (2)
Horned Ternaea, Shaw, 1800-1826, p. 295.
Ch. cornutus, Cuvier, 1830, vol. III, p. 258
— — . Nordmann, 1832, p. III; pl. IX, figs. 5-10.
— — . Kröyer, 1837, p. 196.
— soleae, Kröyer, 1838, p. 139; pl. III, fig. 4.
— cornutus, M. Edwards, 1840, p. 500; pl. Xb, figs. 18-22.
— soleae, — — , 1840, p. 501.
Lernentoma cornuta, Baird, 1850, p. 328; pl. xxxv, fig. 2.
— — . White, 1850, p. 128! 1857, p. 327.
Ch. cornutus, van Beneden, 1851, a, p. 108; pl. IV, figs. 1-4.
Anops cornuta Oken, 1816, p. 359.
Acanthocondria cornuta

= ACANTHOCHONDRIA

Chondracanthidae

Ch. cornutus, van Beneden, 1861, p. 157. ②3

—, Kröyer, 1863, p. 249; pl. XIII, fig. 7, a-d.

—, Heller, 1866, p. 755.

—. Olsson, 1868, p. 29, ^{pl. II}fig. 12 : 1871, p.

—. van Beneden, 1870, pp. 72, 76, 77; pl. II. fig. 1.

—. Smith, 1871-2, p. 578.

—. Tütker, 1875, p. 162.

—. Vogt, 1877, b, p. 75; pl. VI, figs. 4-8, 249.

—. Stossich, 1880, p. 252.

—. Valle, 1880, — p. 72.

—. Richiardi, 1880, p. 6.

- . Carus, 1885, p. 355.
- . B. Smith, 1899, p. 491: 1896, a, p. 161.
- . T. Scott, 1900, p. 164: pl. VII, figs. 19-31.
- . A. Scott, 1901, a, p. 351.
- . Thompson & Scott, 1903, p. 294
- . A. Scott, 1904b, p. 122: 1904, a, p. 42.
- . Stossich, 1880, p. 252.
- . M. J. Rathbun, 1905, p. 100
- . Stephensen, 1913, p. 342.
- . Pearson, 1906, p. 28.
- . Brian, 1899, b, p. 3, footnote.

Acanthocondria
coronata

Chondracanthidae-Lernaeopodoida

Acanthochondria cornuta (O. F. Müller). ♂. ♀. (5)

Lernaea cornuta Müller, 1776, p. 227; pl. 33, fig. 6.

Schisturus — vs Oken, 1816, p. 183.

Entomoda — a Lamarck, 1818, p. 685.

Lernentoma — Blainville, 1822, p. 441.

Chondracanthus — vs Cuvier, 1830, vol. 3, p. 258.

Host. Gills of Pleuronectidae.

Acanthochondria — a Oakley, 1930, p. 189: fig. 3, A-D. (6)
Chondracanthus — See card. C. cornutus.

A. cornuta (6)

Acanthochondria cornuta (O. Fr. Müller, 1776)

7

--, Stephensen, 1940, p. 8-9, Chondracanthus c. &
flurae are syns.

--, Ho, 1978, p. 7, ♀, fig. 13

--, Pillai, 19?, p. 1573

-- DO ET AL. 1984:22

-- KABATA 1984: 1703, 1704, 1708

-- Kabata 1986c: 213, 215 not syn. w/ A. hippoclossi

-- Ho 1970: 119 - 127, FIGS. 8-33, SYNONIMY

-- Ho 1991: 55, TAB. I

= ACANTHOCHONDRIA

C. cornutus ~~6~~

CH. — T. Scott, 1906, b, p. 371.

8

— — Wilson, 1920, p. 52.

— — Hansen, 1923, p. 43.

— — Bere, 1930, p. 7: pl. I, figs. 1-2.

--, Beneden & Bessels, 1868?, p. 33-, pl. 3; fig. 15

--, Stephensen, 1940, a syn. of Acanthochondria c.

--, Acloque, 1899: 197, as CONDRCANTHUS.

9 (B)

Acanthocondria cornuta

--, Ho, 1971, p. 3 Key

--, Kabata, 1969, p. 506.

--, Polianskii, 1955, p. 95

-- Boxshall 1974: 699

-- IZAWA 1987: 153-

-- KABATA 1988: 96, FIG. 41A; HOST RECORDS-CANADA

-- kabata, 1987: 213, 215

-- Ho 1987c: 80

-- LÜNING 1953: 13-, FIG. 3a, b, d

-- KABATA 1992: 183-, FIG. 40 F, G; SYNONYMY, HOST LIST

ACANTHOCHONDRIA CORNUTA (MÜLLER OF 1776) ~~CARD 7~~

-- IZAWA 1986b: 160

-- HOGANS 1992: 35

-- HO & KIM 1995b: 60-, SYNONYMY, HOST LIST

-- HOLMES 1983: 21, IRELAND, HOST FLOUNDER

PLATICHTHYS FLESUS.

CHONDRACANTHUS -, HO 1991: 54

=A. CORNUTA Chondracanthidae - Lernaeopodoida.

Acanthochondria depressa (T. Scott). ♀. ♂.

Chondracanthus — vs, T. Scott, 1905^a, p. 114: pl. 6. f. 7-13.

— — T. Scott, 1906^b, p. 372.

Acanthochondria — a, Oakley, 1930. p. 191: fig. 4, 73, E, F.

— — Wilson, 1932, p. 503: fig. 299.

— Stock & Vos, 1960, p. 206

Host. Gills of Pleuronectes flesus.

— Ho & Kim 1995 b: 57, TAB. I, SYN. OF A. CORNUTA

— Ho 1991: 55, TAB. I

--, Boer, 1970-2, p. 8,9,10, tbl. 1&2

(2)

-- Ho 1970:123-, syn. of A. cornuta

Acanthocandrea
depressa.

= A. CORNUTA

Chondracanthidae-Terraeopodida

Acanthochondria fluriae (Krøyer) ♀. ♂. ①

Chondracanthus — Krøyer, 1863, p. 249: pl. 13, fig. 6.

— — See card C. fluriae.

Acanthochondria — Oakley, 1930, p. 192: fig. 5, E, F, G.

— — Wilson, 1932, p. 502: pl. 37, f - n.

— —, Ronald, 1958. p. 5

Host. Gills of Drepanopsetta platessoides.

A. fluriae, Polianskii, 1955, p. 90-

= A. CORNUTA

Acanthochondria flurae

(2)

--, Boer, 1970-2, tbl. 1

-- Ho 1970: 119 -, POSSIBLE SYNONYM OF A.
CORNUTA

-- Ho & Kim 1995b: 57, TAB. 1, SYN. OF A. CORNUTA

A. S., Ho 1991: 55, TAB. 1

= ACANTHOCHONDRIA CORNUTA

Chondracanthidae

Chondracanthus floral, Kröyer, ♀.

— —, Kröyer, 1863, p. 249; pl. XII, fig. 6.

— —, B-Smith, 1899, p. 492 (= Ch. cornutus).

— —, T. Scott, 1900, p. 166; pl. VII, figs. 32–34.

— —, T. Scott, 1906, b, p. 371.

Acanthochrondria —, Oakley 1930, p. 186

Host. Gills of Rough Dab. Patessa limandoides:
or Drepanopsetta platesoides, Fabr.

English Seas.

— — I. & H. Scott, 1913, p. 171: pl. 47, f. 5.
= *C. cornutus*, Hansen, 1923, p. 43. [pl. 53, f. 10, 11]

--, Stephensen, 1940, p. 8, ^{of Scott is} ₁ a syn. of Acanthochondria
cornuta

ACANTHOCHONDRIA CRASSICORNIS - ssp.
HETEROCHONDRIA

Acanthochondria cyclopsetta Pearse

1952---- Pearse, A.S., pp. 37-39, figs. 145-149.

--, Ho, Ju-Shey, 1971, p. 3, Fig 1, Key

-- Ho & Kim 1995b: 60, Host list

Chondracanthidae—Lernaeopodoida

Acanthochondria cynoglossidis (Thompson & Scott) ♀

Chondracanthus — T. & S., 1903, p. 294; fig. 1, text.

Acanthochondria — Oakley, 1930, p. 186.

-- , Pillai, 19?, p. 1573

-- Kobata, 1987: 215

Host. Nasal coeca of Cynoglossus.

-- Ho & Kim 1995 b: 59

-- Ho 1991: 55, FIG. 1

ACANTHOCHONDRIA DELTOIDEA -

SEE CHONDRACANTHUS

ACANTHOCHONDRIA DEPRESSA - see A. CORNUTA

acanthochondria diastema sp. nov. KABATA, 1965

--- Kabata, 1965, pp. 12-13.

-- Ho & DOJIRI 1988: 273 - 279, FIGS. 1-29,
HOST PLATYCEPHALUS sp., AUSTRALIA; NOT =
PTEROCHONDRIA ALATALONGICOLLIS

-- Ho & KIM 1995b: 60

Acanthochondria dilatata Shiino, 1955

-- Shiino 1955: 107-110, figs. 23-24, ♀♂, n. sp.

Kumano Dist., Japan. Host: Helioclenus
dastylopterus.

-- Kabata 1984: 1708.

-- Ho + Kim 1995b: 60

Acanthochondria dilata

--, Ho, 1972, p. 149

Acanthochondria dojirii Kabata 1984

-- Kabata 1984: 1703, 1708-1710, figs. 29-41, n. sp. ♀

British Columbia; host Parophrys vetulus Girard.

p. 1710: = Acanthochondria sp. A of Dojiri, 1977.

-- KABATA 1988: 97, FIG. 41E; HOST RECORD-CANADA

-- Ho + Kim 1995b: 60

= ACANTHOCHONDRIA Chondracanthidae-Ternaeopodoida
Chondracanthus elongatus B-Smith J.F.

— — B-Smith, 1898, a, p. 14: pl. 6, fig. 4-6.

— — B-Smith, 1899, p. 493.

— — Pillai, 19?, p. 1571,

ACANTHOCHONDRIA ELONGATA, Horkim 1995b: 61-,

n. comb.

Host. Gills of Solea sp.

A. ELONGATA, Ho 1991: 55, TAB. I

Bombay-

Chondracanthidae - Lernaeopodoida

Acanthochondria epachthes (Wilson) ♀.♂.

Chondracanthus - Wilson, 1908, p. 434; pl. 66, fig. 1-10.

Acanthochondria - Oakley, 1930, p. 192, 186

A. - Wilson, 1935, p. 787. Pacific coast.

A. - Kabata 1984: 1710, A. holocephalarum Kabata, 1968

is a synonym.

Host. Gills of Chimaera, CALIFORNIA

-- KABATA 1988: 97, FIG. 41C; HOST RECORDS - CANADA

-- Ho & Kim 1995b: 61-

-- Ho 1991: 55, TAB. I

= A. EPACHTHES

Acanthochondria holocephalarum Kabata, 1968

n. sp. Kabata, 1968, pp. 339-344, figs. 77, 79-92

(A. clavata of Wilson, 1935 a synonym)

-- Kabata 1984: 1710, a synonym of A. epachthes
(Wilson, 1908).

-- Ho + Kim 1995b: 57, TAB. I, syn. of A. EPACHTHES

Chondracanthidae-Lernaeopodoida

Acanthochondria exilipes, n.sp., ♂, ♀.

— Wilson, 1931.

— Wilson, 1932, p. 501 : pl. 37, a - e.

— Ho, Ju-Shey, 1971, p. 3-7, Fig 2-4

— Ho, 1978, p. 7, 10, fig. 12

Host. Gills of Lophotilus chameleonticeps.

— Ho + Kim 1995b: 61-

A^{= A. EXILIPESS}
canthochondria latili Capart

- Capart, 1959: 103, fig. 27a-c

- kabata, 1987: 216

-- Ho + Kim 1995 b: 60-, SYNONYM OF A. EXILIPESS,
NEW SYNONYMY

Acanthochondria fissicauda Shiino

Japan

-- -- Shiino, 1955, pp.90-93, Figs. 13-14.

market, Japan.

Host Buccal Cavity of *Callionymus richardsoni*, Tyosi Fish

-- Kabata 1984: 1708.

A. FISSICAUDA, Ho + Kim 1995b: 61-

-- Ho + Kim 1996: 279

ACANTHOCHONDRIA FLURAE - DE A. CORNUTA

Acanthochondria fraseri Ho, 1972

n. sp., Ho, 1972, pp. 523-7, figs. 1-2

-- KABATA 1988: 97, FIG. 416; HOST RECORD - CANADA

-- Ho + Kim 1995b: 61-

Chondracanthidae - Ternaeopodoidea.

Acanthochondria galerita (Rathbun) ♀.

Chondracanthus - R. Rathbun, 1886, p. 317: pls. 8 + 10.

— — M. Rathbun, 1905, p. 101.

Acanthochondria - Oakley, 1930, p. 186.

— — Wilson, 1932, p. 505: fig. 299, b.

— — Ho, Ju-Shey, 1971, p. 7-11, Fig. 5-7

Host. Mouth of Paralichthys dentatus.

— — Ho, 1978, p. 7, 10, fig. 11

— — KABATA 1984: 1703

— — Ho + Kim 1995b: 61-

— — Ho 1991: 55, TAB. I

= A. GALERITA

Lernaeopodida Chondracanthidae

Acanthochondria alboguttata Pearse

HOST PARALICHTHYS ALBICUTRULUS

1952--- Pearse, A.S., pp. 225-227, Figs. 103-110, FLORIDA

-- --, Causey, 1960, p.333. From Paralichthys sp.,
Salina Cruz, Oaxaca, Mexico.

-- KABATA 1988b: 5

-- CAUSEY 1955: 12, Miss., LOUISIANA, HOSTS., PL. I
FIGS. 6, 7

-- HO & KIM 1995b: 57, TAB. I, SYN. OF A. GALERITA

ACANTHOCHONDRIA GEMINA - see

A. PLATYCEPHALI

ACANTHOCHONDRIA GENIPERI - see
CHONDRACANTHUS

Acaanthochondria glandiceps Shiino ♀ ♂

-- -- Shiino, 1955, pp 93-96, Figs. 15-16, Hokkaido, Jap.

--, Kabata, 1968, p. 344

-- Kabata 1984: 1708, 1710.

-- Ho + Kim 1995a: 32, TAO. 1; ~~s.~~

Host: Attached to gill filament of *Hippoglossoides dubius*
Wakkanai, Japan.

-- Ho + Kim 1995b: 61-

Acanthochondria grandigenitalis(Yu & Wu, 1932)

---, Kabata, 1968, p. 344

-- Kabata 1984: 1703.

-- Ho + Kim 1995 b: 60

-- Ho 1991: 55, TAB. 1

ACANTHOCHONDRIA HAZEKUTI - see

A. BREVICORPA

Acanthochondria hippoglossi Kabata, 1987

--Kabata, 1987, new species, pp213-216, figs 1-11

Host : *Hippoglossus stenolepis*, *H. elassodon*

British Columbia

--Kabata 1988: 97, fig. 41H; host records Canada

-- Ho & Kim 1995 b: 61-

ACANTHOCHONDRIA HOLOCEPHALARUM - see
A. EPACHTHES

Acanthochondria incisa Shiino

1955, Shiino, pp. 83-86, Figs. 9-10. Mie Prefecture, Jap.

--, Ho, 1975, p. 304-305, fig. 1

-- Ho + Kim 1995 b: 61-

Host: Floor of buccal Cavity or gill arch.

Chondracanthidae - Hernaeopodoidea

Acanthochondria inimiei Yamauti ♂♀

- — Yamauti, 1939, p. 533: pl. 36, figs. 18-24.
- DOJIRI & HO 1988: 47-53, FIGS. 1-3, EX PTEROIS VOLITANS, INIMICUS JAPONICUS, JAPAN.
- HO & KIM 1995a: 32, TAB. I
- HO & KIM 1995b: 45-, 61-
- Host Mouth, Inimicus japonicus (Cuv. & Val.).

Tarumi, Japan.

ACANTHOCHONDRIA KATIKA Ho + Kim, 1996

-- Ho + Kim 1996: 275-279, FIGS. 1, 2, BERING SEA;
HOST TRIGLOPS SCEPTICUS.

Acanthochondria laemonemae Capart, 1959

— Capart, 1959: 102–103, fig. 26a-d

-- Kabata 1984: 1704.

-- Ho & Kim 1995b: 61-

ACANTHOCHONDRIA LATILIS - see A. EXILIPESS

Acanthochondria lepidionis Barnard, 1955

1955---Barnard, K.H. p. 289, fig. 23 f-h.

---, Kabata, 1970, p. 180

--, Ho, 1972, pp. 147-9, fig. 1A-K

-- KABATA 1984:1703

-- KENSLEY & GRINDLAY 1973:121

-- Ho & Kim 1995 b: 61-

Chondracanthidae - Lernaeopodoida

Acanthochondria limandae (Krøyer) ♀, ♂.

Chondracanthus - Krøyer, 1863, p. 248: pl. 14, fig. 2.

— — See card C. limandae.

Acanthochondria - Oakley, 1930, p. 193: fig. 5, B, D.

—, Kabata, 1970, fig. 29

Host. Gills of Pleuronectes limanda.

— KABATA 1992: 182; FIG. 40D, SYNONYMY, HOST LIST

Acanthochondria limandae

CARD 2

--, Boer, 1970-2, pp. 8,9,10, tbl; 1&2

-- Ho & Kim 1995b: 61-

-- Ho 1991: 55, T48.1

Acanthochondria longicephalus Yu & Wu

1955

---, Ho, 1972, p. 149, = Heterochondria longicephalus

Acanthochondria longifrons Shiino ♀ Japan

-- -- Shiino, 1955, PP. 86-89, Figs. 11-12..Tiba, Pre.

-- Kabata 1984: 1708.

-- Kabata, 1987: 215

-- Ho & Kim 1995b: 61-

Host: On the gills of *Antennarius tridens*

Acanthochondria macrocephala Gusev, 1951

-- Ho & Kim 1995a: 32, Tab. 1

-- Ho & Kim 1995b: 46-, figs. 1-2, ex Limanda yokohamae,
Sea of Japan; ♂ /-

Acanthochondria margolisi Kabata 1984

-- Kabata 1984: 1703, 1705-1708, figs. 15-28, ♀; n. sp.

host Miscrostomus pacificus (Lockington, 1879).

p. 1708: = Acanthochondria sp. B of Dojiri, 1977.

-- KABATA 1988: 97, FIG. 41D; HOST RECORD - CANADA

-- Kabata, 1987: 215

-- Ho & Kim 1995 b: 62-

= ACANTHOCHONDRIA

Chondracanthidae.

Chondracanthus ophidii, Kröyer, ♂. ♀.

C. —, Kröyer, 1863, p. 244; pl. XII, fig. 6a-b.

C. —, B. Smith, 1899, p. 492.

A. —, Ho 1977: 158-160, FIG. 1

A. —, Ho + Kim 1995b: 62-

A. —, VILLALBA + FERNANDEZ B., 1985: 31

Host. Gills of Ophidium glabodes (?)

A. —, ATRIA G. 1980: 305, 307, 303 (ASC. -)

A. —, Ho 1991: 55, TAB. I Valparaiso.

C. —, A

Chondracanthidae - Lernaeopodoida

Acanthochondria oralis Yamaquuti ♂♀.

- — Yamaquuti, 1939, p. 536; pl. 37, f. 33-36; pl. 38, f. 37-40
- KABATA 1984: 1708
- kabata, 1987: 215
- Ho + Kim 1995a: 62-

Host. Mouth, *Lophius setigerus* Vahl.

Köti, Japan

ACANTHOCHONDRIA PALPIFER - see
CHONDRACANTHUS

Chondracanthidae - Lernaeopodoida

Acanthochondria phycidis (Rathbun) ♀. ♂.

Chondracanthus - R. Rathbun, 1886, p. 320: pls. 9-10

— — M. Rathbun, 1905, p. 101.

— — Fowler, 1912, p. 476.

Acanthochondria - Oakley, 1930, p. 186.

— , Ho, Ju-Shey, 1971, p. 11-15, fig. 8-10

Host. Gills of Phycis tenuis.

-- , Kabata, Z. , and J. Ho, 1981, p. 385

-- , Ho, 1977, p. 158

-- , Ho, 1978, p. 7, 10, fig. 10

-- KABATA 1984:1704.

— Wilson, 1932, p. 504: fig. 299, c.

A.-, Ho & Kim 1995 b: 62-

A.-, VILLALBA S. & FERNANDEZ S., 1985: 31, 39, FIGS.

A.-, VILLALBA S. & FERNANDEZ S., 1985: 31, 39, FIGS.

109-III, HOST ELEGINOPS MACLOVINUS, CHILE.

RANGE EXTENSION.

A.-, ATRIAG. 1980: 305, 307

A.-, Ho 1991: 55, TAB. I

"

A. PHYCIDIIS Chondracanthidae - Lernaeopodoida
Acanthochondria chilensis ♀, ♂, (Wilson).

Chondracanthus — Wilson, 1918, p. 11: 6 text-figs.

Acanthochondria — Oakley, 1930, p. 186.

A. -, Ho + Kim 1995 b: 57, TAB. 1, SYN. OF

A. PHYCIDIIS

A. CHILENSIS, Ho 1991: 55, TAB. 1

Host. Unknown fish, Chile.

=*A. PHYCIDIS* Chondracanthidae-Lernaeopodidae.
Acanthochondria purpurea Oakley, ♀.♂.

— — Oakley, 1930, p. 193: pl. 6, A-D.

—, Kabata, 1968, p. 344

- *PURPUREA*, Ho + Kim 1995b: 57; TABI, SYN. OF
A. PHYCIDIS

Host. Outside of *Eleginops maclovinus*.

A. PURPUREA, ATRIA G. 1980: 305

Falkland Islands.

Chondranthidae - Lernaeopodoida
=ACANTHOCHONDRIDA
Chondracanthus pingi Yu & Wu, ♂-♀.

♂ - Yu & Wu, 1932, p. 66: pl. 6, figs. 1-8.

A., Ho 1972: 149

A., KABATA 1984: 1708, 1710.

A., Ho & Kim 1995b: 62-

A., Ho 1991: 55, TAB. I

Host. Gills, Cynoglossus purpureomaculatus
Regan & C. semiclaevis Günther.
Chefoo, China.

Acanthochondria platycephali Heegaard

— — — Heegaard 1940, p. 38, figs. 1-12. ♀,
Host: Platycephalus bassensis, West Australian
flathead, gill pouch

--, Ho, 1973, p. 123, 127-130, figs. 3A-G, 4A-D

-- KABATA 1984:1708.

-- kabata, 1987 : 215

-- Ho & Kim 1995b: 62-

Acanthochondria platycephali forma *alata-longicollis*

— — — — —, Heegaard 1940, p. 92, figs. 13-14.

--, Ho, 1973, p. 123

= *A. PLATYCEPHALI*

Acanthochondria gemina Heegaard, 1962

-- --, Heegaard 1962. pp. 153-154, fig. 14-19

--, Ho, 1973, p. 130

-- Kabata 1984: 1708.

-- Kabata, 1987: 215

-- Ho 1970: 127, PROBABLY CONSPECIFIC WITH

A. CORNUTA

-- Ho + Kim 1995 b: 60-, SYNONYM OF *A.*

PLATYCEPHALI, NEW SYNONYMY

Acanthochondria priacanthi Shiino, 1964

-- -- Shiino, 1964. pp. 33-35, fig. 3

-- Kabata 1984: 1708.

-- Ho + Kim 1995a: 32, TAB. 1

-- Ho + Kim 1995b: 45-, 53-, FIGS. 7-8, EX ARCTOSCOPIAS
JAPONICUS, SEA OF JAPAN; 62-

-- Ho + Kim 1996: 276, SEA OF JAPAN, HOST A. JAPONICUS

ACANTHOCHONDRIA PSETTI - see

CHONDRACANTHUS

ACANTHOCHONDRIA PURPUREA - see
A. PHYCIDIS

ACANTHOCHONDRIA Chondracanthidae-Lernaeopodidae.
Chondracanthus rectangularis Fraser, ♂. ♀.
①

C. — Fraser, 1920, p. 64: pl. 8, f. 101-109.

C. — Ho, 1972, p. 526, see Acanthochondria rectangularis

Host. Gills of Platichthys stellatus.

Vancouver Island.

Acanthochondria rectangularis(Fraser, 1920)

2

- , Ho, 1972, pp. 526-7 , = Chondracanthus rectangularis
-- Kabata 1984: 1703, 1705-6, figs. 2-14 ♀, redescribed;
-- KABATA 1988: 96, FIG. 41B; HOST RECORDS-CANADA
-- Ho & Kim 1995b: 62-
-- Ho 1991: 55, TAB. I

Chondracanthidae - Lernaeopodoida

Acanthochondria shawi Yu. ♂♀.

— — Yu, 1935, p. 7: pl. 3, figs. 1-9.

-- Ho & Kim 1995b: 62-

Host. Gills of Sillago sihama, Chefoo,

Chondracanthidae - Lernaeopodoida

Acanthochondria sicyacis (Krøyer) ♀.♂.

Chondracanthus — Krøyer, 1863, p. 244; pl. 13, f. 4.

— — Bassett-Smith, 1899, p. 492.

Acanthochondria — Oakley, 1930, p. 186.

Host. Gills of Sicyaces sp.

Valparaiso.

Acanthochondria sicyacis

card 2

--, Ho, 1977, p. 160-164, figs. 2-3

-- Ho & Kim 1995b: 62 -

-- VILLALBA & FERNANDEZ 1985: 31, 39-40, FIGS. 112-114,
CHILE, HOST FISH SICYASIS SANGUINEUS &
AUCHENIONCHUS

-- ATRIA G. 1980: 307, 309

-- Ho 1991: 55, TAB. 1

C. = ATR

Chondracanthidae-Lernaeopodoida

Acanthochondria sixtene (Wilson) F.B. ①

Chondracanthus - Wilson, 1922, p. 11: pls. 3 & 4, JAPAN

Acanthochondria - Oakley, 1930, p. 186.

-- Kabata 1984: 1708, 1710.

A., DOJIRI & HO 1988: 47, 53-56, FIGS. 4-6, EX
PARALICHTHYS OLIVACEUS, JAPAN

Host. Pharynx of halibut.

A., HO & KIM 1995a: 32, TAB. I

A., HOKIM 1995b: 45-

Japan.

Acanthochondria sixteni (Wilson, 1922) card 2

-- Ho & Kim 1995b: 51-, figs. 5-6, ex Lophiomus
setigerus, Sea of Japan; 62-

A. sixtensi, Ho 1991: 55, TAB. I

Chondracanthidae - Lernaeopodoidea

Acanthochondria soleae (Krøyer) ♀, ♂.

Chondracanthus — Krøyer, 1838, p. 139: pl. 3. fig. 4.

— See card C. soleae.

Acanthochondria — Oakley, 1930, p. 195: fig. 5, A, C.

--; Dojiri & PERKINS, 1979: 803

Host. Gills of Solea vulgaris.

= ACANTHOCHONDRIA

Chondracanthus soleae, Kröyer. ♂. ♀. ♀.

Chondracanthidae

C. —, Kröyer, 1838, p. 139: pl. III, fig. 4a-i.

C. —, —, 1863, p. 256.

C. —, —, 1864, p. 330. pl. II.

C. —, Beneden, 1851, a, p. 109.

C. —, ALCOQUE 1899: 197 (AS CONDRACANTHUS)

Host. Gills of the Black Sole. Solea vulgaris.
Pleuronectes platessa & P. solea (Beneden).

European Seas.

—, Beneden, 1861a, p. 152.

—, —, 1870, p. 78.

—, T. Scott, 1900, p. 165; pl. VII, figs. 41-45.

—, A. Scott, 1901a, p. 351.

—, M. Edwards, 1840, p. 501.

—, A. Scott, 1904, p. 122; 1904a, p. 42.

—, B. Smith, 1896, a, p. 161.

—, T. Scott, 1906, b, p. 372.

—, Brian, 1924, p. 96.

--, Beneden & Bessels, 1868?, p. 33-, pl. 3-fig. 12

Acanthochondria soleae (Kroyer)

(7)

--, Polianskii, 1955, p. 90-

--, Boer, 1970-2, pp. 8,9,10, tbl. 1&2

— Capart, 1959:103-105, fig. 28a-d

— Ho, 1975: 69-

-- KABATA 1992: 182; FIG. 40E, SYNONYMY, HOST LIST

-- Ho & Kim 1995b: 62-

-- Ho 1991: 55, TAB. 1

ACANTHOCHONDRIA

SOLIDA - see

C^oHONDRACANTHUS

Acanthochondria spinulosa Capart, 1959

— Capart, 1959: 105–106, fig. 29a–c

-- Kabata 1984: 1708, 1710.

-- Ho & Kim, 1995b: 60

Acanthochondria spirigera Shiino ♀ 1955

-- -- Shiino, 1955, pp. 100-103, Figs. 19-20. Tiba.Pref.
Japan

Host: Buccal Cavity of *Lophiomus setigerous*. Tyosi, Japan

-- Kabata 1984: 1708, 1710.

--Avdeev & Kazatchenko, 1985: 61

A. SPRIGERA, Ho & Kim 1995 b: 62 -

Acanthochondria tasmaniae Heegaard, 1962

--- ---, Heegaard 1962. pp. 154-155, fig. 20-26,
N.SP, EX "SEA PERCH," TASMANIA

-- Ho & Kim 1995 b: 62 -

Chondracanthidae - Lernaeopodoidea

Acanthochondria tchangi Yu, ♂♀.

— — Yu, 1935, p. 2: pl. 1, figs. 1-7.

--, Ho, 1973, p. 129

-- Ho & Kim 1995a: 37, T48.1

-- Ho & Kim 1995b: 45-, 63-

Host. Gills of Platycephalus indicum, Chefoo.

= A. TCHANGI

Acanthochondria bulbosus Heegaard

— — — Heegaard, 1943, p. 33, figs. 1-4, ♀,
Host: Platycephalus indicus, gill cavity,
Yellow Sea.

-- Ho 1973: 130

-- Ho + Kim 1995b: 57, TAB. I, syn. of A. TCHANGI

ACANTHOCHONDRIA TENUIS - see
BEREA ANCORALIS

Acanthochondria trigiae Herrera-Cubilla & Raibaut, 1990

-- Ho & Kim 1995b: 63-

Acanthochondria uranoscopi Ho & Kim, 1995

- Ho & Kim 1995b: 48-, figs. 3-4, n.sp. female + male,
ex Uranoscopus japonicus, Sado Island, Japan, 60 -
-- Ho & Kim 1995a: 32, Tab. 1

Acanthochondria vancouverensis Kabata, 1984

-- Kabata 1984: 1703, 1710-1711, figs. 42-55, n. sp. ♀;
British Columbia, Host Scorpaenichtys marmoratus
(Ayres).

-- KABATA 1988: 97, FIG. 4/F

-- Ho & Kim 1995b: 63 -

-- Ho & Kim 1996: 283

Chondracanthidae - Hernaeopodoidea

Acanthochondria wui Yu, ♂♀

— — Yu, 1935, p. 5: pl. 2, figs. 1—6.

-- Kabata 1984: 1710.

-- Ho + Kim 1995 b: 60

Host. Gills of Trachidermus avsatus, Chefoo.

Acanthochondria yui Shiino 1964

-- -- Shiino, 1964. pp. 30-33, fig. 1,2

-- Kabata 1984: 1709, 1710.

-- Kabata, 1987: 215

ACATHOCHONDRIA -, IZAWA 1991: 73-, FIG. 2A

-- IZAWA 1986 b: 146-, FIGS. 40-49, DEVELOPMENT, JAPAN

-- HO + KIM 1995 b: 63 -

ACANTHOCHONDRIA ZEBRIAE, HO, KIM + KUMAR,
2000.

-- HO ET AL. 2000: 711-714, FIGS. 1, 2, EX
ZEBRIAS SYNATUROIDES, INDIA.

Acanthochondria sp.
—Capart, 1959: 107 , fig. 30a-b

Acanthochondria sp.

--, Ho, 1972, p. 993

--, Boer, 1970-2, tbl. 1

ACANTHOCHONDRIA sp. Ho & Kim, 1996
-- Ho & Kim 1996: 279-283, FIGS. 3-5, N. sp.,
BERING SEA; Host TRIGLOPS PINOLELI PINOLELI