

ADRANESIUS HESSE

CARD 2

-, ILLG + DUDLEY 1980: 97, - OF CHATTON + BRÉMENT, 1909,
PARTIAL SYN. OF MYCHOPHILUS

in

~~Notodelphyoidea~~

Ascidiocolidae.

Adranesius, cyclopoida

Hesse, 1865.

A. ruber (M).

Syn. Adranesius Hesse, 1869, p. 298.

Adranesius Hesse, 1865, p. 229.

Αδρανής = listless, inactive.

Female. Head triangular. Antennae short, 3-jointed. Body thick, squat, cylindrical.

Thorax 6-jointed - 4 joints of same size, last two narrower; last joint with 2 divergent corneous projections. Mouth surrounded by many small maxillae; 1st pair simple, flat, triangular. 4 biramous legs; exopods flat, triangular; endopods terminated by short spines like teeth, & retractile.

Eggs in abdomen, surrounded by hyaline membrane

Microscopic in size about 2 mm.

Ascidicolidae - Notodelphyoidea.

Adranesius elatus Hesse, ♀.

— — Hesse, 1869, p. 298.

Habitat. An ascidian.

Coast of France.

Ascidicolidae - Notodelphyoidea

Adranesius ruber Hesse, ♀.

— — Hesse, 1865^b, p. 229: pl. 6, f. 1D-4D,
— — = Enteropsis vararensis T. Scott, Chatton + Bre-
ment, 1909, a, p. 202; withdrawn 1909, c, p. 239.

Habitat. Tolyclinum constellatum.

ADRANESIUS VARARENSIS

--, ILLG + DUDLEY 1980: 98, = MYCHOPHILUS ROSEUS