

LERNAEPODIDAE - SIPHONOSTOMATOIDA
ALBIONELLA KABATA, 1979

- SCHRAM 1986: 450, FIG. 37-1G
- KABATA 1988: 42, 53, DIAGNOSIS
- Kabata, 1986: 1852, 1854 key to genera
- KABATA 1988b: 6, ORIGIN OF NAME
- KABATA 1992: 149, DIAGNOSIS
- HOGANS + MARQUES 1994: 193-

ALBIONELLA

Ternaeopodidae - Ternaeopodoida

Ternaeopoda centroscyllii Hausen, ♀.

— — Hausen, 1923, p. 53: pl. 3, fig. 10, a-b.
[pl. 4, fig. 1, a

— —, Kabata, 1964, p. 681-689.

ALBIONELLA —, KABATA 1988: 53; FIGS. 25 H-J, HOST.

Habitat. Head of Centroscyllium fabricii.

ALBIONELLA —, HOGANS & MARQUES 1994: 197

ALBIONELLA —, BENZ & IZAWA 1990: 2648

ALBIONELLA CENTROSCYLLI (HANSEN, 1923) 2

-- RUBEC & HOGANS 1988: 219, 222, 224, GULF OF
ST. LAWRENCE OFF NEWFOUNDLAND, CANADA

ALBIONELLA CENTROSCYLLIUM

-- CASTRO ROMERO + BAEZA KUROKI 1986c: 229

= ALBIONELLA

Lernaeopodidae - Lernaeopodoida

Lernaeopoda etmopteri (Yamaguti) ♀

①

— — Yamaguti, 1939, p. 549: pl. 44, f. 104-106; pl. 45, f. 107-109.

— — , Shiino, 1956, pp. 275-278, fig. 4-5. Dorsal side of Etmopterus lucifer, off Owase, Mie Pref., Japan.

-- KENSLEY & GRINDLEY 1973: 112-114, FIG. 30a-f, ♀ FROM ETMOPTERUS sp., CAPE POINT, SOUTH AFRICA; p. 127.

Host. Gills, Etmopterus lucifer. Jordan & Snyder.

Pacific off Japan

ALBIONELLA ETMOPTERI (YAMAGUTI, 1939)

CARD 2

- CASTRO ROMERO + BAEZA KUROKI 1986 c: 229
- Kabata, 1986: 1854 in key
- HOGANS + MARQUES 1994: 197
- BENZ + IZAWA 1990: 2648
- RYBEC + HOGANS 1988: 224

Albionella fabricii Rubec & Hogans, 1988

- RUBEC + HOGANS 1988: 219-225, FIGS. 1-17, N. SP., OFF
NEWFOUNDLAND; HOST BLACK DOGFISH
- Hogans & Marques 1994: 197
- BENZ + IZAWA 1990: 2648

ALBIONELLA GLOBOSA (LEIGH-SHARPE, 1918) ①

LERNAEOPODA -, LEIGH-SHARPE 1918b: 29-,
FIGS. ---, N. SP.

L. -, LEIGH-SHARPE 1930: 137, FIG. 3

L. -, KABATA 1970: 86

ALBIONELLA -, N. COMB., KABATA 1979:

A. -, CASTRO ROMERO & BAEZA KUROKI, 1986c: 229

A. -, KABATA 1986: 1854, IN KEY

ALBIONELLA GLOBOSA (LEIGH-SHARPE, 1918) (2)

A. -, KABATA 1992: 149-, FIG. 34A, B, SYNONYMY, HOST LIST

A. -, BENZ & IZAWA 1990: 2648

A. -, RUBEC & HOGANS 1988: 224

Albionella kabatai Benz & Izawa, 1990

-- BENZ & IZAWA 1990: 2645-2648, FIGS. 1, 2, SEA OF
KUMANO, JAPAN; HOST SHARK APRISTURUS

-- Hogans & Marques 1994: 193-198, figs. 1, 2, ex Apristurus
profundorum, nw Atlantic Ocean; new host & geographical
record.

= ALBIONELLA

Lernaeopodidae - Lernaeopodoida

Lernaeopoda longicaudata Hansen ♂, ♀. ①

L. — Hansen, 1923, p. 54: pl. 4, figs. 2, a-o

L. — Shiino, 1956, pp. 270-275, fig. 1-3. Japan. On
Centrophorus acus Garman & C. atomarginatus Garman.

Habitat. On Centrophorus squamosus.

Iceland.

ALBIONELLA LONGICAUDA (HANSEN, 1923) (2)

-- CASTRO ROMERO + BAEZA KUROKI 1986c: 229

-- Kabata, 1986: ., 185† in key

A. LONGICAUDA, HOGANS + MARQUES 1994: 197

-- BENZ + IZAWA 1990: 2648

-- RUBEC + HOGANS 1988: 224