

m/

Harpacticoida - Peltidiidae -

Alteuthella valid

A. Scott, 1909.

A. pellucida ^①.

Syn. Alteuthella A. Scott, 1909, p. 208.

Body short and depressed: head fused with first segt: 1st antennae 7-segd: exopod of 2nd antennae 2-segd: mandible palp biramous, exopod shorter than endopod: terminal claw of mxpds shorter than 2nd segt. Rami of first 4 pairs of legs 3-segd: first exopod prehensile: 5th legs 1-segd, foliaceous, with no trace of segmentation to indicate a proximal and distal segt.

ALTEUTHELLA A. SCOTT 1909

(2)

--, HICKS, 1976: 370; TAB. 1

- HICKS 1988: 682

Peltidiidae - Harpacticoida
Alteuthella pellucida A. Scott, ♂, ♀.

— — A. Scott, 1909, p. 209: pl. 66, f. 13-20

Habitat. Washings, dredged invertebrates,
New Guinea.

ALTEUTHELLA PELLUCIDA A. SCOTT

— —, LANG, 1948, P. 454, PL. 192:1 — NEW GUINEA.

Peltidiidae-Harpacticoida

Alteuthella pygmaea A. Scott, ♀.

— — A. Scott, 1909, p. 211: pl. 67, f. 1-5

Habitat. Washings, dredged invertebrates,
Malaysia.

ALTEUTHELLA Pygmaea

A. SCOTT

--, LANG, 1948, P. 454, PL. 192: 3-

Peltidiidae - Harpacticoida
Alteuthella spinicauda A. Scott, ♂. ♀.

— — A. Scott, 1909, p. 210: pl. 66. f. 21-29.

— — Gurney, 1927, p. 494:

Habitat. Washings, dredged invertebrata,
Malaysia.