

in

Cyclopoida - Ergasilidae.

Bomolochus, valid

Nordmann, 1832.

B. parvulus (M).

No synonyms.

no figs. have ever been published of parvulus: the first species figured is bellones, Burmeister, 1833.

Bomolochus T. & A. Scott, 1913, p. 36.

Βωμολοχος, The rabble that waited about
altars to beg or steal - absolute parasites.

Bomolochus Nordmann, 1832, p. 135.

Bomolochus Wilson, 1911, p. 365.

First thorax seg't. united with v head to form a carapace - 2nd to 5th seg'ts free in front - gen. seg't. Gen. seg't. + abdomen narrow & linear - First antennae with enlarged and bristled basal joint, - 2nd pair 2-jointed; Mouth organs close behind v anten. mds. simple: no 1st. mx; 2nd. pair knobs armed with plumose setae. 1st. mxd. simple: 2nd. pair lateral & armed with large plumose setae terminal joint - a sigmoid claw - 1st legs semi-degenerate, with rami of medium width; 2^d. 3^d. & 4th pairs with narrow 3-jointed rami - 5th pair uniramous, 2-jointed.

Male, like ♀, but with delicately plumose antenae

Bomolochidae: Poecilostomatoida

Bomolochus Von Nordmann, 1832

- VERVOORT 1962: 9 -, REVISION, DIAGNOSIS, KEY
- Vervoort, 1969: 2 - 7
- CRESSEY 1977: 471
- KABATA 1988: 106, DIAGNOSIS/CANADIAN SP.
- KABATA 1988b: 5, ORIGIN OF NAMES
- KABATA 1992: 204, DIAGNOSIS, KEY TO BRITISH SPP.
- BALARAMAN 1983a: 27 -
- SHEN 1957a: 316, KEY TO SUBGENERA

BOMOLOCHUS S. RESTR. VERVOORT, 1962

- BALARAMAN 1983: 27 -

BOMOLOCHUS (ANCHISTROTOS) BRIAN, 1906

-- DOJIRI + CRESSY 1987: 142, = ANCHISTROTOS

Cyclopoida- Bomolochidae

Bomolochus achirus Pearse

1952--- Pearse, A.S., pp. 191-194, figs. 9-13, ^{FLORIDA} N. SP.,

-- --, Causey, 1955, pp. 2-19. Gulf of Mexico

--, Stock, 1965, p. 223

-- VERVOORT 1962: 92, INCERTA SEDIS

Bomolochus aculeatus Pillai

-- -- Pillai, 1962. pp. 610-612, fig. 1

--, Pillai, 1965, p. 38, probably = B. hapalogenyos

Orbitacolax - nov. combo., CRESSEY & CRESSEY 1980: 20; Figs.
34, 35a-b, 100.

Bomolochus acuta Gnanamuthu, n. sp. ♀ 1948

Proc. Indian Ac. Sci., 27, 18-25, figs. 1-3.

B. acutus, Pillai, 1965, p. 39

B. acutus, Pillai, 197?, p. 156~~4~~, fig. 11

B. ACUTUS, KABATA 1988b: 5

B. ACUTUS, VERVOORT 1962: 20-21

HOLOBOMOLOCHUS ACUTUS, KABATA 1971: 1572

Host: *Dussumiera acuta*

Madras, India.

Bomolochidae - Harpacticoida

Bomolochus albidus, n. sp. ♀ Wilson.

— Wilson, 1931,

— Wilson, 1932, p. 382, : pl. 23, c-j.

--, Pillai, 1965, p. 244-7, fig. 1-2

-- KABATA 1988b: 5

Host. Gill cavity of Lophius piscatorius.

- VERVOORT 1962: 13-

Bomolochus ardeolae Krøyer - see Holobomolochus

Bomolochus attenuatus Wilson - see Holobomolochus

Bomolochus bellones Burmeister, ♀

- bellones Burmeister, 1833, b, p. 298; pl. 24, f. 1-6.
- belone M. Edwards, 1840, p. 479.
- bellones Krøyer, 1857, p. 198.
- belones Heller, 1866, p. 751 (p. 29 reprint).

Host. Gills of Belone vulgaris and
B. nostrata.

syn B. belone B33C

European Seas.

- — Hartmann, 1870, p. 116: pls. 3 and 4.
— — Della Valle, 1880, p. 57.
— — Richiardi, 1880, p. 147 (p. 2, reprint)
— — Carus, 1885, p. 353.
— — Stössich, 1880, p. 251.
— — B-Smilik, 1899, p. 442.
— — Brian, 1902, p. 33.
— — Brian, 1906, p. 30.
— — Wilson, 1911, a, p. 367. (key).

B. belones, Pesta, 1928, p. 133, fig. 114

--, "", Stock, 1965, p. 223

Bomolochus bellones

card 2

- , Vervoort, 1964, p. 60
- Ho, et al, 1983: 2-5, figs. 1-21
- , ACLOQUE, 1899: 197 (as BOMOLOCHUS BELONES)
- CRESSEY 1986: 142, 141, FIG. 11
- COLLETTE 1974: 18-, HOST RECORDS, NEW ZEALAND
- NAGASAWA 1984b: 57-
- KABATA 1992: 206; FIG. 45A, B, SYNONYMY,
- HOST LIST
- PARABOMOLOCHUS-, N. COMB., VERVOORT 1962: 31, 32, 34-41,
FIGS. 1-4, TYPE OF NEW GENUS

Bomolochus bellones Burmeister, 1833

card 3

-- Balaraman 1983a: 27-

BOMOLOCHUS CHALGUANUS FERNANDEZ

-- KNOFF ET AL. 1995: 46, SYN. OF BOMOLOCHUS

Cyclopoidea — Ergasilidae.

Bomolochus chatoëssi Krøyer, ♀

— — Krøyer, 1863, p. 214: pl. 11, fig. 5, a-i.
— — B. Smith, 1899, p. 442.

Transferred to n.g. Artacolax, 1911,
(Wilson, 1911, a, p. 361).

-- VERVOORT 1962: 90

BOMOLOCHUS CHRYSOPHYENUS (ROUBAL, ARMITAGE, &
ROHDE)

BOMOLOCHUS -, BYRNES 1986: 225, 231, N. COMB., EX

UNICOLAX

U. -,

Cyclopoida - Ergasilidae.

Bomolochus concinnus, n. sp. ♀ Wilson

— Wilson, 1914, p. 371: pls. 54 & 55.

— cinnus, Causey, 1960 p. 326. Tylosaurus sp., ^{Acapulco,} ~~Guerrero,~~ Guerrero, Mex.

—, Pillai, 1965, p. 262, = Parabomolochus c.

—, Rangnekar & Murti, 1964, p. 86

Host. Gills of Tylosaurus marinus.

—, Stock, 1965, p. 223

— Vervoort, 1969: 20-29, fig 8-10.

Beaufort, N. C.

Bomolochus concinnus Wilson, 1911

card 2

-- Varella 1985:77

-- CRESSEY 1983: 4, NOT = B. NITIDUS WILSON

-- VERVOORT 1962: 27 -

-- BALARAMAN 1983a: 32 -

-- RAIBAUT 1985: 265 -

-- KNOFF ET AL. 1995: 46

Bomolochus confusus Stock - see Holobomolochus

Bomolochus constrictus (Cressey & Collette, 1970)

-- Parabomolochus -, Cressey & Collette, 1970:370-,
figs. 87-90, 184, 188, n. sp. female only, host
6 spp. of needlefishes, eastern Pacific, Mexico to
Galapagos & Peru

Bomolochus cornutus Claus - see Nothobomolochus

Ergasilidae - Cyclopoida.

Bomolochus cuneatus (Fraser.) ♀. 1

— — Fraser, 1920, p. 45: pl. 1, f. 1-11.

--Kabata, 1971, p. 1570-1572, a syn. is Parabomolochus cuneatus

--, Hanan, 1976, p. 28

--, Kabata, 1976, pp. 2507, 2508, 2511, 2523, figs. 5-9

Host. Gills of Clupea pallasii and
Cymatogaster aggregatus

Vancouver Islands.

Bomolochus cuneatus Fraser, 1920

card 2

-- Izawa 1987: 152-

-- KABATA 1988:106, FIG. 45A-B; HOST RECORDS-CANADA

-- KABATA 1971b: 1563-, HOST RECORDS (E. PACIFIC)

~~PARABOMOLOCHUS -, VERVOORT 1964: 291~~

P. -, VERVOORT 1968: 145

P. -, VERVOORT + ARAI 1966: 222-223

PARABOMOLOCHUS c., VERVOORT 1964: 291-302, FIGS.

1-7, REDESCRIPTION; SYN. BOMOLOCHUS PECTINATUS

Stock.

Bomolochus cuneatus Fraser, 1920

card 3

B. pectinatus, Stock 1955:55-59, fig. 1-24, n. sp.

host Leuresthes tenuis (Ayres), gill chamber,
Coronado Strand, San Diego Bay, Calif., and Mission
Beach, San Diego

B. pectinatus, Olson 1972:1201

B. CUNEATUS, VERVOORT 1962: 25-26; ALSO AS

B. PECTINATUS, 27-28

B. CUNEATUS, IZAWA 1986b: 104-

Bomolochus cypseluri - see Nothobomolochus

Bomolochus dactylopterus Carvalho, 1958

--, Stock, 1965, p. 223

Bomolochus decapteri Yamaguti. ♀.

①

— — Yamaguti, 1936, p. 5: pl. 4, fig. 49: pl. 5, figs. 50-60

--, Pillai, 1965, p. 49, 51, 55

--, Rangnekar & Murti, 1964, p. 84-7, pl. 1

Yamaguti & Yamasu, 1959, p. 90, 92

--, Stock, J., 1955, p. 59

Host Operculum of Decapterus maruadsi, Japan.

— Ho, 1983c: 36-42, figs. 2-7

-- NAGASAWA 1984b: 57-

PARABOMOLOCHUS -, N. COMB., VERVOORT 1962: 45-46

BOMOLOCHUS DELAPTERI YAMAGUTI, 1936

(2)

B. (PSEUDOBOMOLOCHUS) -, SHEN 1957a: 321;

PL. V, CHINA

-- I. H. KIM 1995: 301

Bomolochus denticulatus - see Nothobomolochus

Bomolochus efficatus Leigh-Sharpe, ♀.

— — Leigh-Sharpe, 1934, p. 13: fig. 9, 1-3.

-- VERVOORT 1962: 91

Host. No data

Bomolochus eminens Wilson - see Dicrobomolochus

Bomolochus enticulus

-- Cressey 1986: 141, Fig. 11

Bomolochus exilipes - see Acanthocolax

Bomolochus gazzae Shen, 1957

-- SHEN 1957a: 319-, Pl. III, n. sp. ♀ ONLY, EX GAZZA

MINUTA, CHINA

-- Vervoort 1962: 15-

Bomolochus gibber Shiino

= *Nothobomolochus*

1957---Shiino, Sueo M., pp. 411-417, figs. 1-2, 1 tbl.

BOMOLOCHUS GLOBICEPS (VERVOORT + RAMIREZ)

B. -, AUDEEV 1978: 119-122, FIGS. X-K

Bomolochus glyphisodontis Krøyer - see Holobomolochus

Ergasilidae - Cyclopoidea.
Bomolochus gracilis Heller, ♀.

— — Heller, 1865, p. 157: pl. 13, fig. 3.

— — B-Smith, 1899, p. 442.

--, Ho, 1969, p. 127

Made type of n. gen. Irodes -
(Wilson, 1911, a, p. 390).

-- DOJIRI + CRESSEY 1987: 162, -3, 169, TRANSFERRED BACK
TO IRODES AS TYPE OF GENUS.

Bomolochus hapalogenyos (Yamaguti & Yamasu, 1959)

--, Pillai, 1965, p. 38, from Taeniacanthus h.,
B. aculeatus probably a syn.

Bomolochus hemirhamphi Pillai, 1965,

n. sp., Pillai, 1965, p. 49-51, fig. 20

-- RADHAKRISHNAN & NAIR 1983: 97, FROM
HEMIRHAMPHUS XANTHOPTERUS, INDIA

-- BALARAMAN 1983a: 32-

Bomolochus hirsutus Gnanamuthu, 1949

-- Vervoort 1962: 91, incerta sedis

Bomolochus hyporamphi Yamaguti & Yamasu, 1959

--, Pillai, 1965, p. 51

n. sp. Yamaguti & Yamasu , 1959, p. 92-4, pl. I, figs.
12-21

Bomolochus jonesi Bennet 1967 = Pumiliopes jonesi

= *Nothobomolochus*

Bomolochus kanagurta Pillai, 1965

n. sp., Pillai, 1965, p. 51-3, fig. 21

Nothobomolochus kanagurta nov. combo., CRESSEY & CRESSEY
1980: 19-20; Figs. 32, 33, 100.

Bomolochus leptoscaris - see Orbitacolax

Bomolochus longicaudus Cressey - see Holobomolochus

Bomolochus longisetosus Bere, 1930

-- Kabata 1988: 106, nomen nudum

Bomolochus managatuwo - see Nothobomolochus

Ergasilidae - Cyclopoida.

Bomolochus megaceros Heller, ♂, ♀.

- — Heller, 1865, p. 153: pl. 13, fig. 2.
- — B. Smith, 1898, c, p. 358: pl. 10, fig. 1, a-h.
- — B. Smith, 1899, p. 442.
- — Wilson, 1911, p. 368 (in key).

Host, Gills of Stromateus niger and
Caranx djeddaba.
India.

--, Pillai, 1964, p. 43-5, fig. 17

--, Pillai, 1965, p. 39

-- BALARAMAN 1983a: 30-, FIG 3

Cyclopoida. — Eiggasilidae.

Bomolochus minimus Richiardi, ♀.

- — Richiardi, 1880, p. 147, nomen nudum.
- — Carus, 1885, p. 353.
- — Brian, 1906, p. 32.
- VERVOORT 1962; 9), NOMEN NUDUM

Host, Gills of Serranus scriba.

Mediterranean.

Unicolax ?

Bomolochus monoceros Pillai, 1965

n. sp., Pillai, 1965, p. 53-5, fig. 22

-- BALARAMAN 1983a: 30, FIG. 4

Bomolochus monodi - see Artacolax

Cyclopoida- Bomolochidae

Bomolochus mugilis Pearse

1952--- Pearse, A.S., pp. 194-196, figs. 14-17

-- VERVOORT 1962: 92, INCERTA SEDIS

-- KNOFF ET AL. 1995: 46

Bomolochus multicerus - see Nothobomolochus

Bomolochus multispinosa/ -us, see Nothobomolochus

Cyclopoida + Ergasilidae.

Bomolochus muraenae - Richiardi -

BRIAN, 1906

---, Richiardi, 1880, p. 147 - no description.

---, Ho, 1969, p. 127

Synonym for Phagus muraenae.
(Wilson, 1911, a, p. 391).

--- DOJIRI + CRESSY 1987: 194-195, = PHAGUS -.

Bomolochus myctophi Avdeev, 1993

-- Avdeev 1993: 146-150, figs. 1, 2, n. sp. female
only, ex lanternfish Myctophum spinosum, west
equatorial Pacific (03°36'S, 151°39'W)

Cyclopoida

Ergasilidae.

Bomolochus nitidus, n. sp. ♀.

①

Wilson, 1911, p. 374: pl. 56;
pl. 58, g. 201: text-fig. 8.

--, Pillai, 1965, p. 258, = Parabomolochus nitidus

--, Cressey, 1983: 3-4, figs 24-35
Host, Gills of Mugil cephalus.

-- BERE 1936: 582, FLORIDA GULF COAST, HOST

STRONGYLURA TIMUCHA

Beaufort. N.C.

BOROKOCHUS NITIDUS C. B. WILSON, 1911

2

- KNOFF ET AL. 1995: 46-48, FIGS. 1-10, HOST FISH
MUGIL PLATANUS, RIO DE JANEIRO, BRAZIL

Cyclopoida - Ergasilidae

Bomolochus nothrus Wilson ♂, ♀.

198

—, Wilson, 1913, p. 195: pls. 19 and 20.

--, Pillai, 1965, p. 251-5, fig. 5-6

-- CRESSEY 1984: 182; SYN. B. GLYPHISODONTIS

-- PEARSE 1952: 12, TEXAS, HOST OOCOCEPHALUS

VERSAERTILIO

Host, Gill cavity of Abudefduf saxatilis

-- VERVOORT 1962: 22-23

West Indies.

Cyclopoida - Ergasilidae.
Bomolochus oblongus Richiardi, ♀.

— — Richiardi, 1880, p. 147 nomen nudum

— — Carus, 1885, p. 353.

— — Brian, 1906, p. 32.

-- VERVOORT 1962: 91, NOMEN NUDUM

Host, Gills of Oblada melanura

Mediterranean.

Bomolochus onosi T. Scott - see Taeniacanthus

Cyclopoida — Ergasilidae.
Bomolochus ostracionis, Richiardi ♀.

— —. Richiardi, 1870, p. 47; pl. I, B,
figs. 1-5.

(See Anchistrotos ostracionis)

-- DOJIRI & CRESSEY 1987: 10, 87-91, FIGS. 58-61, =
Host, Gill Cavity of Ostracion cornutus.

TAENIACANTHUS ♀.

Bomolochus palleucus Wilson - see Holobomolochus

Ergasilidae. Cyclopoida.

Bomolochus parvulus Nordmann, ♀.

— — Nordmann, 1832, p. 135.

— — Burmeister, 1833, p. 328.

— — Krøyer, 1837, p. 198.

— — B-Smith, 1899, p. 443.

Host Gills of Amphacanthus rivulatus.

Red Sea.

— — Wilson, 1911, a, p. 368 (key).

—, Stock, 1965, p, 223

-- VERVOORT 1962: 89-90

Bomolochus paucus Cressey & Dojiri 1984

-- Cressey & Dojiri 1984: 221-225, figs. 1-21, n. sp.
♀, hosts Genyonemus lineatus and Seriphus politus,
southern California.

- AUDERV 1993: 149, cf. B. MYCTOPH N.SP.

Bomolochus pectinatus Stock - see B. cuneatus

Bomolochus prolixus Cressey - see Holobomolochus

Bomolochus saetiger - see Nothobomolochus

- SEE PUMILIOPSIS

Bomolochus sardinellae Bennet, 1964

--, Pillai, 1967, p. 249 (= Pumiliopsis sardinellae)

Ergasilidae. Cyclopoida -

Bomolochus scomberesocis Krøyer, ♀.

— — Krøyer, 1863, p. 217: pl. 10, fig. 5, a-f.

A synonym of Artacolax scomberesocis
(Wilson, 1911, a. p. 361).

Bomolochus scutigerulus Wilson - see Holobomolochus

Bomolochus selaroides Pillai, 1965, p

n. sp., Pillai, 1965, p. 47-49, fig. 19

Bomolochus sinensis

-- Cressey 1986: 142, 141, FIG. 11

Cyclopoida - Ergasilidae.

Bomolochus soleae, Claus, ♀.

pl. 36, fig. 28

—, Claus, 1864, p. 374; pl. XXXV, figs. 16-20.

—, van Beneden, 1870, p. 78; pl. I, fig. 5.

—, Carus, 1885, p. 353.

—, T. Scott, 1893, p. 212; pl. V, fig. 1-10,
(over)

Host. Back + gills of Pleuronectes solea.
Nostrils of Ling (Molva molva) + Cod.

European Seas.

- —. T. Scott, 1900, p. 146; A. Scott, 1900, p. 12.
- —. T. Scott, 1901, p. 121. from nostrils
of 8 different species of fish -
- —, A. Scott, 1901, a, p. 349; 1900, a, p. 139.
- —, T. Scott, 1902, a, p. 288; pl. XIII, figs. 13-18.
- —, T. Scott, 1905, a, p. 108.
- —, A. Scott, 1904^b, p. 117; 1904^a, p. 37
- —, Richiardi, 1880, p. 147.
- —, Brian, 1906, p. 31.
- —, Wilson, 1911, p. 375; pl. 57. ♂.

B. soleae (2).

- — Bainbridge, 1909, p. 45 — ♂.
- — Norman & Brady, 1909, p. 154.
- — T. Scott, 1906. b. p. 361. (= B. confusus Stock 1953)
- — Brian, 1924, p. 7.
- — , Stock, 1953 (Beaufortia, No. 24), pp. 3-5, fig. 1-14,
redescr. from topotypes. Gills of Solea solea.
- — , Causey, 1960^{p. 326}, From Sphyracna argentea, Menticirrhus undulatus,
Paralabrax clathratus, P. nebulifer, Paralichthys californicus; - Ensenada, B.C.,
Mexico.
- — Vervoort, 1969: 7-20, figs. 1-6, 7a-c.

--, Kabata, 1969, p. 3043

--, Ho, 1969, p. 993

--, Pesta, 1928, p. 133-4, fig. 115

--, Kabata, 1970, p. 18, 86

--, Stock, 1965, p. 223

--, Boer, 1970-2, p.^{4,9}10, tbl. 1,2

-- CRESSEY + DOJIRI 1984: 225

-- DELAMARE DEBOUTTEVILLE + NUNES-REIVO 1958:
215-217, FIG. 10, 6, SOLEA VULGARIS, BANYULS

-- KABATA 1992: 205; FIG. 446-J, SYNONYMY,
HOST LIST, DISTRIBUTION

Bomolochus soleae Claus, 1864

card 3

- Vervoort 1962: 23-25, TYPE OF BOMOLOCHUS S. RESTR.
- BALARAMAN 1983a: 27-
- AVDEEV 1993: 149, CF. B. MYCTOPHI N.SP.

Bomolochus spinulus Cressey - see Holobomolochus

Bomolochus stocki ROUBAL 1981

-- Roubal 1990:413-, on Acanthopagrus australis, New South Wales.

-- BYRNES 1986: 225, 226-231, TAB.1, FIGS.1-22; HOSTS
ACANTHOPAGRUS AUSTRALIS, A. BUTCHERI, A. BERDA, A.
LATUS

Bomolochus teres Wilson - see Nothobomolochus

Bomolochus tetrodonis, B-Smith, ♀.

B. tetrodonis, B-Smith, 1898^a, p. 4: pl. I,
fig. 2 a-h.

B. tetrodonis, B-Smith, 1899, p. 442.
(see Inodes tetrodonis)

Host. Gills of Tetrodon oblongus.
Bombay-

B-, BALARAMAN 1983 b: 41

-- DOJIRI & CRESSEY 1987: 128, 131 = TAENIACANTHUS TETRADONIS

--, Ho, 1969, p. 127

--, Stock, 1965, p. 223

-- DOJIRI & CRESSEY 1987: 137, 128, 131, =

TARNIACANTHUS TETRADONIS

Bomolochus tricerus - see Nothobomolochus

Bomolochus tumidus Shiino

1957----Shiino, Suetō M., pp. 417-422, figs. 3-4, 1 tbl.

--, Pillai, 1965, p. 51

-- NAGASAWA 1984b: 60 -

Bomolochus uniccirrus Richiardi, ♀.

— — Richiardi, 1880, p. 147 nomen nudum.

— — Brian, 1902, p. 30: pl. 1, figs. 1-8.

Artacolax — Wilson, 1911, pp. 361, 366.

Bomolochus — Brian, 1924, p. 9: text-f. 5-6.

A synonym of Artacolax uniccirrus.

--, Stock, 1965, p. 223

-- AVDEEV 1993: 149, cf. B. MYCTOPHI N.SP.

-- BRIAN; CRESSEY & DOJIRI 1984: 275.

Bomolochus varians Bere 1930

-- Kabata 1988: 106, nomen nudum

BOMOLOCHUS VARUNAE BENNET

.. BENNET 1968: 132, TAB.

Bomolochus xenomelanirisi Carvalho, 1955

--, Stock, 1965, p. 223

Bomolochus zeugopteri - see Taeniakanthus

Bomolechus? sp.

— Verwoort, 1969: 29-37, fig. 11-14.

BOMOLOCHIDAE CLAUS, 1875

- KABATA 1988: 85, 105-106, DIAGNOSIS, KEY TO GENERA IN CANADA.
- KABATA 1992: 203, DIAGNOSIS, KEY TO BRITISH GENERA.
- VERVOORT 1962: 3-, REVIEW; 92, TUCCINAE N. SUBFAM.
- BALARAMAN 1983a: 27-39, REVIEW, KEY TO GENERA

POECILOSTOMATOIDA

BOMOLOCHINAE CLAUS, 1875

- VERVOORT 1962: 6 -, REVISION

Bomolochidae: Poecilostomatoida

Bomolochoides Vervoort 1962

- Vervoort 1962: 29-30, n.g., type Bomolochus nitidus

--Pillai 1965: 258

- BALARAMAN 1983a: 28 - , INVALID

(Wilson CB) 1911

Bomolochoides nitidus ~~Vervoort, 1962~~

--, Pillai, 1965, p. 258, = Parabomolochus n.

Bomolochoides scutigerulus - see Holobomolochus