

in) Harpacticoida - z. annosum

Bradya valid

Boeck, 1873

B. typica.^(M.)

Syn. B. Bradya Boeck, 1873, p. 46.

Bradya - Stache - Protozoa - 1877.

Bradya Herrick, 1884, p. 184.

Bradya G.O. Sars, 1904, p. 45.

To. G. H. Brady -

Bradya Brady, 1880, vol. 2, p. 16.

General form like Ectinosoma, but ante-
rior division broader. 1° antennae short
and stout, 6-7-jointed: exopod of 2° an-
tennae scarcely shorter than endopod and
3-jointed. Swimming legs with broad
rami: 5° legs poorly developed.

Ectinosomatidae

Ectinosomidae-Harpacticoida

Subgen. Bradya s. str. nov.

 Lang 1948, p. 224

-Lang, 1965: 60 Key

- MEDIONI & SOYER 1967: 325 -

BRADYA (PARABRADYA) LANG

- MEDIONI & SOYER 1967: 325-

Bradya (Parabradya) atlantica Bodin, 1968

---, BODIN 1968: pp. 28-31; Pls XIII - XV, ♂ & ♀.

Ectinosomidae - Harpacticoidae.

Bradya armifera (T. & A. Scott) ♀.

Ectinosoma armiferum T. & A. Scott, 1896, p. 434: pl. 36,
fig. 20, 43: pl. 37, figs. 4, 17, 31, 53: pl. 38, figs. 14, 19, 37, 43.

Bradya armifera Sars, 1911, p. 360: suppl., pl. 6, fig. 2.

Habitat. Scottish Coast (Scott): Norway Coast.

Ectinosomidae - Harpacilloidea.

Bradya brevicornis T. Scott, ♀.

T. Scott, 1894, p. 93: pl. 9, fig. 36-43,

Habitat. São Thomé Island, lagoon.

Bradya cladio fera Lang
— Lang, 1965: 61 — 67, fig. 30-32

Bradya confluens Lang, ♀

— — Lang, 1936, p. 12; fig. 15

— — Lang, 1948 (p. 229, Pl. 121:2)

--, Jakobi, 1959, p. 278

--, Klie, 1941, p. 7

- (Parabradya nov.) -, Lang, 1944, p. 6

--, Montagna & Carey, 1978, p. 119, BEAUFORT SEA

Habitat. Spitzbergen

BRADYA CONGENERA

SARS

--, LANG, 1948, (P. 228 PL. 120:5.)

-- --, POR, 1964, p. 76, pl. 9 figs. 63-65

--, Jakobi, 1959, p. 139, 278

-- SOYER, 1972-73: 327, 328, 329, 340

-- POR 1962: 18, 28, 50, PL. 9 FIGS. 63-65, MEDITERRANEAN
COAST OF ISRAEL

Ectinosomidae - Harpacoccidae.

Bradya dilatata G.O. Sars., ♀.

— Sars, 1904, p. 47: pl. 26,

—, HANG, 1948. P. 228, PL. 121:1.

—, Jakobi, 1959, p. 279

—, Klie, 1941, p. 7

—, SOYER, 1972-73: 327, 328, 330, 340

Habitat. Norway Fjords.

Ectinosomidae - Harpacticidae

Bradya dubia Smirnov, ♀.

— —, Smirnov, 1932, p. 203, 212: figs. 9-11

Habitat Shores of Franz-Joseph Land.

Ectinosomidae - Harpacticidae.

Bradya elegans T. & A. Scott, ♀.

— — T. & A. Scott, 1896, p. 422: pl. 35, fig. 4, 10, 15.

A synonym of Pseudobradya elegans,
(T. Scott, 1906, a, p. 309).

Ectinosomidae - Harpacticoidea.

Bradya edwardsi Richard, ♀, ♂.

-- Richard, 1890

-- Richard, 1891, p. 241: pl. 5, figs. 15-18,
10 text-figs.

--, Pesta, 1932, p. 19

Bradya furvata

Jakobi, 1959, p. 139

- furcata, Jakobi, 1959, p. 278

Ectinosomidae - Harpacticoida.

Bradya fusca T. & A. Scott, ♀.

— — T. & A. Scott, 1896, p. 424: pl. 35, figs. 6, 12, 18, 20.

A synonym of Pseudobradya fusca.
(T. Scott, 1906, a, p. 310).

Ectinosomidae - Harpacticoida.

Bradya hirsuta T. & A. Scott, ♀.

— T. & A. Scott, 1896, p. 423: pl. 35, figs. 2, 8, 17.

A synonym of Pseudobradya hirsuta.
(T. Scott, 1906, a, p. 309).

Bradya limicola Herrick, ♀, ♂.

— Herrick, 1884, p. 185,

— Sharpe, 1910, p. 407.

—, Lang, 1948, p. 259, PL. NONE.

--, Bjornberg, 1963: 100

-- HERRICK 1887: 20-21, MISSISSIPPI, USA
Habitat. Mississippi Coast

Ectinosomidae-Harpacticoida

Bradya longispinosa Jaschnov, ♀

— — Jaschnov, 1927, p. 26: figs. 12–16.

Habitat. Kara Sea.

BRADYIA MACROCHAETA SARS

— —, LANG, 1948, p. 227, (PL. 120: 3.) - NORWAY.
-- , Jakobi, 1959, p. 139 , 278

BRADYA MINOR - SEE PSEUDOBRADYA

BRADYA MUNJSETA SOYER 1970-73

-- SOYER, 1970-73: 328, 330 - 335 ♀, 340;
PL. I, 2

Ectinosomidae - Harpacticidae

Bradya proxima T. Scott, ♀

— T. Scott, 1912, p. 541 : pl. 2, figs. 1-9.

— Lang, 1936, p. 7 : fig. 1

— Lang, 1948, p. 226, Pl. 120: 1.

Habitat. South Orkneys.

BRADY. SCOTTi.

JARS

--, LANG, 1948, p. 226, Pl. 120:2 - NORWAY.

-- --, Wells, 1965. p.3

--, Coull, 1972, p. 50 Species diversity

--, Jakobi, 1959, p. 139, 278

--, SOYER, 1972-73: 327, 328, 329, 338, 340

Ectinosomidae-Harpacticoida.

Bradya similis T. & A. Scott, ♀.

T. & A. Scott, 1896, p. 424: pl. 35, f. 3, 7, 16, 27.

A synonym of Pseudobradya similis.
(T. Scott, 1906, a, p. 309).

BRADYA SIMULANS SARS

— —, HANG, 1948, P. 228, PL. 120: 6.

--, Jakobi, 1959, p. 278

--, JOYER, 1972-73: 327, 328, 330, 340

BRADYA THEODORI SOYER, 1972-73

-- SOYER, 1972-73: 328, 335-340 ♀; PL. 3, 4

--, SOYER, 1974b: 191

Ectinosomidae - Harpacticoida

Bradya typica Boeck, ♀.

- Boeck, 1873, p. 47(15).
- Brady, 1880, vol. 2, p. 17: pl. 38, fig. 1-10.
- Sars, 1904, p. 46: pl. 25;
- Norman & Scott, 1909, p. 120

Habitat. English coast: Polar Islands
north of Grinnell Land.

—, SOYER, 1912-13: 327, 328-329, 335, 340

- — T. Scott, 1906, a, p. 310; 1903, p. 10
- — T. Scott, 1899^s, p. 94.
- — Thompson, 1893, p. 196; pl. 19, f. 8, b-c.
- — T. & A. Scott, 1896, p. 421; pl. 35, figs. 11, 14, 22, 26.
- — Lang, 1936, pp. 10-12; fig. 14;
- — Monard 1935 a, p. 13, Roscoff, Atlantic coast, France
- — Lang, 1948, (p. 224, pl. 119.)
- — Jespersen, 1940, p. 73-74. Iceland.
- — Wells, 1965. p. 3
- , Giesbrecht, 1882, p. 104
- , Jakobi, 1959, p. 139
- , Klie, 1941, p. 2, 6
- (Bradya)-, Lang, 1944, p. 6

BRADY A TYPICA

CARD 2

-- SHIH ET AL. 1971: 210, CANADA-ARCTIC

--, MARCOTTE & COULÉ, 1974: TAB. I

--, Montagna & Carey, 1978, p. 119, BEAUFORT SEA

--, Coffin, 1978-79, p. 593

-- CHISLENKO 1977b: 271, FRANZ JOSEF LAND

-- HERRICK 1887: 21

BRADYIA sp.

-- ECKMAN + THISTLE 1991: 1405-, OFF CALIFORNIA