

Calanipeda Centropagidae - Calanoida.

Poppetta guernei Richard, ♂. ♀.

syn. Calanipeda aquae-dulcis

— Richard, 1888, p. 43.

— Richard, 1891, p. 139: pl. 5, f. 7, 13: pl. 7, f. 9.
text-figs. 18 and 19.

— De Guerne & Richard, 1889², pl. 18; table.

— Schachter, 1952: 1-11, fig. 1-4

Habitat, France.

— Margalef, 1943: 379, fig 1, 2

—, BREHM 1947: 72.

— Van Dorn, 1905: 692-694, pl. 25 fig. 15-17.

- — Guerne & Richard, 1889, c. p. 149: text. f. 52-3.
— — O. Sars, 1897, p. 56: pl. 6, f. 1-15.
— — Giesb. & Schmeil, 1898, p. 63.
— — Dahl, 1894, p. 22: pl. 1, figs. 29-31.

=*Calanipeda aquaedulcis*, Pesta 1935
--, Aguesse & Dussart, 1957, p. 484

CALANIPEDA AQUAEDULCIS KRITCHAGIN, 1873

(5)

-- SCHACHTER 1958: 681, TAB. 3, FRANCE

Calanipeda aquaedulcis Kritschagin, 1873

card 4

-- HEMSEN 1952:586,612-614, fig. 22-25, Caspian Sea

- AQUAE DULCIS, BREHM 1959c: 924, SYN. POPPELLA
GUERNEI RICHARD. ; IN IRAN LIST

-- JAUME 1990: 209, 207, BALEARIC IS. (INLAND)

-- KIEFFER 1978c: 57-59, FIG 2, EUROPE

-- BORUTZKY ET AL. 1991: 58-, FIG. 17, DIST. - USSR

-- GRINDLEY 1969: 149-150

-- DUSSART 1967: 86-88, FIG. 22

-- GRINDLEY 1969: 149-150

Calanipedia aquaedulcis Kritschagin, 1873 card 3

- aquae dulcis, Stella 1979b: 333-334, records - Italy

CALANIPEDA -, STELLA 1982: 24-26, FIG. 18

CALANIPEDA -, CARLI + CRISAFI 1983: 53, PL. 7 FIG. 1 -

ITALY, DISTRIBUTION

CALANIPEDA AQUAE-DULCIS, ZHADIN + GERD 1961:

384, USSR

CALANIPEDA -, LÖFFLER 1961c: 391-, IRAN

CALANIPEDA AQUAE-DULCIS, DUSSART 1989: 12-14, FIG. 8,

RANGE - AFRICA

Calanipedia aquaedulcis Kritschagin

card 2

-- Patrity 1984a: 157-161, Gulf of Fos-sur-Mer - *or*

C. aquaedulcis

→ Petkovski, 1983: 82-85, fig. 10, A-G

— Damian-Georgescu, 1966: 37-40, fig 12-13

- AQUAE-DULCIS, BORUTZKY 1960: 14, IN KEY; FIG. 4(6)♀

FIG. 69(1-5), DEVELOPMENT; 185, 186

— Kiefer, 1978: 211

AQUAE DULCIS,

-₁ STELLA 1984: 3, 4, 17, 28-30, FIG. 12 - ITALY, DISTRIBUTION

C. aquae dulcis, Dolzonolskaya, 1970, p. 40, pl. 2,
fig. 3

Aguesse & Dussart, 1957, p. 481-520.

Margalef, R. 1953. p. 170.

Sars, G.O. 1897. p. 56.

Cannici, G. 1939. p. 489.

Rylov, 1935. p. 167.

de Guerne & Richard 1889, p. 151.

Damian-Georgescu 1966, : 36-40 fig 12-13

Dussart, 1967, ; 85-88 fig 22.

-Baudin & Champea, 1977: 95-96

Pseudo-Diaptomidae - Calanoida

Calanipedia aquae-dulcis Kritschagin, ♂♀. ①

Syn: Poppella

— — Kritschagin, 1873, : 406-412, ^{pl. 11, fig. 11-15}
^{pl. 10, fig. 11-20}

— — Pylor, 1930, p. 74: fig. 17, 1-5.

Poppella guernel, Richard, 1888, p. 43. (g.v.)

C — a — Pesta, 1935, p. 310: fig. 1, a-b.

— —, Agassiz, 1957. Mouth of Rhône. p. 242.

Habitat. Russia - Corfu.

— —, Marcus, 1957, p. 94. Black Sea.

— —, Thiery, 1982, p. 169

— — GRINDLEY 1984: 218, 220, 224-5, 228, FIG. 1-1

Calanipeda n. gen.

2

- Kritschagin, 1873: 406-412.

pl. 10, fig. 11-20, pl. 11, fig. 11-15.

- GRINDLEY 1984: 217-228, ZOOGEOGRAPHY
(= POPELLA)

- BORUTZKY, 1960: 14, IN KEY

- STELLA 1984: 28, DIAGNOSIS

- DUSSART 1989: 12-13, DIAGNOSIS

- BORUTZKY ET AL. 1993: 57, 58, DIAGNOSIS

Pseudodiaptomidae-Calanoidea

Calanipeda Kritschagin 1873 valid

=Popella

Rylov 1930

Pesta 1935