

in)

Calistes, valid,
Dana, 1849.

Caligoida.
Caligidae.

C. trigonis (M)

Syn. Calistes Dana, 1849^a, p. 54; 1849^b, p. 285.
Calistes Wilson, 1905, p. 533 (key).
Calistes Dana, 1852, p. 1358.

— Dojiri, 1983: 364 - 365

Κάλλιστος = very beautiful.

- PRABHA 1983: 52-, SYN. OF TREBIUS?

Near Caligus. Cephalothorax 2-jointed, without
lemules: posterior (fourth) segment not-alate.
Posterior feet two-branched, subnatatory, being
furnished with plumose setae.

Mx. a little removed from mouth-tube & aculeate
backwards. Only one free (fourth) seg't, and the
3rd swimming legs are united into a large
apron. Resembles Trebius in 5 biramous 4th.
legs. Furca like that in Caligus; Mx more
like Trebius than like Caligus. Posterior (fourth)
legs more ventral in attachment than usual
in the Caligidae.

Caligidae. Caligoida

Calistes trigonis Dana, ♀,

— — Dana, 1849, p. 57,

— — Dana, 1852, p. 1359; pl. 94, f. 7, a-e,

— — PRABHA 1983: 52-, IN TREBIUS?

Hast. Body of a Trigon

Rio Janeiro,