

¹⁵ Anchorbolididae - Harpacticoida.

Ceratonotus.

G.O. Sars, 1909.

C. pectinatus^(M).

Syn. Ceratonotus Sars, 1909, p, 316

Body armed with a double series of peculiar dorsal processes, lateral and subdorsal processes wanting. no rostrum. First antennae slender, 4-jointed, first joint the largest. Both rami of first legs 2-jointed, subequal. Endopod of 4 succeeding pairs 1-jointed. Last pair simple, 2-jointed.

Ceratonotus SARS, 1909

2

- Thistle, 1982: 232
- Bodio & Colomines 1988: 109, IN KEY
- Palkares 1988b: 463, IN KEY
- Huys 1993: 779 -

Ceratonotus coineau Soyer

-- -- Soyer, 1964, pp. 330-339, f. 1-4

-- GEE & FLEIGER 1986: 156-158

-- SCHIZAS + SHIRLEY 1994c: 215, TAB. 1

CERATONOTUS GORBUNOVI

-- GEE & FLEGER 1986: 158

-- SCHIZAS & SHIRLEY 1994c: 215, T 48.1

Anchorbolidae - Harpacticoida.

Ceratonotus pectinatus G.O.Sars, ♀.

— — Sars, 1910, p. 316; pl. 213.

Ceratonotus pectinatus, Jakobi, 1959, p. 139

--, Jakobi, 1959, p. 279

-- GEE & FLEGER 1986: 156-158

-- SCHIZAS & SHIRLEY 1994c: 215, TAB. 1

Habitat. Norway Coast.

Ceratonotus pectinatus Sars ssp. elaphus

--- --- Por, 1965, p. 14, figs. 6--66

--- GEE + FLEEGER 1986: 158

--- SCHIZAS + SHIRLEY 1994c: 215, TAB. 1