

in) Chondracanthidae - Lernaeopodidae
Chondracanthus, valid. POECILOSTOMATOIDEA

Delaroche, 1811.

C. zei.

Has for synonyms - Entomoda (Lamark, 1818); Antops (Oken, 1815); Lernentoma (Blainville, 1823) and many species of Lernaea: Lernacantha (Blainville, 1822).

XóvDpos = cartilage and á'kavða = a spine.

Head distinct, separated from v body by a more or less constricted neck. Thorax indestructibly 2-jointed, bearing 2 pairs of lobe-like legs. Gen. seg't. compressed, with concave borders, or provided with irregular globose or elongated processes. Abdomen distinctly jointed, and placed between the 2 post' horns.

Anterior antennae 2- or 3-jointed; posterior pair uncinate, strong - Mouth + mouth parts close to the antennae - Egg-sacs large, eggs multiseriate. Male a pygmy: the cephalothorax carries the strong hook-like posterior antennae on v dorsal surface; abdomen segmented; thorax legs articulate.

Chondracanthus Delaroche, 1811, p. 270.

Anops Oken, 1815, p. 358.

Entomoda Lamarck, 1818, p. 685.

Lernacantha Blainville, 1822, p. 442.

Chondracanthus Cuvier, 1830, p. 258

Chondracanthus M-Edwards, 1840, p. 504.

Lernentoma Blainville, 1822, p. 440

Chondracanthus T. & A. Scott, 1913, p. 167.

CHONDRACANTHUS DELAROCHE, 1811

CARD 3

- , SCHRAA 1986: 450, FIG. 37-7E
- , BELCIK 1981: 23
- KABATA 1988: 90, 92 - 96, DIAGNOSIS, KEY TO SPECIES IN CANADA
- SCHIMKEWITSCH 1899: 114
- Ho 1970: 113, SYN. ACANTHOCAANTHOPSIS HEGGARD, 1945, NEW SYNONYMY; 152-, REVISION, DIAGNOSIS
- KABATA 1992: 175-176, DIAGNOSIS, KEY TO BRITISH SPECIES
- Ho 1994: 514

Chondracanthus Delaroche, 1811

card 4

- Hogans & Benz 1990: 2484-

CHONDRACTHUS ABDOMINALIS - SEE C. LOPHII

Chondracanthus alatus - see Protochondracanthus

Chondracanthidae.

Chondracanthus angustatus, Heller, ♀. ①

— — . Heller, 1865, p. 230; pl. XXIII, fig. 2.

— — , Schaub. 1876, p. I-II; pls. I — III.

— — , Heller, 1866, p. 756.

— — , Stossich, 1880, p. 254.

— — , Rousset et al., 1978, p. 73-89, figs. 1-6

Host. Uranoscopus scaber, Skin:
Mediterranean.

- , Valle, 1880, p. 75.
—, Carus, 1885, p. 354.
—, Brian, 1898, p. 21.
—, B-Jmst., 1899, p. 493.
—, Brian, 1899, d, p. 1.
—, Richardsoni, 1880, p. 6.
—, Brian, 1924, p. 46.
—, Nunes-Kuivo, 1958, pp. 4; fig. none..
—, Deboutterville & Nunes, 1952, p. 294, fig. 23
—, COSTE, ET AL., 1978: 466, 479

Chondracanthus angustatus Heller, 1865

card 2

-- Coste et al. 1982: 249, 259

-- RAIBAUT ET AL. 1971: 190-193, FIGS. 52-62 ♀ ♂,

HOST URANOSCORPUS SCABER, TUNISIA COAST.

-- H.J. GRANT & WHITFIELD 1988: 603

-- Ho 1970: 114, RETURNED TO CHONDRACANTHUS
FROM PROTOCHONDRACANTHOIDES.

-- Ho 1991: 56, SYN. C. BIFURCATUS CAPART.

Chondracanthus annulatus Olsson - see Acanthochondrites

CHONDRACANTHUS AUSTRALIS Ho, 1991

-- Ho 1991: 1, 5-8, FIGS. 3-5, N.SP., NEW ZEALAND,
HOST MACRONURUS NOVAEZELANDIAE & OTHERS.
-- Ho 1991: 56

Chondracanthus barnardi Ho, 1972

n. sp., Ho, 1972, pp. 149-51, fig. 2 A-J, ~~xxx~~
~~Exxceptio~~

-- KENSLAY & GRINDLAY 1973:121

-- Ho 1991:56-58

Chondracanthus bifurcatus Capart
Capart, 1959: 109-110, fig. 31a-d
-- Ho 1991: 56, TAB. 2, SYN. OF C. ANGUSTATUS

Chondracanthus bleekeri, Richardson. ♀

— — . Richardson, 1881a p. 248. nomen nudum.

(never described or figured)

— — . B. Smith. 1903, p. 109.

(To Pietro Bleeker who died in Jany, 1878)

C. BLEEKERI, Ho 1991: 55, NOMEN NUDUM.

Host gills of Chilinus chlorurus, and
Pseudorthombus russeli.

Mediterranean.

Chondracanthus brevicollis - see Ceratochondria

Chondracanthidae-Lernaeopodoida

Chondracanthus briani Yu & Wu, ♀

— — Yu & Wu, 1932, p. 64 : pl. 5, figs. 1-4.

Host. Gills, Verasper variegatus (Schlegel).

Chefoo, China.

Chondracanthus brotulae Capart
-Capart, 1959: 110, fig. 32a-e

-- Ho 1991:58

Lernaeopodida

Chondracanthus chilensis New Species, ♂♀.

— Wilson, 1918, p. 11: 6 text-figs.
Acanthochrondria — Oakley 1930, p. 186

— Stuardo & Fagetti, 1960: table

-- VILLALBA S. + FERNANDEZ B. 1985: 31

-- ATRIA G. 1980: 303

Host . Unknow fish, Valparaiso, Chile.
Feb. 1916. Merluccius gayi.

Chondracanthus chylomycteri - see Pseūdochondracanthus

Chondracanthus clavatus 'Bassett-Smith - see

Acanthochondria

Chondracanthus colligens Barnard, 1955

Barnardia, n. comb., Yamaguti 1963: 280; type of n. g.

C. -, Ho 1970: 113, rejected Barnardia, returned
colligens to Chondracanthus.

C. -, Ho 1972: 151-152, figs. 3A,B

C. -, Kensley & Grindley 1973: 121

C. -, Ho 1974: 872

C. -, Ho 1975: 308

C. -, Ho 1991: 58

CHONDRACTHUS CONGROPODI - SEE

C. TUBERCULATUS

Chondracanthus cornutus (Müller) - see Acanthochondria

Chondracanthidae. Lerhaeocidae.
Chondracanthus cottunculi Rathbun, ♀. ①

- — Rathbun, 1886, p. 322: pl. II, fig. 1-7.
— — Fowler, 1912, p. 475.
— — Wilson, 1932, p. 497: fig. 297, c.

Chondracanthosis ^P — , Oakley 1930, p. 186

Gills ~~Worm~~

Host Gills of Cottunculus torvus; C. microps:

— , Ho, Ju-Shey, 1971, p. 17-20, Fig 12-14
N. Atlantic.

=CHONDRACANTHUS Chondracanthidae - Lernaeopodidae.

Chondracanthopsis cottunculi (Rathbun). ♀ ②

Chondracanthus - Rathbun, 1886, p. 322: pl. II, fig. 1-7.

— — Fowler, 1912, p. 475.

Chondracanthopsis - Oakley, 1930, p. 196.

— — Wilson, 1932, p. 508: pl. 39, a-f.

CHONDRACANTHUS, N. COMB., KABATA 1968: 328,

SUPPRESSED CHONDRACANTHOPSIS

Host. Gills of Cottunculus torvus & microps.

N. Atlantic.

CHONDRACANTHUS - , Ho 1970: 113, AGREED WITH KABATA

Chondracanthus cottunculi

card 3

--, Ho, 1978, p. 9, 10, fig. 17

-- KABATA 1988:94, FIG. 40G; HOST RECORDS-CANADA

-- Ho 1970: 113, 154

-- Ho 1991: 58

Chondracanthus crassicornis Krøyer - see Heterochondria

Chondracanthus cynoglossidis, Thompson
Chondracanthidae

& Scott. ♀.

— — . Thompson & Scott, 1903. p. 294, fig. 1 (text)

Acanthochrondria ____, Oakley 1930, p. 186

Host. Nasal coecum of Cynoglossus bra-
chyrhynchus & C. brevirostris.

Ceylon.

Chondracanthidae - Ternaeopodoida
Chondracanthus delarochiana Cuvier ♀.

-- Cuvier, 1830, p. 334: pl. 15, f. 3.

A synonym for Ch. zeus.

--, ACLOQUE, 1899: 197

-- HO 1991: 54, syn. of C. lophii JOHNSTON.

Chondracanthus deltoideus Fraser, 1920

-- Kabata 1984: 1703, 1705, 1710-1713, figs, 56-67 ♀;
proposes sp. remain in Chondracanthus.

-- KABATA 1988: 93, FIG. 40C, HOST RECORDS - CANADA
ACANTHOCHONDRIA DELTOIDEA, Ho 1970: 127,
PROBABLY CONSPECIFIC WITH A. CORNUTA.

C., Ho + Kim 1995a: 34

C., Ho + Kim 1995b: 57, TAB. 1

C., Ho 1991: 58

Chondracanthidae - Ternaeopodoida

Chondracanthus deltoides Fraser, ♂, ♀.

— — Fraser, 1920, p. 59: pl. 5, f. 77-80 : pl. 6.
[f. 81-83]

Host. Gill cavity of Hexagrammus decagrammus.

Vancouver Island.

Chondracanthus depressus, T. Scott. ♀, ♂
Chondracanthidae.

— — . T. Scott, 1905^a, p. 114: pl. VI, figs. 7-13.

— — , T. Scott, 1906, b, p. 372.

— — , El Saby, 1930, p. 110: R text-figs. ♂.

Acanthochrondria depressa, Oakley 1930, p. 186

Host Gills of flounder, Pleuronectes flesus.

Scotland.

CHONDRACTHUS DEPRESSUS - see

ACANTHOCHONDRIA CORNUTA

Chondracanthus distortus n.sp. ♂. ♀.

— Wilson, 1922, p. 8: pl. 4, f. 33-39.

— Shiino, 1955, pp. 71-74, figs. 1-2.. Japan.

— Ho, 1972, p. 154

— Ho, 1975, p. 305, fig. 2

— Ho 1994: 506

Host. Gills of Zeus japonicus.

— KAZACHENKO 1994: 28, FIG. 2D

— Ho 1991:53

Japan -

CHONDRACANTHUS DOGIELI - SEE

C. IRREGULARIS

Chondracanthus *dufresnii* (Blainville)
Chondracanthidae.

Lernentoma —, Blainville, 1822, p. 441; pl. Unn.
fig. 11.

Chondracanthus —, Cuvier, 1817, vol. 3, p. 65.
C. —, Ho 1991: 56, TAB. 7, SYN. OF C. lophii

Host. Not given.

CHONDRACANTHUS ELONGATUS - see
ACANTHOCHONDRIA

C HONDRACTHUS REPACHTHES - see
ACANTHOCHONDRIA

CHONDRACANTHUS FLURAE - see

ACANTHOCHONDRIA CORNUTA

CHONDRACANTHUS SACERITUS - see

ACANTHOCHONDRIA

Chondracanthidae

genypteri, Thomson. ♀.

- . Thomson, 1889, p. 372; pl. XXVIII, figs 6, 6a.
—. B. Smith, 1899, p. 494.

Host. Sills of Ling, *Genypterus blacodes*.

New Zealand.

Chondracanthus genypteri Thomson

- * ---, Ho, 1972, p. 152
-- , Ho, 1974, p. 872
-- , Ho, 1975, p. 306-308, figs. 3-4
-- , Hewitt & Hine, 1972, p. 85
- GENYPTERI, Ho & Kim 1995b: 57, TAB. 1
-- VILLALBA J. & FERNANDEZ B. 1985: 32, 36-37, FIGS.
60-80, HOST FISH GENYPTERUS BLACODES, CHILE.
-- ATRIA G. 1980: 307
-- Ho 1991: 58

Chondracanthus gibbosus, Kröyer, ♂. ♀.

- , Kröyer, 1837, p. 252; pl. II, figs. 4, 4a, + pl. III, fig. 2
- , —, 1840, p. 738; pl. II, fig. 4; pl. III, fig. 2.
- , Rathke, 1843, p.
- , W. Thompson, 1847, p. 248 (= Ch. lophii)
- BENEDEN + BESSELS 1868: 33
- Host. Gills + Gill-cavity of Lophius piscatorius.
- Ho 1991: ⁵⁶ TAB. 2, SYN. OF C. LOPHII

- van Beneden, 1851, a, p. 104; pl. III, figs. 10-15.
- Claus, 1858, b, p. 3; pl. I, figs. 1-14.
- Kröyer, 1863, p. 258.
- Heller, 1866, p. 756. p. 151
- van Beneden, 1870, p. 54; pl. II, fig. 3; 1861
- Stossich, 1880, p. 254.
- Valle, 1880, p. 74.
- Vogt, 1877, b, p. 75; pl. V, figs. 1-4. ♂; pl. VI,
figs. 1-3 ♀.
- Ricciardi, 1880, p. 6.
- A synonym of Ch. lophii
Tiemann, 1894, p. 397.

CHONDRACTHUS GIBBOSUS SHIINO, 1955-

SEE C. SHIINOI.

Chondracanthus gobinus, Müller, ♀

Chondracanthidae.

Ternaea g--, Müller, 1776, pl. XXXIII, fig. 3.
P. 39,

A synonym of Diocus gobinus.

Chondracanthidae - Hernaeopodidae
Chondracanthus gracilis Fraser, ♂♀.

— Fraser, 1920, p. 61; pl. 6, f. 84-93.

Acanthochrondria gracilis, Wilson in Museum collections.

—, Kabata, 1968, pp. 332-5, figs. 32-53

—, Kabata, 1976, pp. 2507, 2511, 2523, figs. 12-15

— Izawa 1987: 153-

Host. Gill cavity, Scorpaenichthys marmorata.

Vancouver Island.

Chondracanthus gracilis Fraser, 1920

card 2

-- Kabata 1988: 93, Fig. 40B, host records - Canada

-- IZAWA 1986 b: 160

-- Ho 1991: 58

Chondracanthidae-Lernaeopodoidea

Chondracanthus gracilis var. *intermedia* Wilson

— — — Wilson 1935, Pacific coast, p. 786-787,
Pl. 27, figs. 36-40, ♀

Acanthochrondria — — —, Wilson, in museum collections

— — —, Kabata, 1968, p. 335

Chondracanthus grandigenitalis Yu & Wu. ♂♀.

— Yu & Wu, 1932, p. 62: pl. 4, figs. 1-4.

Host. Gills. Paralichthys olivaceus (Schlegel)

Chefoo, China

Chondracanthus gurnardi. P. J. van Beneden
Oken, 1868

— — Beneden, 1870, p. 31: pl. II, fig. 2.

— — Olsson, 1869, p. 31.

A synonym of Oralium asellinus.
(B. Smith, 1899, p. 490)

Chondracanthus heterostichi Ho, 1972

n. sp., Ho, 1972, p. 527-9, figs. 3-4

-- Ho 1991: 5^g

Chondracanthus horridus, Heller. ♀

Chondracanthus

- —, Heller, 1865, p. 232 : pl. XXIII, fig. 4.
— —, Stossich, 1880, p. 254.
— —, Carus, 1885, p. 355.
— —, B. Smith, 1899, p. 493.

Host. Skin of Gobius joppo,
Mediterranean.

-- Richardi, 1880, p. 6.

-- C.B.WILSON 1935: 787, MONTEREY, CALIFORNIA,
HOST HETEROSTICHUS ROSTRATUS.

DISPHAEROCEPHALUS -, DEROUTTEVILLE + NUNES
1952: 294-, FIGS. 2b, 3, 4

-- Ho 1991: 59

Chondracanthus hystrix, Costa, ♀.

—. Costa, 1829, p.

—. Carus, 1885, p. 355.

Host.

Mediterranean

Chondracanthus inflatus - see Acanthochondrites
annulatus

not new Olsson species

Chondracanthidae-Lernaeopodidae

Chondracanthus irregularis Fraser, ♂. ♀.

— Fraser, 1920, p. 62; pl. 7, f. 94-100

—, Kabata, 1968, pp. 323-328, figs. 1-14,
(syn.: C. dogielixx Gusev, Chondracanthopsis
dogiei (Gusev) Markevich)

—, Ho, 1975, p. 311

Host. Gills of Enophrrys bison.

Vancouver Islands.

Chondracanthus irregularis Fraser, 1920

card 2

-- Kabata 1988: 94, Fig. 40J, host records - Canada

Chondracanthopsis dogieli, Ho 1970: 113, transferred to

Chondracanthus

-- Ho & Kim 1995a: 32, TAB. I

CHONDRACTHUS DOGIELI, Ho 1991: 56, TAB. 2, SYN.

OF C. IRREGULARIS; 59

-- Ho & Kim 1996: 283, SEA OF JAPAN; HOST

MYXOCEPHALUS POLYACANTHOCEPHALUS.

C. irregularis

Chondracanthus dogieli Gusev, 1951

--, Kabata, 1968, p. 323, =*C. irregularis* Fraser

Lernaeopodida---- Chondracanthidae

Chondracanthus janebennettiae Causey, 1953

--- Causey, David, 1953, pp. 10, fig. 10, LOUISIANA

-- , Ho, Ju-Shey, 1971, p. 20-22, Fig 15-17, p. 2 Key

- - CAUSEY 1955: 11-12, PLATE III FIGS. 13-16, REDES-

SCRIPTION, HOST PARALICHTHYS LETHOSTIGMA, MISS.,
LOUISIANA, TEXAS

-- Ho 1991: 59

CHONDRACTHYS LACINIATUS - SEE CALIGUS

Chondracanthus laevigatus, Quoy & Gaimard, ♀

— — . Quoy & Gaimard, 1824, p. 541: pl. 86, fig. 10.

A synonym of Sphyriion laevigatum.

Chondracanthus laevirajae, Valle, ♀.
Chondracanthidae.

-- Valle, 1880, p. 73.

A synonym of Ch. annulatus.
ACANTHOCHONDRIES

Chondracanthidae-Ternaeopodoidea.

Chondracanthus larochii Krøyer, ♀

- Krøyer, 1837, p. 196 and footnote,
— Brady, 1883, p. 136
— Ho 1991: 56, TAB. 2, SYN. OF C. zesi.

A synonym of Chondracanthus zesi.

Cuvier designated pl. XV, f. 3 of Le Règne Animal, 1830, vol. 3, as "Le Chondracanthe de la Roche". Krøyer mistook this for a specific name.

Chondracanthus lepidionis Kabata, 1970

n. sp., Kabata, 1970, pp. 180-2, figs. 22-41, "CENTRAL
ATLANTIC"
~~--, Ho, 1974, p. 870, figs. 1-17~~

-- Ho 1991: 59-60

Chondracanthus lepophidi^{fi} Ho, 1974

- Ho 1974: 870-873, FIGS. 1-17, N.SP. ♀[♂], OFF PERU, HOST
--, Ho, 1977, p. 158 LEPOPHIDIUM ENNEALAS
-- Ho 1991: 60

Chondracanthus limanda. Kröyer. ♂♀.
Chondracanthidae.

- , Kröyer, 1863, p. 248: pl. XIV, fig. 2 a-b.
—, B. Smith, 1899, p. 492.
—, T. Scott, 1900, p. 167: pl. VII, figs. 38-40.
—, T. & A. Scott, 1913, p. 174: pl. 47, fig. 6: pl. 56

Acanthochrondria —, Oakley 1930, p. 186 [fig. 11, 12]

Host, gills of Platesa [Pleuronectes]
limanda, Iinn.

Faeroes: Irish Sea: Europe.

— — Hansen, 1923, p. 44

Chondrocanthus lisse, Quoy & Gaimard.
Chondracanthidae.

—, Quoy & Gaimard, 1824, pl. 86, fig. 10.
CHONDRACTHE —, Lüders 1953: 42

a synonym for *Sphyriion laevigatum*

Chondracanthidae Hernaeopodoida

Chondracanthus longicephalus Yu & Wu. ♀.

— — Yu & Wu, 1932, p. 57: pl. 2, figs. 1-7

Made type of new genus Heterochondria, Yu, 1935, p. 2.

Host. Gills, Pseudorhombus arsius (Ham. Buch.)

Amoy, China.

Chondracanthus lophii, Johnston, ♂. ♀.
Chondracanthidae.

—. Johnston, 1836, p. 81: fig. 16 a-c (text).
Ch. gibbosus, Kröyer, 1837, p. 252: pl. II, figs. 4, 4a.
pl. III, fig. 2.
—, —, 1840, p. 738; pl. II. fig. 4.

Host. Gills & gill-cavity of Lophius piscatorius.

Mediterranean:

Faroes:



English Seas:

- Ch. lophii. Thompson, 1840, p. 257.
Ch. delarochiana ("pars"), M-Edwards, 1840, p. 504.
Ch. lophii. Rathke, 1843, p. 116: pl. V. figs. 11-18
— gibbosus (= lophii), Thompson, 1847, p. 248.
Lermentoma lophii, White, 1850, p. 128!1857, p. 328
— —, Baird, 1850, p. 330; pl. XXXV, fig. 3.
Ch. gibbosus, van Beneden, 1851a, p. 105: pl. III. figs 10-11
— —, Claus, 1858 b, p. 3; pl. I. figs. 1-14
— —, Kröyer, 1863, p. 258.
— —, Heller, 1866, p. 756.
— —, Norman, 1869, p. 301.

Ch. lophii, Olsson, 1869, p. 34.

— —, Normann, 1868, p. 301.

Ch. gibbosus, van Beneden, 1870, p. 54; pl. II, fig. 3.

— —, Stosseich, 1880, p. ~~XX~~ 254.

— —, Valle, 1880, p. 74.

— —, Vogt, 1877, b, p. 75; pl. V, figs. 1-4, ♂.
pl. VI, figs. 1-3, ♀.

Ch. lophii, B. Smit, 1896, p. 162.

— —, — , 1899, p. 494.

— —, T. Scott, 1900, p. 167.

— —, Pesta, 1934, p. 49: fig. 30.

Ch. lophii, Turner & Wilson, 1862, p. 67: pl. III,

figs. 1—16.

—, A. Scott, 1904b, p. 122: 1904, a, p. 42.

—, Pearson, 1906, p. 28.

—, Norman & Brady, 1909, p. 156.

gibbosus Schimkewitsch, 1893, p. 1-7: 4 text-figs.

—, Schimkewitsch, 1896, p. 341: pl. 14, figs. 1-4, 8-10, 21-22.

—, T. Scott, 1906, b, p. 372.

—, T. & A. Scott, 1913, p. 179: pl. 52, fig. 4: pl. 56, figs. 16-18.

—, Hausen, 1923, p. 45.

—, Oakley, 1930, p. 187: fig. 1, B-D, text.

Chondracanthus lophii Johnston, 1836 card 3

--, Ho, 1972, p. 149, Barnard, 1955, specimens =
C. barnardi

--, Heegaard, 1959, p. 234, fig. 3.

--, Boer, 1970-2, tbl. 1

-- SPROSTON 1942: 442, 443

-- KOEA 1973: 32, FIG. 2-9

-- KOEA 1984b: 119, FIG. 10-9

-- DELAMARE DEBOUTTEVILLE & NUNES-RUIVO 1958:
231, FIG. 10a, b, on LOPHIUS PISCATORIUS, BANYULS

-- IZAWA 1987: 153-

Chondracanthus lophii Johnston, 1836

card 4

-- P.J. Whitfield et al. 1988: 585

-- IZAWA 1991: 73-

-- KABATA 1992: 178-, FIG. 39 B-D, SYNONYMY, HOST LIST

-- IZAWA 1986b: 160

-- HO 1991: 56, TAB. 2, 54, 60; SYN. C. ABDOMINALIS
HEEGAARD.

C. ABDOMINALIS, HEEGAARD 1943: 30, FIGS. 82-86,
♀, HOST UNKNOWN, EAST INDIES.

CHONDRACTHYS LOPHIUS RISSO, 1826

-- Ho 1991: 56, TAB. 2, SYN. OF C. LOPHIUS

CHONDRACANTHUS Chondracanthodes lotellae (Thomson). ♀ ♂ /

Chondracanthodes lotellae (Thomson). ♀ ♂ /

Chondracanthus — Thomson, 1889, p. 372; pl. 28, fig. 7.
— Bassett-Smith, 1899, p. 493.

Chondracanthodes — Wilson, 1932, p. 506.
— Wilson, 1935, p. 789.

CHONDRACANTHUS —, N. COMB., Ho 1970: 148

Host. Gills of Myoxocephalus acanthocephalus.
West coast of Alaska.

Chondracanthidae.

Chondracanthus lotellae, Thomson, ♀. 2

—, Thomson, 1889, p. 372: pl. XXVIII, fig 7a&b.

—, B-Smith, 1899, p. 493.

Chondracanthodes — Wilson 1932, p. 506

--, Ho, 1975, p. 308-311, figs. 5-6

--, Hewitt & Hine, 1972, p. 93

Host. Gills of Lotella bacchus.

CHONDRACTHODES —, Ho 1970: 148-

New Zealand.

CHONDRACTHYS LOTELLAE THOMSON, 1889

3

- LOTELLA, KAZACHENKO 1994: 28, FIG. 2B
- - HO 1991: 60

Chondracanthus macrurus Brady - see Lateracanthus

Chondracanthus merlangi, Hollén, ♀.
Chondracanthidae.

Lernaea, Hollén, 1802,

Ch. —, Kröyer, 1863. p. 257.

-- Ho 1991: 56, TAB. 2, SYN. OF C. MERLUCCII

Host.

Unknown -

Chondracanthidae.

Chondracanthus merluccii, Holten ♂, ♀.

Lernaea —, Holten, 1802a, p. 135; pl. III. fig. 2.

Ch. —, Krüger, 1837, pp. 196, 278; pl. III. fig. 9a-d.

— —, M. Edwards, 1840, p. 503.

Ch. xiphiae, Cuvier, 1829-44, pl. IX, fig. 20.

Host. Gills of Merluccius vulgaris and M. esculentus. and M. bilinearis.

Europe

Ch. merluccii, M. Edwards, 1836-49, pl 32, fig. 2.

— *merluccii*, Heller, 1866, p. 756.

— *merluccii*, Olsson, 1869, p. 33.

— — . Stössich, 1880, p. 253.

— — , Valle, 1880, p. 73; Richardson, 1880, p. 6.

— — . Carns, 1885, p. 354.

— — . B. Smith, 1896, p. 161.

— — , — , 1899, p. 494.

— — . T. Scott, 1900, p. 166.

Ch. radiatus, Scott & Thompson, 1900, p.

Ch. merluccii, A. Scott, 1901a, p. 352 (foot-note)

— — . A. Scott, 1904b, p. 122: 1904, a, p. 42.

— — . Kröger, 1840, Taf. II 3, fig. 9, a-e.

C. merluccii ②

- — Brian, 1898, p. 21.
- merlucci Brian, 1899, b, p. 5, footnote.
- xiphiae Goode, 1883, p. 345.
- merlucci Schimkewitsch, 1896, p. 341: pl. 14, fig. 5-7, 12-13.
- — T. Scott, 1906, c, p. 372.
- — Timm, 1894, p. 397
- — Oakley, 1930, p. 188: fig. 2, A-C, text.
- — Wilson, 1932, p. 498: pl. 1, a; fig. 298.
- — L. Sharpe, 1934, p. 112, on *Gadus luscus*.
- — Pesta, 1934, p. 4 — 8: fig. 29.
- — Nunes-Riudo, 1956, p. 29-30, Merluccius capensis. Angola.

Ho, Ju-Shey, 1971, p. 23-27, Fig 18-20

Ho, 1972, pp. 152

--, Boer, 1970-2, tbl. 1

--, Brian, 1939, pp. 4,6,8

Chondracanthus merluccii (Holten, 1802) card 3

--, Kabata, Z., and J. Ho, 1981, p. 385

--, Ho, 1978, p. 9, 10, fig. 16

--, Bellonc ___, : 248 - 249 fig 40a

--, ACLOQUE 1899: 197,

-- Sankurathri et al. 1983: 19.

-- KENSLY & GRINDLEY 1973: 121

- Capart, 1959: 111 , fig.

- Stuardo & Fagetti, 1960: Table

-- SCHIMKEWITSCH 1893a: 3-, DEVELOPMENT; AS
CHONDROCANTHUS

Chondracanthus merluccii (Holten, 1802)

card 4

-- Kabata 1988: 93, Fig. 40D, host record - Canada

-- KABATA 1992: 178; FIG. 39E, SYNONYMY, HOST LIST

-- VILLALBA S. & FERNANDEZ B. 1985: 38

-- Ho 1991: 9

-- Ho 1991: 59, 60

Chondracanthus multituberculatus (Markewitsch, 1956)

Chondracanthopsis --, Markewistch 1956:

Chondracanthopsis multituberculata, Kabata 1968: 328

Chondracanthus -us, n. comb., Ho 1970: 113; rejected

Chondracanthopsis

-- Ho 1991: 54, 60

Chondracanthus narium Kabata, 1969

n. sp., Kabata, 1969, pp. 3043-7, 83 figs.

--, Kabata, 1970, p. 86

-- KABATA 1980: 93, FIG. 40A, HOST RECORD

-- Ho 1991: 61

Chondracanthidae - Lernaeopodoida

Chondracanthus neali Leigh-Sharpe, ♂♀.

-- Leigh-Sharpe, 1930, p. 468: figs. 1 & 2 text

-- Ho, 1972, pp. 152-5, figs. 4A-K, 5A-D

-- KENSLEY & GRINDLEY 1973:121

Host. Gills of Malacocephalus laevis.

-- KABATA 1992: 176; FIG. 39A, HOST LIST

-- Ho 1999: 506, FIG. 1A, EX MALACOCEPHALUS NIPPONENSIS,
OFF OKINAWA Ireland.

-- Ho 1991: 61

Chondracanthus ninnii, Richardi, ♀.
Chondracanthidae.

- . Richardi, 1882, p. 154.
- . Carus, 1885, p. 355.
- . B. Smith, 1903, p. 109.
(To Count A. P. Ninni)

Host. Gill cavity of Gobius panizzae.



Mediterranean.

Chondracanthus nodosus, (Müller). ♀. ♂

Chondracanthidae.

Lernaea n-, Müller, 1776, p. 123; pl. XXXIII, fig. 5:

— —, Fabricius, 1780, p. 341. 1779, p. 79:

— —, Lamarck, 1818, p. 231. 1822, p. 441

Lernentoma n-, Blainville, 1823, p. 125:

Host. Gills of Pleuronectes, sp.

Sebastodes marinus (Lütken). Tophius pis-
catorius (Gray) Greenland: Faroes:

Norway: North Sea:

Europe

- Ch. —, Kröyer, 1837, p. 196.
—, —, 1838, p. 133; pl. III, fig. 2a-f.
—, M-Edwards, 1840, p. 503.
—, White, 1847, p. 120.
—, Kröyer, 1863, p. 258.
—, Olsson, 1869, p. 34.
—, Lütken, 1875, p. 162.
—, B-Smith, 1899, p. 494.
—, Stephensen, 1913, p. 341.
Ternaea —, Gmelin, 1790. p. 3146.
Lernentoma —, Blainville, 1822. p. 441.
Sobisterus nodosus —, Oken, 1816, p. 183.

Chondracanthus

- Ch. williamsoni, T. Scott, 1909, a, p. 76: pl. 3, fig. 8-17.
— nodosus Wilson, 1920, p. 65.
— — Hansen, 1923, p. 45

Chondracanthopsis — Oakley, 1930, p. 196: fig. 7, A-D.

- , Ho, Ju-Shey, 1971, p. 27-31, fig. 21-23;
31-WILSON'S 1935 RECORD = C. WILSONI n.sp.
--, Kabata, 1968, p. 327, fig. 72, 73
--, Stephensen, 1940, p. 9

--, Ho, 1978, p. 8, 10, fig. 15

--, Acloque, 1899: 198 (as "CONDRACTHUS")

-- KABATA 1988: 94, FIG. 40F; HOST RECORDS - CANADA
CHONDRACTHOPSIS —, C. B. WILSON 1935: 348 Dov. Tm

=CHONDRACTHUS Chondracanthidae - Lernaeopodoida

Chondracanthopsis nodosus (Müller) ♂♀.

(3)

Lernaea - Müller, 1776, p. 123: pl. 33, fig. 5

Lernentoma - Blainville, 1822, p. 741.

Chondracanthus - See card C. nodosus.

Chondracanthopsis - Oakley, 1930, p. 196: fig. 7, A-D.

Host. Gills of Pleuronectidae.

CHONDRACTHUS - , ~~KABATA 1968: 328,
HO 1970: 113~~, REJECTED CHONDRACTHOSIS, RETURNED NODOSUS TO CHONDRACTHUS

CHONDRACTHUS - , HO 1970: 113, AGREED WITH KABATA (1968).
CHONDRACTHES; HO 1991: 53, 61

— — Wilson, 1932, p. 508: pl. 39.

—, Polianskii, 1955, p. 91-

CHONDRACANTHUS, KABATA 1992: 179, FIG. 39I,
SYNONYMY, HOST LIST

CHONDRACANTHUS OPHIDI - see ACANTHOCHONDRIA

Chondracanthus ornatus, T. Scott. ♂.♀. ①
Chondracanthidae.

—, T. Scott, 1900, p. 168.

—, —, 1901, p. 129; pl. VII, fig. 14.

—, —, 1902a, p. 298; pl. 13, fig. 34, ♂.

—, B. Smith, 1903, p. 109.

Disphaerocephalus —, Oakley 1930, p. 187, p. 197

Host. Gills of Spotted Dragonet, Callionymus maculatus.

English Seas.

— T. & A. Scott, 1913. p. 182: pl. 41, fig. 6; pl. 43,
Lg. 7

= *CHONDRACANTHUS* Chondranthidae - Lernaeopodoidea

Disphaerocephalus ornatus (T. Scott), ♀.

2

Chondracanthus —, T. Scott, 1900, p. 168.

— — T. Scott, 1901, p. 129 : pl. 7, fig. 14.

— — T. Scott, 1902^a, p. 298 : pl. 13, fig. 34, ♂.

Disphaerocephalus — Oakley, 1930, p. 197 : fig. 8, B-C.

Host. Gills of Callionymus maculatus.

=*CHONDRACANTHUS*

Chondracanthidae-

Disphaerocephalus ornatus (T. Scott)

32

Chondracanthus ornatus, T. Scott, 1900, p. 168 ♀

C. ____ T. Scott, 1902a, p. 298, pl. 13, fig. 34 ♂

Disphaerocephalus ____ Oakley 1930, p. 197

--, Deboutteville + Nunes, 1952, p. 297

-- Ho 1970: 154-

C. → KARATA 1992: 180; FIG. 40A, SYNONYMY, HOST LIST

C. → Ho 1991: 61

Chondracanthus pallidus, P.J. van Beneden &
Chondracanthidae.

—, Beneden.

—, Briam, 1899, a, p. 3.

Host. Sills of Xiphias gladius.



Mediterranean.

Chondracanthus palpifer. ♂, ♀. Chondracanthidae.

— . Wilson, 1912, p. 93: pl. VI.
— Fraser, 1920, p. 63.

Acanthochrondria — , Oakley 1930, p. 186
— , Kabata, Z., and J. Ho, 1981, p. 385

— Sankurathri et al. 1983: 9, 11, 12, 16, 18, 19

Host. Gill cavity of Gadus macrocephalus.

— Stuardo & Fagetti, 1960: table

Nomina — no

Chondracanthus palpifer Wilson, 19¹²

card 2

-- Kabata 1988: 93, Fig. 40E, host records - Canada

-- Ho + Kim 1995b: 57, TAB. 1

-- VILLALBA + FERNANDEZ 1985: 32, 37-39, FIGS. 81-
104, CHILE

-- ATRIA G. 1980: 307

-- Ho 1991: 61

-- Ho 1991: 1-4, FIGS. 1, 2, OFF BRITISH COLUMBIA, CANADA

Chondracanthus phycidis, Rathbun, ^{Chondracanthidae.} ♀.

- R. Rathbun, 1886, p. 320: pl. IX, figs. 1-6;
pl. X, figs. 8-13.
- M. J. Rathbun, 1905, p. 101.
- Fowler, 1912, p. 476.

Acanthochrondrax _____, Oakley 1930, p. 186

Host. Gills of Hake, *Phycis tenuis*.

n. Atlantic.

CHONDRACANTHUS PINAI - see *ACANTHOCHONDRIA*

Chondracanthus pinguis - n. sp. J.F.
Chondracanthidae

— —, Wilson, 1912, p. 94; pl. VII.

— — Fraser, 1920, p. 64.

— —, Kabata, 1968, pp. 329-32, figs. 15-31,
(syn.: C. slastnicovi Gusev)

— —, Kabata, 1970, fig. 30, p. 30, fig. 32

Host. Gills of Sebastodes auriculatus.

Nanaimo. B.C.

Chondracanthus pinguis

card 2

--, Ho, 1975, p. 311

-- KABATA 1988: 94, FIG. 40I; HOST RECORDS-CANADA

-- Ho 1970: 154

-- Ho & Kim 1995a: 32, TAB. I

-- KAZACHENKO 1994: 33, FIG. 6V

-- Ho 1991: 62

Chondracanthidae-Lernaeopodoidea

Chondracanthus polymixiae Yamauti ♀♂.

— — Yamauti, 1929, p. 532 : pl. 35, figs. 9-16

— — Shiino, 1955, pp. 77-79, figs., 5-6.. Japan.

— , Kabata, 1968, p. 332

— , Ho, 1975, p. 311

C. POLIMIXIAE, ATRIA G. 1980: 304-305, TAB. I

Host. Operculum, Polymixia japonica Gunther

-- Ho 1991: 62

Suruga Bay, Japan.

Chondracanthus pretti. Kröyer. ♀. /
^{Chondracanthidae.}

—. Kröyer, 1863, p. 243: pl. XIII, fig. 5a-d.
—, B. Smith, 1899, p. 492.

Acanthochrondria —, Oakley, 1930, p. 186

Host. Gills of Pleuronectes, sp. linguatula.
Valparaiso.

Chondracanthus psetti Kroyer, 1863

CARD 2

C.-, ATRIA G. 1980: 303, 307

--, Ho, 1977, p. 164-165, figs. 4-5, REDDESCRIPTION-

TYPE MATERIAL, VALPARAISO, CHILE

-- Ho & Kim 1995b: 57, TAB. I

ACANTHOCHONDRIA -, VILLALBA & FERNANDEZ 1985: 31, 45

C.-, ~~VILLALBA~~ 39, FIGS. 105-108, CHILE

C.-, Ho 1991: 62

Chondracanthus pusillus Kabata, 1968

--, Ho, 1972, p. 529

n. sp. Kabata, 1968, pp. 335-9, figs. 54-~~72~~ 71

-- KABATA 1988: 94, FIG. 40k; HOST RECORD - CANADA

-- Ho 1991:62

Chondracanthus quadratus (Heegard, 1945)

Acanthocanthopsis quadratus, Heegard 1945a: 21-, figs.

47-54, n. sp. female + male, ex Diodon, Japan;
type of Acanthocanthopsis, n. g.

A. -, Yamaguti & Yamasu 1959: 135

Chondracanthus -, new comb., Ho 1970: 113, rejected

Acanthocanthopsis, transferred to Chondracanthus.

C. -, Ho 1991: 54

CHONDRACANTHUS RADIATUS (MÜLLER) - SEE CHONDRACANTHODES

Chondracanthus rectangularis Fraser - see Acanthochondri

CHONDRACTHUS SHIINOI YAMAGUTI, 1963

CHONDRACTHUS GIBBOSUS, SHIINO 1955: 79-83,

FIGS. 7-8, b.s.p., EX ZENION. JAPONICUM,
WAKAYAMA PREFECTURE, JAPAN.

C. SHIINOI, NOMEN NOVUM, YAMAGUTI 1963:

C. G., HO 1991: 56, TAB. 2, C. GIBBOSAS SHIINO
A SYN. OF C. SHIINOI; 62

CHONDACANTHUS 51C YASIS - see
ACANTHOCHONDRIA

Chondracanthidae-Lernaeopodoida

Chondracanthus similis, Yu & Wu, ♂, ♀.

— — Yu & Wu, 1932, p. 69: pl. 7, figs. 1-6.

Transferred to Heterochondria, Yu, 1935, p. 2.

Host. Gills, Crossorhombus azureus (Alcock).

Hainan, China.

CHONDRACANTHUS SIXTENI - See
ACANTHOCHONDRIA

Chondracanthus slastnicovi Gusev, 1951

---, Kabata, 1968, = C. pinguis

-- Ho 1991: 56, TAB. 2, SYN. OF C. PINGUIS

CHONDRACTHUS SOLLEAE - See
ACANTHOCHONDRIA

Chondracanthus solidus (Gusev, 1951)

Acanthochondria solida, Gusev 1951:

C. -, Ho & Kim 1995a: 31-, figs. 1-2, synonymy; Sea of Japan, ex Pleurogrammus azonus

C. -, Ho & Kim 1995b: 57, TAB. 1

Chondracanthidae - L. Eudaeopodaida

Chondracanthus stramineus n. sp.: ♂, ♀.

— Wilson, 1923, p. 10: pl. I, f. 13; pl. 2, f. 14-15.
— Ho 1991: 56, TAB. 2, SYN. OF C. MERLUCCII

Host. Gills of Merluccius capensis.

South Africa.

Chondracanthidae Lernaeopodocida

Chondracanthus theragrae Yamaguti ♂♀.

— — Yamaguti, 1929, p. 531: pl. 34. figs. 1-7.

— — Shiino, 1955, pp. 74-77, figs. 3-4. Japan

— , Kabata, 1968, p. 332

— NAGASAWA 1993b: 72 -

— Ho + Kim 1995a: 32, TAB. I

Host Gills, Theragra chalcogramma (Pallas)

— ATRIA G. 1980: 304-305, TAB. I

— Ho 1991: 63

Toyama Bay, Japan.

Chondracanthus triglae, Guérin, ♀.
^{Chondracanthidae.}

— — Guérin, 1817. pl. IX, fig. 8.

a synonym of Medesicaste asellinus.

~~28682~~
—, Beneden & Bessels, 1868?, pp. 33-, pl. 3 except
fig. 12, 15, pl. 4, figs. 1-8

—, Aclouque, 1899: 198-9. Pl. 94 (as "CONDRACTHUS")

CHONDRACANTHUS TRILOBATUS - SEE

PROTOCHONDRACANTHUS

Chondracanthus triventricosus Sekerak, 1970

-- Kabata 1988: 94, Fig. 40H, host records - Canada

-- KAZACHENKO 1994: 30, FIG. 4V

-- Ho 1991: 63

Chondracanthus tuberculatus, Nordmann. ♀
Chondracanthidae. ①

—, Nordmann, 1832, p. 118.

congiopodi
see C. t.

—, Ho, 1972, p. 155-158, figs. 6A-J, 7A-C,

A synonym of Ch. zeus.

— FENSLEY & GRINDLEY 1973: 121

— Ho 1970: 157, SENIOR SYN. OF CH. CONGIOPODI
C. CONGIOPODI, BARNARD, K.H. 1955: 288-289, FIG. 24

C.c.—, Ho 1972: 155, SYN. OF C. TUBERCULATUS

(2)

CHONDRACTHUS TUBERCULATUS NORDMANN, 1832

C. GONIOPODI, HO 1991:56, TAB.Q, SYN.OF

C. TUBERCULATUS

-F. HO 1991:63

Iernaeoidea.

Chondracanthus williamsoni T. Scott, ♀, ♂,

— T. Scott, 1909, a, p. 76: pl. 3, figs. 8-17.

A synonym of Chondracanthus nodosus,
(T. Scott, 1909, a, p. 76, ms. note).

- WILLIAMSONI, SYN. OF C. Nodosus; Ho 1991: 56,
TAB. 2

Chondracanthus wilsoni (Möller) Ho

--, Ho, Shey, 1971, p. 31-33, Fig 24, n.sp.,
DRY TORTUGAS;

SYN. C HONDRACTHOPSIS VODOSUS OF WILSON
(1935) FROM DRY TORTUGAS.

-- Ho 1991: 63

Chondracanthus xiphiae, Cuvier, ♀.
^{Chondracanthidae.}

—. Cuvier, 1829—44, p. pl. IX, fig. 20.

A synonym of Ch. merluccii.

- XYPHIAE, HO 1991: 56, TAB. 7, SYN. OF ♂.
MERLUCCII.

CHONDRACTHUS YANEZI ATRIA G., 1980

-- ATRIA G. 1980: 303 - 308, FIGS. 1-15, TAB. 1,

N.S.P., CHILE; HOST NEO PHRINICHTHYS
MARMORATUS.

-- HO 1982: 451-455, FIGS. 1, 2

-- VIAL ALBA & FERNANDEZ 1985: 32

-- HO 1991: 63

-- HO & KIM 1996: 283, SEA OF JAPAN; HOST RECORDS.

Chondracanthidae

Chondracanthus zei, Delaroche, ♂. ♀.

CH-zei, Delaroche, 1811, p. 270; pl. II, fig. 2.

— —, Lamarck, 1818, p. 682. [pl. xxvi, fig. 13.]

Lernacantha delarochiana, Blainville, 1822, p. 442; n.

— —, Desmarest, 1825, p. 350.

CH. tuberculatus, Nordmann, 1832, p. 118.

Host, gills of Leus faber.

Tempere, 1898:223, pl. 29, fig. 13 European Seas.

13^a + 46. 1/4

- Ch. zei, Burmeister, 1833, p. 325;
— —, Kröyer, 1837, p. 196.
— —, M. Edwards, 1840, p. 504.
— —, Guérin, 1829-44, pl. IX, fig. 9.
— —, White, 1847, p. 120; 1850, p. 127.
— —, Baird, 1850, p. 327; pl. XXXV, fig. 1.
— —, Beneden, 1851, a, p. 110; pl. IV, figs. 5-7.
— —, — —, 1861, a, p. 152.
— —, — —, 1870, p. 42.
— —, Vogt, 1877b, p. 75; pl. V, figs. 5-8.
— —, — —, 1879, p. 80 Tav. V, figs. 5-8 —

Ch. zee - Stosich, 1880, p. 253.

— — . Valle, 1880, p. 73.

— — . Canis, 1885, p. 354.

— — , B-Smilk, 1896', p. 162.

— — , — — , 1899, p. 495.

— — , T. Scott, 1900, p. 167; pl. VIII, fig. 1.

— — . Richardsoni, 1880, p. 6.

— — , Cuvier, 1830, p. 258.

— — Brian, 1899, b, p. 3, footnote.

— — T. Scott, 1906. b. p. 372. $\sqrt{pl. 56}$, f. 13

— — T. & A. Scott, 1912, p. 177: pl. 41, f. 5: ^

- — T. Scott, 1892, p. 262
— — Norman & Scott, 1906, p. 217.
— — Oakley, 1930, p. 187: fig. 1, A, text.
— , Kabata, 1968, p. 328 , fig. 74, 75
— , Kabata, 1970, fig. 31, p. 30
— , Beneden & Bessels, 1868?, p. 33
— , Boer, 1970, 2, tbl. 1
— , Acloque, 1899: 198 (as "CONDRACTHUS"),
Plate 94 p. 199.
— Capart, 1959: 111
— Ho 1970: 113, 154-157, FIGS. 119-122, REDESCRIPTION,
DENMARK, ENGLAND, EX ZEUS FABER

Chondracanthus zei Delaroche, 1811

card 3

-- Kabata 1992: 179-, Fig. 39F-H, synonymy, host list

-- Ho 1994: 506

-- Ho 1991: 50-55, FIGS. 1-5, JAPAN; ex ZEUS

FABER