

Clavelloopsis, valid ^{Toernaeopodoida - Toernaeopodoida}
^{Siphonostomatoida}
Wilson - 1915 ——— C. laciniata ^{o.}

Syn., Clavelloopsis Wilson, 1915, p. 686.
Anehorella many authors (pars).
Clavella (pars) Brian, Wilson.

Clavella and opsis = appearances -

Clavellopsis Wilson

2

- , Pillai, 1967, p. 1662
- CASTRO & BAEZA 1984: 693-4
- CRESSEY ET AL. 1983: 232-
- Kabata & Tareen, 1987: 138
- Kabata, 1986: 1859
- KABATA 1988 b: 7
- KABATA 1990 b: 2564-2566, REVISION

Clavellopsis appendiculata Kirtisinghe

-- --, Pillai 1962. pp. 70-72, fig. 8-9

--, Pillai, 1968, pp. 129-132, figs. 7,8

---, Pillai, 1967, p. 1662, fig. 253

-- KENSLEY & GRINDLEY 1973: 116-117, FIG. 33a-c,
♀♀♂ FROM CHIROCENTRUS DORAB, DURBAN, S. AFRICA;
p. 127.

-- RADHAKRISHNAN & NAIR, 1983: 112, = ISOBRANCHIA
APPENDICULATA.

Clavellopsis bilobata Pillai - see Clavellotis

Clavelloopsis branchiostegi Yamaguti - see Clavellotis

Clavelloopsis characis (Richiardi) - see Clavellotis

Clavelloopsis dasyaticus Rangnekar, 1957

1957---pp. 16-17, text-fig. 5, a-c.

see *Pseudocharopinus dasyaticus* (Pillai) ?, Kabata,
preoccupied? 1968

Clavelloopsis fallax - see Clavellotis

Clavelloopsis flexicervica Shiino

1956---Shiino, Suetō M., pp. 297-299, fig. 15.

-- KABATA 1990b: 2566

Clavelloopsis hostilis (Heller)

-- Kensley & Grindley 1973: 127

-- BEN HASSINE + RAIBAUT 1978: 169, C. H.
OF BARNARD, 1955 NOT = BRACHIELLA HOSTILIS
(HELLER).

Lernaeopodidae - Lernaeopodoidea

Clavellopsis hugu Yamaguti, ♀

— — Yamaguti, 1939, p. 560: pl. 50, f. 165-168; pl. 51, figs. 169-170.
—, Yamaguti & Yamasu, 1959, p. 90

Host. Mouth, *Spheroides rubripes* (Tenn. & Schleg.)

Obama, Japan.

Clavelloopsis johnii Yamaguti - see Neobrachiella

Clavellopsis laciniata (Krøyer) ♀, ♂.

Lernaeopodidae.

- Anchorella —, Krøyer, 1863, p. 308: pl. 16, fig. 8, a—b.
— —. Vogt, 1877 b., p. 65.
— —, Brian, 1898, p. 24.
— —, B. Smith, 1899, p. 506

Host Gills of Acanthurus chirurgus & Labrax
lupus

West Indies.

Clavella —, Wilson, 1913, p. 259, pl. 49

Clavellopsis — Wilson, 1915, p. 687; 669.

Clavellopsis laciniata (Kroyer, 1863) card 2

-- Kabata, 1986: 1852, 56, 59 figs. 29-40
(syn. Anchorella laciniata)

-- KABATA 19906: 2564-

Lernaeopodidae - Lernaeopodoidea

Clavelloopsis longimana Bere. ♀ ♂.

— — Bere, 1936, p. 612: pl. 12, figs. 291-303.

—, Kabata, Raibaut, & Ben Hassine, 1971, p. 90.

Host. Pectoral fin of mullet, Mugil cephalus, Florida.

Clavelloopsis nodula Do & Ho 1983

-- Castro & Baeza 1984: 689, 694: a synonym of Clavellot
s dilatata n. comb.

Clavellopsis pagri (Kroyer) - see Clavellotis

CLAVELLOPSIS PARADOXA - SEE ADVENA

(Beneden) 1851

Clavellopsis parasargi Roubal - see Pseudomixtio

Clavellopsis parva (Wilson) ♀.

Clavella —, Wilson, 1912, p. 95: pl. 8, figs. 66-72.

Host. Soft fins of Sebastes auriculatus

Nanaimo, B. C.

Clavelloopsis pellucidula Shiino

1956---Shiino, Sueo M., pp. 300-301, fig. 16.

-- KABATA 19906: 2566

Lernaeopodidae - Lernaeopodoidea

Clavelloopsis polymixiae Yamaguti ♀

— — Yamaguti, 1939, p. 556: pl. 48, figs. 139-143.

-- KABATA 1990b: 2566

Host. Fin, *Polymixia nobilis* Lowe.

Suruga Bay, Japan.

Clavelloopsis producta, Nov. Sp. ♀

--, Wilson, 1915, p. 688, pl. 50, figs. 185, 186.

-- KABATA 1930 b: 2566

Host, Anal fin of Nematomeris goodii

Chesapeake Bay.

Clavelloopsis robusta (Wilson) - see Neobrachiella

Lernaeopodidae Lernaeopodoidea

Clavelloopsis saba Yamaguti ♂♀.

— — Yamaguti, 1939, p. 558: pl. 49, figs. 155-158; pl. 50, f. 159-16

— —, CRESSEY & CRESSEY 1980: 45-46; Figs. 95d,
108.

Host Gills, *Scomber japonicus* Houttuyn.

Numazu, Japan.

Clavellopsis sargi (Kurz) - see Clavellotis

Clavelloopsis strumosa (Brian) - see Clavellotis

Clavellopsis tomoi Stadtler, 1974

-- Kabata 1990b:2566

Clavellopsis trichiuri Yamaguti, 1939 - see

Neobrachiella trichiuri Yamaguti trichiuri Ho & Do

