

COPIDO DIAPTOMUS KIEFFER 1968

- KIEFFER 1968: 9, 70, GEN. NOV.; TYPE C. STEUERI
- STELLA 1984: 34, 62-63, DIAGNOSIS + KEY TO SPECIES;  
C. STEUERI (BREHM), TYPE-SPECIES.
- STELLA 1982: 27, ANTENNULE SETATION-7;  
47, DIAGNOSIS + KEY TO ITALIAN SPP.
- DUSSART 1989: 61, DIAGNOSIS
- BORUTZKY ET AL. 1991: 344, DIAGNOSIS, KEY TO USSR SPP.

## DIAPTOMIDAE - CALANOIDA

COPIDODIAPTOMUS NUMIDICUS (GURNEY)

CARD 1

DIAPTOMUS -, GURNEY 1909: 295-298, pl. 12, FIGS. 28-32, pl. 13, FIGS. 33-34. N.S.P. POOLS AT OUED TINDJA NEAR TUNIS. ~~BRIGHT BLUE~~.

D. -, ROY & GAUTHIER 1927: 559. Distrib. in Algeria-Tunis.

E. -, KIEFER 1932: 502 (KEY) - IN EUDIAPTOMUS

E. -, GAUTHIER 1934: PASSIM, ALGERIA + TUNISIA - 6 localities  
Temp. ponds

D. -, LÖFFELER 1958: 23 (CITES GAUTHIER 1928 - ALGERIA  
IN SPRING.

COPIDODIAPTOMUS NUMIDICUS (GURNEY)

CARD 2

EUDIAPTOMUS NUMIDICUS, BORUTZKY 1960: 37, FIG. 12(1). ♀ abo

E. -, DUSSART 1964: 121-122, FIG. 2 - SPAIN. ♂ PS, A-1  
♀ urosome + PS

E. -, DUSSART 1967: 96-97. Spain.

D. -, COLE 1968: 465. ALGERIAN PLUVIAL-RAIN 50 cm/YEAR.

C. -, STELLA 1970: 82-84, FIGS. 21-29, SARDINIA.

C. -, DUMONT + DEGRAMER 1977: 275 Not found in Morocco, but  
will be.

C. -, KIEFER 1978: 212

C. -, GALHANO ET AL. 1982: 14 <sup>Impoundments on Douro R.,</sup>  
Portugal-Spain boundary

C. -, STELLA 1984: 3, 20, 63, 65-67, FIG. 26 - GIVES DISTRI-  
BUTION + MAJOR SYNONYMY.

Copidodiaptomus numidicus (Gurney, 1909)

card 3

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1979b: 337, RECORDS - ITALY

-- STELLA 1982: 47, FIG. 29 - ITALY

-- STELLA + MARGARITORA 1975-76: 4-, SARDINIA <sup>7</sup> localities

-- KIEFER 1968: 62-64, FIG. 57, REDESCRIPTION  
EUDIAPTOMUS -, HUTCHINSON 1953: 572 -

C. -, BOWMAN 1990: 293-295, FIGS. 1, 2, RECORDS, SPAIN

C. -, DUSSART 1989: 61-62, FIG. 35, RANGE - AFRICA

C. -, BORUTZKY ET AL. 1991: 344, 346, FIG. 148, DIST. - USSR

COPIDODIAPTOMUS STEUERI (BREHM & ZEPERBAUER)

①

DIAPTOMUS -, BALDI 1936a: 843

EUDIAPTOMUS -, PETKOVSKI 1961: 186-188, FIGS. 26-30

E. -, STELLA 1970: 82

C. -, ARMENGOL 1978: 68-69, FIG. 60

C. -, KIEFER 1978: 212

C. -, STELLA 1984: 3, 62-65, FIG. 25 - DISTRIBUTION - ITALY  
+ MAJOR SYNONYMY.

Copidodiaptomus steueri (Brehm & Zederbauer)

card :

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1979b: 337

-- STELLA 1982: 47-49, FIG. 30

-- KIEFFER 1968: 51-, FIGS. 1J-5J, 49-51, TYPE OF

COPIDODIAPATOMUS, N. GEN.; \* REDESCRIPTION

D. -, PIROCCHI 1949b: 321-, ITALY, PONDS

D. -, BREHA 1908a: 450-

C. -, DUSSART 1989: 61

C. -, BORUTZKY ET AL. 1991: 344-345, FIG. 147, DIST. -USSR

COPIDIODIAPTOMUS SP.

--, GALIANO, ET AL, 1978: 13