

(in)

Cybicola, valid.

Caligoida
Dichelestiidae.

B-Smith, 1898^b, C. armata. (M).

= Pseudocycnus - Kirtisinghe 1937.

B-Smith published this genus first as Helleria (1898^a), but evidently found out that this name had been preoccupied and so changed it in his next paper.

Helleria B-Smith, 1898^a, p. 10.

Cybius = a fish genus and cola = inhabiting

Cybicola B-Smith, 1898, c. p. 371,
not Helleria - Norman - Crustacea - 1868.

Head rounded, Thorax with 3 distinct seg'ts bearing lateral lobes, but no dorsal plates. Genital segment very long.

Abdomen small with 2 lanciform appendages. Anterior antennae 6-jointed; post. pair 3-jointed strongly hooked at the end - Second maxilliped very large, basal joint robust.

Three pairs of thoracic limbs; 1st biramous; 2nd uniramous; 3rd pair stump-like.

"Male" smaller. Posterior antennae strongly prehensile: no thoracic lateral lobes.

Cybicola Wilson 1922, p. 88.

SIPHONOSTOMATOIDA

CYBICOLA BASSETT-SMITH, 1898

- PILLAI 1978: 30, 31, SYNONYM OF PSEUDOCYCNUUS

CYBICOLA ARMATA - SEE PSEUDOCYCNU

CYBICOLA ELONGATA - SEE

PSEUDOCYCNU ELONGATUS