

in

Clavocalanidae - Calanoida.

Drepanopus.

Brady, 1883.

D. pectinatus [♂].

Syn. Drepanopus Brady, 1883, p. 76.

Drepanopus Giesbrecht, 1892, p. 51, 201.

Drepanopus Giesbrecht, 1888, p. 334

Drepanopus Giesbrecht & Schmeil, 1898, p. 28.

BRADY, 1883

DREPANOPUS ~~WOLFFEUDEN, 1911~~

②

- NISHIDA, 1984: 37
- BAYLY 1982: 161-172, SPP. OF ANTARCTIC + SUB-ANTARCTIC WATERS; REVISED DIAGNOSIS
- MAUCLINE 1988: 726
- BORUTZKY ET AL. 1991: 435, DIAGNOSIS; IN PSEUDOCALANIDAE

Drepanopus bispinosus Bayly 1982

-- Bayly 1982: 161, 165- 171, Figs. 2, 3, n. sp. ♀♂,
Antarctica (Vestfold Hills)

-- BAYLY 1986: 199-231, BURTON LAKE, ANTARCTICA

-- FERRARI & HAYEK 1990: TAB. 1

-- RAZOUKS 1994: 56, 9

Drepanopus bungei G.O. Sars.

— — Sars, 1898, p. 337, Pl. IX, N. S. P. 757 JANA R.

— — Sars, 1900, p. 78.

— — Mrázek, 1902, p. 520

— — Jaschnov, 1927, p. 16: figs. 2-3, Kara Sea.

-- SHIH ET AL. 1971: 206, CANADA - ARCTIC

Habitat. Mouth of Jana River: Arctic Ocean.

- Linko, 1913, p. 23.
-- , BRODSKY, 1950, P. 138, FIG. 57, USSR.
-- , Jashnov, 1946. Distribution
-- , PAVSHTKS, 1977: 115-117 & FIG. 1; TAB. 1, 2, Novosibirsk.
-- , BOWMAN & LONG, 1968: 172-178
-- , LINDQUIST, 1961: 68
-- BAYLY 1982: 162
-- BREHM 1908a: 455 -
-- BORUTZKY ET AL. 1991: 436-437, FIG. 195,
DISTRIBUTION

Drepanopus forcipatus Giesbrecht, ♀, ♂

- Giesbrecht, 1888, p. 335: 1892, p. 201.
pl. 10, f. 23-25, 27-30: pl. 36, f. 36-38.
- Giesbrecht & Schmeil, 1898, p. 29.

Pesta

-- Arcos, 1976: 91, 99; TAB. II

Habitat. So. end of So. America.

- Ramirez, 1969: 55-56, fig. 56, 63
- Hulsemann, 1985: 911-923, figs. 2-4, 6-8, 10
12, 14, 16-20, 23, 24, 27-29, 32, 33

- , Arcos, 1975, pp. 13-15, figs. 22-27 (in Appendix)
- Bjornberg, 1981: 628, fig. 209 # 6
- HIRAKAWA & ZAMA 1985: 115-120, SOUTH CHILE;
= D. PECTINATUS OF HARDY & GUNTHER, 1935
- MINODA & HOSHIAI, 1982: 32-37, SOUTH GEORGIA;
36, NOT = D. PECTINATUS GIESBRECHT
- BAYLY 1982: 162, 165, 169-170, DISTRIBUTION
- HULSEMANN 1986: 631, DISTRIBUTION

Drepanopus forcipatus

card 2

- Marin & Antezana, 1985: 963 tab 1 Chile
- FERRARI & DEARBORN 1989: 1316, 1318, OFF
ANTARCTIC PENINSULA, SOUTH GEORGIA
- MARIN 1987: 109, possible record - SCOTIA SEA
- RAZOULS & RAZOULS 1988: 244
- P. WARD 1989: 141-, S. GEORGIA, ANTARCTIC
- RAZOULS 1994: 54-, Pl. 20, ANTARCTIC; 9
- OHTSUKA & BOXSHALL 1994: 163
- FERRARI & MARKHASEVA 1996: 279

Clausocalanidae - Calanoida.

Drepanopus furcatus Brady, ♀.

— — Brady, 1883, p. 77: pl. 4, f. 1-2: pl. 24, f. 12-15

A synonym of Clausocalanus furcatus.

(Giesbrecht, 1892, p. 186).

see Clausocalanus furcatus

--, GREENWOOD, 1977: 51 = CLAUSOCALANUS FURCATUS

Drepanopus pectinatus Brady, 1883.

— — Brady, 1883, p. 77: pl. 24, f. 1-11.

— — Giesbrecht, 1892, p. 201: pl. 10 & 36.

— — Giesbrecht & Schmeil, 1898, p. 29.

— — Wilson 1942, p. 183

— —; Vervoort, 1957, p. 39-40, fig. 10.

Habitat. Kerguelen Islands; Indian Ocean:

--, Cushing, 1951, p. 166

--, TANAKA, 1964b: 4, 7,

PLATE I, TAB. 2, 3

--, ARCOS, 1976: 91

--, Arcos, 1975, p. 15

— Hulseman, 1985: 910-923, figs. 1, 5, 9, 11, 13, 15
21, 22, 25, 26, 30, 31.

— Pallares, 1968: 27-29, ~~fig.~~ pl. 1, fig. 1-5.

— Bjornberg, 1981: 628

--, HIRAKAWA + ZAMA 1985: 119, -- OF HARDY
+ GUNTHER, 1935 = D. FORCIPATUS

— DeDecker, 1984: 315

-- MINODA + HOSHIAI, 1982: 36, NOT = D. FORCIPATUS

-- HERRICK 1887: 11

Drepanopus pectinatus Brady, 1883

card 2

- Bayly 1982: 161, 163-165, 169-171, Fig. 1; gives synonymy.
- HULSEMANN 1986: 631, GIVES DISTRIBUTION
- RAZOULS & RAZOULS 1988: 239-246, KERQUELEN IS.
- RAMÍREZ 1966: 11-, LÁM. II FIGS. 8-16, MAR DEL PLATA, ARGENTINA
- BORUTZKY ET AL. 1991: 435
- RAZOULS 1994: 34-, PL. 19, ANTARCTIC; 9
- RINGUELET, AMOR ET AL. 1962: 52, ARGENTINA - COAST.

DREPANOPUS SP.

- MARIN 1987: 109, - SCOTIA SEA
- MARIN 1986: 62-, - SCOTIA SEA