

Caligodidae - Caligoida.
Echetus. valid,

Kröyer, 1863, E. typicus ^(M).

Syn. Echetus Kröyer, 1863, p. 315.

Echetus Wilson, 1905, p. 611.

^{oi}
ΕΙΧΕΤΟΣ = name of a king in the Odyssey -
a barbarous king of Epirus.

—Dojiri, 1983: 158-161

Carapace minute, a very small portion entire length.
Frontal plates well defined & furnished with lunules.
First mx. & furca lacking: 2nd pair simple.
Free thorax seg't very narrow & much elongated into
a long neck connecting gen. seg't & carapace.
1st & 4th legs uniramous, 4th pair rudimentary -
2nd & 3rd pairs biramous - Gen. seg't swollen
to several times v carapace, without appendages
or processes - Abdomen an elongate spindle
attached to gen. seg't. by a very short & narrow neck -
anal laminae linear minute - Egg-cases a
little longer than v abdomen - eggs as in
Caligus.

Echetus

②

-, Pillai & Mohan, 1965, p. 275

- KABATA 1988b: 3, ORIGIN OF NAME

- CRESSY + CRESSY 1990: 48

- PRABHA 1983: 51-

Caligodidae - Caligoida:

Echetus typicus, Kroyer, ♀.

— — — — — Kroyer, 1863, p. 315, pl. XV, figs. 6, a-c.

— — — — — B. Smith, 1899, p. 486.

— — — — — Wilson, 1905, p. 611: pl. 17., DC

— — — — — Fowler, 1912, p. 480.

— — — — — Causey, 1953a, p. 6-7, fig. 4. Grand Isle, La.

Host. Corvina unimaculata (Kroyer).

Channel-Bass. (Sciaenops ocellatus)

buried in v muscle.

No. Atlantic.

- —, Causey, 1953 b, p. 11. Port Aransas, Tex. Sciaenops ocellatus.
— —, Causey, 1955b, p. 5. " " " " "
— —, Bere, 1936, p. 586-~~88~~87, pl. 4, fig. 94-98. 1st. descr. of ♂.
— —, Pearse, 1952, p. 24
— —, Yamaguti, 1963, p. 70, pl. 87, fig. 1a-g.

--, Kabata, 1970, fig. 18

— Dojiri, 1983: 161-166, fig. 55-58

-- REID 1996:1