

(in) Cletodidae - Harpacticoida.

Fultonia.

T. Scott, 1902, b.

F. hirsuta, <sup>(M)</sup>

Syn. Fultonia, T. Scott, 1902, p. 466.

Fultonia G. O. Sars, 1910, p. 340.

To Dr. T. Wemyss Fulton, Supt. of  
Scientific Work, Fishery Board, Scotland.

Somewhat like Cletodes. Abdomen not separated from thorax. 1st. antennae short, 8-jointed. 2nd. pair with small secondary branch. Mouth parts similar to those of Cletodes. Exopods of first 4 pairs of legs 3-jointed; endopods of 1st. pair 2-jointed, of 2nd., 3rd. & 4th. pairs 3-jointed. 5th. legs as in Cletodes. 1-jointed exopod and endopod represented by large plumose seta

FULTONIA

T. Scott

card 2

-, SMIRNOV 1946: 241

-, BODIN 1968: p. 83 - Key to species.

- Por 1986: 422, in Argestidae fam. nov.

- Por, 1979: 29 species listed

- POR 1985: 90 -

Fultonia bougisi Soyer

-- -- Soyer, 1964, pp. 96-103, f. 1-3

- - s. str., BODIN 1968: p. 83 - Key to species.

Fultonia bougisi corallicola Soyer

---, BODIN 1968: p. 83 - Key to species.

Fultonia gascognensis

Bodin, 1968

-BODIN 1968: pp. 81-83; Pls. XLVIII - XLIX, ♀;  
p. 83 - Key to species.

Cletodidae-Harpacticoida.

Fultonia hirsuta T. Scott, ♀

— — T. Scott, 1902, b, p. 466: pl. 23, fig. 5-12.

— — T. Scott, 1906, b, p. 340.

— — Sars, 1910, p. 341: pl. 226.

— —, LANG, 1948, P. 1301, PL. 523: 1-524.

Habitat. British Seas, Norway.

-- SMIRNOV 1946: 241

--, BODIN 1968: p. 83 - Key to species.

Fultonia                      sarsi                      (Smirnov,                      )

--, BODIN 1968: p. 83 - Key to species.



FULTONIA sp.

-- FLEEGER, TANG + HIGGINS 1983: 940-941, TABS. 1, 3,

CHINA