

~~METRIDINIDAE~~ - Calanoidae.  
METRIDINIDAE

10)  
Gaussia

Wolfenden, 1905.

G. scotti.<sup>(M)</sup>

Syn. Gaussia Wolfenden, 1905, p. 5.

Gaussia Wolfenden, 1911, p. 289.

Gaussia Wolfenden, 1905

CARD 2

- Gardner & Szabo, 1982, p. 27, 347
- FERRARI, 1984: 177
- MAUCHLINE 1988: 709-, FIG. 58, PORE SIG.
- BJÖRNBERG & CAMPANER 1988: ~~354~~-356, GENITAL FIELDS
- ICZN 1990: 145, PLACED ON OFFICIAL LIST OF  
GENERIC NAMES IN ZOOLOGY

Gaussia asymmetrica Björnberg & Campaner 1988

-- Björnberg & Campaner 1988: 351-356, figs. 1, 2A,  
n. sp., SW Atlantic, ♀ only

Gaussia melanotica Walfenden

\_\_\_\_\_ Walfenden, 1905, p. 5, pl. 2

\_\_\_\_\_ princeps, Sewell 1932, p. 270

--, (= G. PRINCEPS), VERVOORT, 1965: 103

--, (= G. PRINCEPS), TANAKA, 1963: 26

-- HULSEMANN 1988a: 188-189, PROPOSAL FOR  
SUPPRESSION OF NAME

-- ICZN 1990: 145, SPECIFIC NAME SUPPRESSED.

Metridiidae - Calanoida

Gaussia princeps (T. Scott). ♀♂

Pleuromma — T. Scott, 1894, p. 42: pl. 3, figs. 8-20. ♂

Metridia scotti Giesbrecht, 1897, p. 254.

— — Giesbrecht & Schmeil, 1898, p. 107.

Gaussia scotti Wolfenden, 1905, p. 5: pl. 2

— — Wolfenden, 1911, p. 290: pl. 33, figs. 3-12 ♂

Sewell 1932, p. 270, pl. 5-6, text-figs. 92-93

Habitat Atlantic. dev. stages, long description

— —, BRODSKY, 1950, P. 312, fig. 218.

— —, SEWELL, 1947, P. 173, ARABIAN SEA AREA.

-- -- Tanaka and Omori, 1967, pp. 239-260.

<u>Gaussia princeps</u>	Owre, H.B and Maria Foyo, 1967.
" ..	Chiba 1965
" ..	Vervoort 1965
" ..	Grice and Hulsemann 1967
" ..	Fleminger, A 1967. (Atlas)
" ..	Gueredrak, J.A. 1969

--, Beklemishev, 1961, p. 150

--, Morris, 1970, p. 2301

--, Roe, 1972a, pp. 297-

--, VERVOORT, 1965: 103-104 540: PLEUROMMA PRINCEPS; METRIDIA  
SCOTTI; GAUSSIA MELANOTICA; METRIDIA ATRA

GAUSSIA PRINCEPS

CARD 2

--, TANAKA, 1963: 26 SYN: G. MELANOTICA; G. SCOTTI;  
METRIDIA ATRA; M. SCOTTI; PLEUROMAMMA  
PRINCEPS

--, OWREN FOYO, 1964a: 343

--, OWREN FOYO, 1972: 493; TAB. 3

--, OWREN FOYO, 1964b: 365

--, Gardner & Szabo, 1982, p. 27, 348-349, fig. 20.3.1,  
Syn.: Metridia scotti, Gaussia scotti, G.  
melanotica, Metridia atra

GAUSSIA PRINCEPS (T. SCOTT)

CARD 3

--, CHILDRESS, 1977: 19-24

--, MADHUPRATAP & HARIDAS, 1986: 108, INDIAN OCEAN

-- MAUCHLINE 1988: 709-, FIG. 50, PORE SIG.

-- BANSTEDT 1986: 11-

-- SARGENT & HENDERSON 1986: 88-

-- LE BORGNE 1986: 116-

PLEUROMMA - (GAUSSIA -), HÜLSEMANN 1988a: 188-190,

PROPOSED CONSERVATION OF SPECIFIC NAME.

-- BJÖRNBERG & CAMPANER 1988: 351, 354, FIG. 2.B-F<sub>11</sub>, PACIFIC



Gaussia princeps (T. Scott 1894)

card 4

-- Soldevilla et al. 1988: 59 Canary Islands

-- HERRING 1988: 184-

-- (FORMERLY PLEUROMMA P.), ICZN 1990: 145-146,  
SPECIFIC NAME CONSERVED; DESIGNATED TYPE-  
SPECIES OF GENUS GAUSSIA.

- PRINCIPIA, FERRARI 1993a: 1711

Gaussia scotti (Giesbrecht), ♀♂

= Gaussia princeps (T. Scott)

— — Wolfenden, 1905, p. 5: pl. 2,

— — Wolfenden, 1911, p. 290: pl. 33. figs. 3-12. ♂

Metridia — Giesbrecht, 1897, p. 254.

Pleuromma princeps T. Scott, 1899, p. 92: pl. 3. f. 8-20.

-- (= G. PRINCEPS), TANAKA, 1963: 26

Habitat. Atlantic

—, scoti, Klein, 1982, p. 388

G. —, BOWMAN 1978a: 114-

Gaussia Scotti Wolfenden, 1905 (Giesbrecht)

n. <sup>?</sup> sp., Wolfenden, 1905-06, pp. 5-6, pl. 2

— Saraswathy, 1973: - 191-192, fig. 1-3

Gaussia sewelli Saraswathy, 1973

-- Klein, 1982, p. 388.

-- Saraswathy & Bradford, 1980: 79-82  
fig. 1, 2.

- Saraswathy, 1973: 192-195, fig. 4-5, pl. 1c.

-- MADHURATAP & HARIDAS, 1986: 108, INDIAN OCEAN

GAUSSIA SP.

-- STEPHEN 1984: 168-, ARABIAN SEA