

Cantho campitidae: Harpacticoida

Gulcamptus Miura g.n.

-- -- Miura, 1969, pg. 250,

- LEWIS, M. 1986: 115 -

- ISHIDA 1992: 251, cf. MORARIA

- REID & ISHIDA 1996: 134, EMEND. GENUS DIAGNOSIS;
SYNONYM NEOMARAENOBLOTUS FLÖSSNER.

GULCAMPTUS ALASKAENSIS ISHIDA IN REID +
ISHIDA, 1996

-- REID + ISHIDA 1996: 134-138, FIGS. 1, 2, TAB. 1,
ALASKA

GULCAMPTUS HURONENSIS REID IN REID + ISHIDA, 1996

-- REID + ISHIDA 1996: 138-143, FIGS. 3-5, TAB. 1, N.SP.,
LAKE HURON, MICHIGAN, USA.

Gulcamptus jesoanus Ishida & Kikuchi, 1994

-- Ishida & Kikuchi 1994: 12-17, figs. 1-17, n. sp.
female + male, Hokkaido, Japan

GULCAMPTUS sp. S, ISHIDA 1987: 78, 84, pl. 16,
HOKKAIDO

-- REID & ISHIDA 1996: 133, 142, TAB. 1; SYN. GULCAMPTUS
sp. S OF ISHIDA, 1987.

= GULCAMPTUS

Neomaraenobiotus laurentiacus (Flössner, 1992)

N.-- Flössner, 1992: 7, 11-13, figs. 14-28, n. sp.,
type of Neomaraenobiotus n. gen., female + male,
Shingle Point, Mackenzie Bay, Yukon Territory; and
Campbell River near Inuvik, Northwest Territories,
Canada; wet mosses

N: ISHIDA + KIKUCHI 1994: 14

N-- KIKUCHI 1994b: 63, cf. GLACIELLA

GULCAMPTUS -, N. COMB., REID + ISHIDA 1996: 133-
134, TAB. 1

Gulcamptus uenoi Miura, 1969

-- -- Miura, 1969, pp. 250-253, figs. 32-46

-- ROUCH 1986b: 341

-- ISHIDA 1992: 249, 251, FIGS. 9-14, SE ALASKA,
NEW RECORD

-- ISHIDA + KIKUCHI 1994: 16, 17

-- REID + ISHIDA 1996: 133, 134, 142, 143, TAB. 1

-- ISHIDA 1995: 44

GULCAMPTUS YOICHIENSIS ISHIDA, 1995

-- ISHIDA 1995: 40, 42-45, FIG. 2, N. SP., HOKKAIDO,
JAPAN

-- REID + ISHIDA 1996: 133, 142, TAB. 1

GULCAMPTUS sp.

--, IMAMURA & KIKUCHI 1986: 329, JAPAN

-- Ishida, 1987: 78, 84 pl. 16 Hokkaido, Japan =

G. TESOANUS