

~~Ectinosomatidae~~
Ectinosomatidae-Harpacticoida

Subgen. *Halectinosoma* nov. Lang 1948

Lang 1948, p. 206

---, COULL, 1972, p. 50 *Species diversity*

---, BODIN 1968: p. 21.

--- Lang, 1965: 33 - 38 *Key*

--- MARCOTTE 1986b: 189, 190, FIG. 2

-- CLÉMENT & MOORE 1995: 304-305, PARTIAL KEY

Ectinosomatae - Harpacticoida
Ectinosomatidae
Fictinosoma abrau (Kritschaguine) ♀♂. ①

OR, KRITSCHAGIN

Tachidius Kritschaguine, 1877,

Ectinosoma Jakubisiak, 1932, p. 201.

— —, Borutsky, 1931, p. 53: fig. 13 (1-11)

— —, Borutsky, 1952, p. 86, fig. 31, USSR.

— —, Lang, 1948, p. 207, Pl. 115, 1, 5-218.

Habitat. Lake Abrau, Russia

— —, Panyi, 1960 pp. 85-92

— —, Banareescu, 1971, p. 147.

-Damian- Georgescu, 1970: 55-57, fig 16

-- --, Ponyi, 1962, p. 139

-- --, Ponyi, 1963, p. 116

-- --, Ponyi, 1965, p. 143

----, Ponyi, 1966, p. 182

--, Roen, 1957, p. 96

--, Sterba, 1967, p. 330

--, Dolzonolskaya, 1970, p. 61, pl. VII, fig. 6,
syn.: Tachidius abrau, E. edwardsi

--, Bacescu, 1966, p. 179

--, Flossner, 1967, p. 227

-- MÄEMETS + VELDRE 1956a: 22, ESTONIA

-- VELDRE + MÄEMETS 1956: 69-70, PL. XI FIGS. 4-6,
ESTONIA

= HALECTINOSOMA

ECTINOSOMA ABRAU (KRITSCHAGIN)

CARD 2

E - BORUTZKY 1960: 102, FIG. 39(C)

E - KIEFER, 1978: 217

E - SERBAN, 1959: 261 Romania

E - ROUCH 1968a: 17

E - ZHADIN + GERD 1961: 409, 410, USSR

E - LÖFFLER 1961c: 392-, IRAN

HALECTINOSOMA -, COLL 1968: 59-, BERMUDA

E -, VOROBYEVA + KYLAKOV 1990: 14-, SEA OF AZOV

E -, POR 1962: 36, BLACK SEA

HALECTINOSOMA ABRAU (KRICÁGIN)) 3

- E. (H.) -, HEMSEN 1952: 587, 627-628, FIGS. 51-55, CASPIAN ^{SEA}
- DRZYCIMSKI, 1975: TAB. 1
- COLL, 1970: 341
- ROUCH 1969: 423
- DRZYCIMSKI 1986: 554, H. ABRAU OF D. (1974) =
PSEUDOBRAVIA SP.
- REID 1990g: 198
- JANETZKY ET AL. 1996: 16, 20
- OLAFSSON & ELMGREN 1997: 153

Halectinosoma abyssicola Bodin, 1968

- ; BODIN 1968: pp 21-24; Pls. IX-X, ♀.
- , COULL 1975: p. 113.
- BODIN 1977: 314-

Ectinosomidae - Harpacticoida
Ectinosoma angulifrons G.O. Sars, ♂ ♀.

E. — Sars, 1919, p. 24: pl. 15, fig. 2

E. —, LANG, 1948, p. 213, Pl. 116, 9, 5-210.

H. —, MARCOTTE & COLL 1974: TAB. 1

H. —, CLÉMENT & MOORE 1995: 274-278, FIGS. 12-14, NORWAY,
SCOTLAND, ENGLAND, ETC.

Habitat. Norwegian Coast.

~~HALECTINOSOMA~~

Ectinosoma (Halectinosoma) arenicola Rouch, 1962

--- Rouch 1962: 237, 239, 241-242, figs. 1-8, n. sp.
♀♂, beach, Recife, Brazil

Halectinosoma -, Ito 1973: 516, 524-529 ♀♂; figs. 5-7

HALECTINOSOMA ARGYLLENSIS CLÉMENT & MOORE, 1995

-- CLÉMENT & MOORE 1995: 278-283, FIGS. 15-17,

N.SP., SCOTLAND, ENGLAND, ISLE OF MAN

HALECTINOSOMA Ectinosomidae - Harpacticoida
Ectinosoma barroisi Richard, ♂♀.

E. — Richard, 1893, p. 434: figs. 7-15.

E. —, LANG, 1948, p. 217, pl. 117: 3-5-215.

Pseudobradya 1963, Por, 1968, pp. 35-38, pl. I & II

E. — FORRO' 1986: 559

E. —, POR 1962: 37, ISRAEL (LAKE TIBERIAS)

Habitat. Egypt.

HALECTINOSOMA —, COULL 1975: 117

Ectinosomidae - Harpacticoida.

Ectinosoma brunnea Brady, ♀.

E. - A Brady, 1907, p. 333: pl. 9, figs. 4-11.

E. - A Norman & Brady, 1909, p. 120.

E. BRUNNEUM, LANG 1948: 212, PL. 116: 7, NORWAY

H. BRUNNEUM, CLÉMENT + MOORE 1995: 283-288, FIGS. 18-20, 30 F, F, SCOTLAND, ENGLAND

Habitat. Salt-water pond, England.

Halectinosoma brunneum (Brady, 1905)

-- Chislenko, 1977b: 271, Franz Josef Land

HALECTINOSOMA CANALICULATUM (POR, 1964)

ECTINOSOMA CANALICULATA, POR 1962: 17, 48-49,
PL. 8 FIGS. 54-56, N.S.P., MEDITERRANEAN COAST
OF ISRAEL (THESIS)

E. CANALICULATUM, POR 1964: 73-74, PL. 8 FIGS.
54-56, N.S.P., MEDIT. COAST OF ISRAEL

H. -, SOYER 1972: 102

H. -, ITO, TAT. 1981: 439

H. -, CLÉMENT + MOORE 1995: 288-293, FIGS. 21-23, 30 C, D,
ISRAEL, GREAT BRITAIN, IRELAND, ETC.

HALECTINOSOMA CANDELABRUM SOYER, 1970

--, SOYER, 1970: 102; 54N: H. COOPERATUM

HALECTINOSOMA CHISLENKI CLÉMENT + MOORE, 1995
-- CLÉMENT + MOORE 1995: 260-262, FIG. 5 D-F, NOM.
NOV. FOR ECTINOSOMA NEGLECTUM SENSU CHISLENKO;
BEAUFORT SEA, FRANZ JOSEF LAND.

Ectinosomidae - Harpacticoida.

Ectinosoma chrystalii T. Scott, ♀.

E. — T. Scott, 1894, p. 92: pl. 9, fig. 26-35.

E. — —, LANG, 1948, p. 208, R. 115:2.

H. —, CLÉMENT + MOORE 1995: 264-269, FIGS. 6-8, 30A,
BAY OF GUINEA, SCOTLAND, ENGLAND, NORWAY, CANADA,
ETC.; SYN. E. PROPINQUUM (T. & A. SCOTT)

Habitat. Gulf of Guinea.

Ectinosomidae - Harpacticoida
Ectinosoma claratum G.O. Sars, ♀.

E. — Sars, 1920, p. 26: pl. 16, fig. 2.

H. —, CLEMENT & MOORE 1995: 262-264, FIG. 5A-C,
NORWAY, FRANZ JOSEF LAND.

Habitat. Norwegian Coast.

Halectinosoma cooperatum Bodin, Bodion & Soyer, 1971

-- --, Bodin, 1972, p. 846

- - , Bodin, et. al., 1971, pp. 113-120 , figs 1-3

--, COULL, 1975:114

--, = H. CANDELABRUM, SOYER, 1972:102

--, BODIN 1970: pp. 393, 431, 433; Tab B.

--, BODIN 1971: pp 417, 427, 430, 431, 428 - Tab.

--, BODIN 1972: pp. 658-659, 675; Tabs. 3, 6, 2.

-- BODIN 1977: 311, 314-

HALECTINOSOMA CRENULATUM CLÉMENT + MOORE, 1995

-- CLÉMENT + MOORE 1995: 293-298, FIGS. 24-26, N.SP.,

SCOTLAND, ENGLAND, NORWAY, FRANCE

= HALECTINOSOMA Ectinosomidae - Harpacticoida.

Ectinosoma curticorne Boeck, ♀.

— — Boeck, 1873, p. 45.

— — T. & A. Scott, 1896, p. 430: pl. 36, f. 22, 30, 34.

— — T. Scott, 1906a, p. 307; 1903, p. 9.

— — Sars, 1904, p. 36: pl. 20, f. 1.

— — , LANG, 1948, p. 214. (Pl. 112. 9, 117. 1.)

Habitat. British Seas: Rhede Island,

Norway Fjords; Franz Josef Land & Nova Zembla (Scott); Siberia (Sars).

— Scott & Scott 1901: 342

- — Sharpe, 1910, p. 415: fig. 7, text.
- — Williams, 1907, p. 72; 1906, p. 652.
- — Thompson, 1893, p. 192: pl. 18, f. 8, e.
- — T. Scott, 1899^e, p. 95.
- — Timm, 1894, p. 381
- — Klie, 1913, p. 9.
- — Klie, 1929, p. 334:
- — Wilson, 1932, p. 174: fig. 119.
- — Monard 1935a, p. 12, Roscoff, France
- —, **NOODT, 1956, P. 44, N. SEA**
- —, Chappuis, 1957. Puget Sound
- —, Wells, 1963. p. 11
- —, Wells, 1965 p. 3

= HALECTINOSOMA

2

Ectinosoma curticorne -2

- --, Por, 1960, pg. 104
-- --. Wells, 1970, pg. 256
— —, Chappuis 1958 p 411
-- , Stock & Vos, 1960, p. 207
-- , Pesta, 1932, p. 16-17, fig. 9
-- , Dolzonovskaya, 1970, p. 61, pl. VII, fig. 2
-- , Giesbrecht, 1882, p. 108
-- curticornis, Giesbrecht, 1881, p. 255
-- , Jakobi, 1959, p. 137
-- , Lang, 1944, p. 6 (subgen. Halectinosoma nov.)
— Serban, 1959: 262 Romania

- , ROSENFELD & COULL, 1974: TAB. 6
- , CHISLENKO, 1977: TAB. 1
- MÄEMETS & VELDRE 1956a: 22, ESTONIA
- SAGE ET AL 1976: 84-87, POTOMAC RIVER
- VELDRE & MÄEMETS 1956: 69-70, PL. XI FIGS. 1-3,
ESTONIA
- BREHA 1908a: 455-
- DERJUGIN 1928b: 528-, KILDIN IS., BARENTS ^{SEA}
- BURRELL & ZWERNER 1972: 139, CHESAPEAKE BAY
- SHIH ET AL. 1971: 210, CANADA-ARCTIC
- MUUS 1967: 48-, DANISH COAST
- CURTICORNIS, SARS 1898: 349, PL. 10 FIGS. 22-25
JANA RIVER, RUSSIA

HALECTINOSOMA CURTICORNE (BOECK) (3)

--, DRZYCINSKI, 1975; TAB. 1

--, COLL, 1975: 116, 117

--, WELLS, 1971: 507

--, BODIN 1972: pp 658, 675, 677, 679, 681; Fig. 3;

Tabs. 2-4.

--, Coffin, 1978-79, p. 593

-- KONDALARAO 1984: 82.

-- GEE 1987: 502-, ENGLAND

-- DRZYCINSKI 1986: 553, BALTIC / VISTULA / PUCK BAY

HALECTINOSOMA CURTICORNE (BORGA)

CARD⁴
7

-- ARLT 1988: 298-, SOUTH WEST BALTIC

-- HICKS 1980: 164-, BRITAIN

-- CHISLENKO 1977b: 271, FRANZ JOSEF LAND

Ectinosoma -, C. B. WILSON 1936: 372, CANADIAN ARCTIC

+ OFF GREENLAND.

HALECTINOSOMA DENTICULATUM CLÉMENT & MOORE, 1995

-- CLÉMENT & MOORE 1995: 298-304, FIGS. 27-30B, N.SP,
SCOTLAND, SHETLAND, ENGLAND, ISLE OF MAN, FRANCE

Halectinosoma dimorphum (Coull) 1970

--, Coull, 1970, p. 130-131, fig 1-14

--, Coull, 1971, p. 208, 218

--, Coull, 1975: 114

-- Bodin 1977: 314-

-- Reid 1990g: 198

HALECTINOSOMA DIOPS POR, 1964

ECTINOSOMA (H.) -, POR 1962: 16, 17, 27, 48, PL. 8

FIGS. 50-53, N.S.P., MEDITERRANEAN COAST, ISRAEL
(THESIS)

E. (H.) -, POR 1964: 71-73, PL. 8 FIGS. 50-53, N.S.P.,
MEDIT. COAST, ISRAEL

H. -, COULH 1975: 117

Hal ectinosoma distinctum (Sars, 1920)

Bodin, 1972, p. 845

--, JOYER, 1972: 103, 103, 107, 125

--, JOYER, 1974: 134

--, BODIN 1970: p. 393, 431; Pl. 2; Tab. 3.

--, BODIN 1971: pp. 417, 428 - Tab.

--, BODIN 1972: p. 658; Tabs. 2, 6.

Ectinosoma finmarchicum T. Scott.

— — T. Scott, 1903, p. 9: pl. 1, f. 7-13.

Ectinosoma — Willey, 1920, p. 26 K: f. 33, text.

— — Jaschnov, 1927, p. 26. Kara Sea.

— —, LANG, 1948, p. 210, Pl. 116: 4.

-- --, Grice, 1962. p. 101

Habitat. Arctic Ocean.

E. finmarchicum, Chappuis, 1957. Puget Sound

-- --, Wells, 1965. p. 3

— —, Chappuis 1958 p 411

-- SHIH ET AL. 1971: 210, CANADA - ARCTIC

Halectinosoma finmarchicum (T. Scott) =

E., POR 1962:50

H., Coffin, 1978-79, p. 593

H.: GRAINGER & MOHAMMED 1986:304-, ARCTIC

H.: DRZYCINSKI 1986:553-, BALTIC

E., REED 1990b:348

H.: FEDER & PAUL 1980:31-, PORT VALDEZ, ALASKA

H.: CHISHENKO 1977b:238-239, FIG. 1(3-5),
FRANZ JOSEF LAND

HALECTINOSOMA FLEXUS

--, JOYER, 1972: 102

--, JOYER, 1974b: 176

HALECTINOSOMA FUSIFORME WELLS, 1967

— Wells, 1967: 223-225, fig. 18-19A

-- COULK, 1975: 113

-- BODIN 1977: 314

HALECTINOSOMA FUSUM WELLS, 1967

— Wells, 1967: 232-235, fig. 23-24

-- COOK, 1975: 117

-- BODIN 1977: 314-

HALECTINOSOMA GASCOGNESE BODIN, 1968

--, COULU, 1975: 113, 117

--, BODIN 1968: pp. 24-27; Pls XI-XII, ♀.

-- BODIN 1977: 314-

= HALECTINOSOMA

Ectinosomidae - Harpacticoida -

Ectinosoma gothiceps Giesbrecht, 1881 /

n. sp. Giesbrecht, 1881, p. 255

— — Giesbrecht, 1882, p. 106: pl. 1, f. 3, 12 (over).⁸

— pygmaeum T. & A. Scott, 1896, p. 433: pl. 36, f. 15.

— gothiceps T. Scott, 1906, a, p. 308.

— — Sars, 1904, p. 37: pl. 20, f. 2.

Habitat. British Seas; Norway Coasts,
Franz Josef Land (Scott).

pl. 4, f. 17, 35: pl. 5, f. 3: pl. 7, f. 8: pl. 8, f. 10-11: pl. 9,
f. 17: pl. 10, f. 10, 21: pl. 11, f. 13: pl. 12, f. 6, 10.

— — Klie, 1929, p. 334:

— — Klie, 1927, p. 4:

— — Giesbrecht, 1884, p. 106: pls. 1, 4, 5, 7-12.

— — Monard 1935a, p. 13, Roscoff, France

— —, NOODT, 1956, p. 46, N. SEA:

— —, LANG, 1948, p. 216, (Pl. 112: 10-5-210, 117: 2)

— —, Chappuis, 1957. Puget Sound

— —, Wells, 1963. p. 11

— —, Wells, 1965. p. 3

— —, Stoj Chappuis 1958 p. 411

= HALECTINOSOMA

Ectinosoma gothiceps

card 2

--, Stock & Vos, 1960, p. 207

--, Pesta, 1932, p. 17-18, fig. 11

--, Jakobi, 1959, p. 135

--, CHISLENKO, 1977: TAB. 1

--, ROE, 1958: 225, 244; FIG. 100

- (Halec.)-, BODIN 1968: p. 279.

- Noodt, 1952: 107

-- DERJUGIN 1928b: 529-, KILDIN 15, BARENTS SEA

Halectinoma gothiceps (Giesbrecht)

3

--, Coull, 1971, 208

--, Scheibel and Noodt, 1975, p. 177.

--, Wells, 1971: 507

--, Soyer, 1972: 115

--, Anger & Schiebel 1976: pp 4-6; Tab. 1.

—, Hammond, —: table 2

— Mielke, 1975: 23, fig 9.

-- Kondal Rao 1984: 82.

— Mielke, 1975: 23, fig. 9

-- Dahms 1988b: 14-, Figs. 7A, 43A, HELGOLAND - NORTH SEA

Halectinosoma gothiceps (Giesbrecht)

card 4

Ectinosoma (H.) -, Crandell 1967:37-, Yaquina Bay, Oregon

H.-, FEDER & PAUL 1980:31-, PORT VALDEZ, ALASKA

H.-, HICKS 1980:165-, BRITAIN

H.-, REID 1990g:198

H.-, CHISLENKO 1977b:271, FRANZ JOSEF LAND

H.-, DAHMS 1992a:231-, TABLE 1

HALECTINOSOMA HERDELONGATUM MARCUS, 1965

--, COULL, 1975: 113

- HERDELONGATA, BODIN 1977: 314-

HALECTINOSOMA

Ectinosomidae - Harpacticoida

Ectinosoma herdmanni T. & A. Scott, ♀. ①

— — T. & A. Scott, 1896, p. 432: pl. 36, f. 16, 44;
pl. 37, f. 3, 16, 29, 54: pl. 38, f. 7, 25, 33, 47

— — Norman & Brady, 1909, p. 119.

— — T. Scott, 1906^a, p. 307.
—, Jakobi, 1959, p. 137

Habitat, English Coast; Norway Fjords.

— Thompson, 1895: 101

—, MARCUS, 1965: 88, 89, 91

— — G. O. Sars, 1904, p. 33: pl. 18, fig. 2.

— — A. Monard, 1928, p. 294: fig. 3.

— —, NOODT, 1956, p. 44.

— —, HANG, 1948, p. 209, (Pl. 112:5, 5-201, 116:2)

— — —, Sars, 1904, V. p. 39 as Ectinosoma

— — —, Wells, 1970, p. 256

— — —, Por, 1964, p. 74, pl. 8 figs. 57-59

— — —, Stock & Vos, 1960, p. 207

— — —, Dolzonolskaya, 1970, p. 61, pl. VII, fig. 4

— — —, CHISLENKO, 1977: TAB. 1

— (Halec.) —, BODIN 1968: p. 279.

— Serban, 1959: 261-262, Romania

Halectinosoma herdmani (T. & Scott, 1891^A)

(2)

-- --, Bodin, 1972, pp. 845, 859

--, JOYER, 1972: 102

--, BODIN 1970: pp. 393, 431; Tab. B.

--, BODIN 1971: pp. 417, 428 - Tab.

--, BODIN 1972: p. 681.

--, Becker, Von K., 1970, p. 56, 58, 59, fig. 2 (4-6)

--, Kunz, 1974, p. 259

-- KONDALARAO 1984: 82.

-- HUYS 1987b: 155, NORTH SEA

-- BODIOL 1974: 265, BANYULS-SUR-MER, FRANCE

-- MOORE, C. G. 1976c: 131-132, FIG. 1(B, C), ISLE OF MAN

HALECTINOSOMA HERDMANI (T. & A. SCOTT, 1996) (3)

ECTINOSOMA -, POR 1962: 11, 16, 17, 27, 32, 49, PL. 8,

MEDITERRANEAN COAST, ISRAEL

Halectinosoma hydrofuge Wells et al

— Wells, Hicks & Coull, 1982: 155—158
Fig. 3-4.

-- HICKS 1988c: 500—, NEW ZEALAND

-- IWASAKI, N. 1993: 401—, NEW ZEALAND

HALECTUOSOMA INHARAE WELLS, 1967

— Wells, 1967: 220-223, fig. 16-17

--, COULL, 1975: 113

--, SOYER, 1970: 110, 115

-- BODIN 1977: 314-

Ectinosoma intermedia Nicholls

E. - Nicholls 1939 b, p. 247, fig. 2, St. Lawrence ♀

E. - Nicholls 1940, p. 247, fig. 2

~~E. - intermedium, Bacescu, 1966, p. 179~~

E. GOMOIU 1971: 157-, BLACK SEA (POSSIBLY REFERS
TO E. INTERMEDIUM?) - OP MARCUS?

HALECTINOSOMA INTERMEDIUM, N. COMB., LANA-1965: 93, 38.

Halectinosoma japonicum (Miura, 1964)

Ectinosoma japonica, Miura 1964: 133-136, figs. 1-17,

Aioi, Japan

H. japonicum, Rouch 1969: 423, nom. nov.

-- ROUCH 1986b: 326, DISTRIBUTION

Halectinosoma kunzi Lang

--, Bodin, et al, 1971, p. 118-119

--, JOYER, 1972: 110

— Lang, 1965: 52 - 57, fig. 25-27

-- WELLS 1986: 133

HALECTINOSOMA LANGI WELLS, 1967

- Wells, 1967: 230-232, fig. 20 G-H, ~~21-22~~
- COULL, 1975: 114
- BODIN 1977: 314-

HALECTINOSOMA LITTORALE

Ectinosomidae-Harpacticoid

Ectinosoma littoralis Nicholls

- E.-Nicholls 1939 b, p. 246, fig. 1, St. Lawrence ♀
- E.-Nicholls 1940 p. 246, fig. 1.

E. LITTORALE, KUDZ 1974: 259, TABS. 1, 2

HALECTINOSOMA N. COMP., LANG 1965: 33, 34 — AS

H. LITTORALE

Halectinosoma longisetosum Lang

—Lang, 1965: 48-52, fig 22-24

HALECTINOBOMA MONARDI SOYER, 1972

- SOYER, 1972: 102, 112, 117-121 ♀ ; Pl. VII - VIII
- BODIN 1977: 314-

= HALECTINOSOMA

Ectinosomidae - Harpacticoida.

Ectinosoma neglectum G. O. Sars, ♀.

— — Sars, 1904, p. 31: pl. 17, f. 1.

— — Sars, 1916, p. 5.

— — Willey, 1920, p. 24K: f. 29-32, text

— — Stephensen, 1929, p. 3.

— — , Jespersen, 1940, p. 73. Iceland.

Habitat. Norway fjords: Polar Islands north
of Grinnell Land: Faroes.

— — Lang, 1936, p. 10.

— — LANG, 1948, P. 211, Pl. 112:7, 5-201, 116:5

-- --, Chappuis, 1957. Puget Sound

-- --, Wells, 1965. p. 3

— —, Chappuis 1958 p 411

--, Jakobi, 1959, p. 141

--, Klie, 1941, p. 2, 5-6

-- DERJUGIN 1928b: 529; KILDIN IS., BARENTS SEA

Halectinosoma neglectum (Sars)

-- REID 1990g: 198

--, Montagna & Carey, 1978, p. 119

--, Coffin, 1978-79, p. 593

-- GRAINGER & MOHAMMED 1986: 309-, ARCTIC

ECTINOSOMA-, SHIH ET AL. 1971: 51, CANADA -
ATLANTIC; 210, ARCTIC

E. (H.)-, CRANDELL 1967: 37-, YAQUINA BAY, OREGON

H.-, COULL 1968: 59-, BERMUDA

E.-, REED 1990b: 348

Halectinosoma neglectum (Sars)

card 3

Ectinosoma -, Grandori 1914: 164, Venice Lagoon

E. -, C. B. WILSON 1936: 372, OFF LABRADOR, +
CANADIAN ARCTIC.

H. -, CLEMENT + MOORE 1995: 257-260, FIG. 4,
NORWAY, SCOTLAND, IRELAND, ICELAND, CANADA,
SWEDEN

Halectinosoma ornatum Lang

— Lang, 1965: 42 — 48, fig. 18a.1 — d.1;
19 a.1 — g.1; 20 a.1 — b.1; 21 a.1 — b.1, Pl. I, fig f
Pl. II, fig. a.

-- CLÉMENT & MOORE 1995: 269, 283

Halectin osoma otakoua Wells, et al.

— Wells, Hicks & Coull, 1982: 152-155, fig 1 & 2.

-- IWASAKI, N. 1993: 402; TABS. 3, 4, NEW ZEALAND

HALECTINOSOMA PARADISTINCTUM JOYER, 1972

- JOYER, 1972: 102, 103-107 ♀, 125; PL. I, II
- BODIN 1977: 314-

Halectinosoma paraspinicauda Bodin, 1977

-- Bodin 1977:312-318, figs. 2,3, n. sp. ♀ only, Rivedoux,
France

Halectinosoma perforatum n. sp.

--, Ito, T., 1981, p. 431, figs. 7-11

-- CLÉMENT + MOORE 1995: 293

HALECTINOSOMA POROSUM WELLS, 1967

- Wells, 1967: 225-228, fig 19^{B-H}-20A-F
-- COOK, 1975: 113
-- BODIN 1977: 314-

Ectinosomidae — Harpacticoida

Ectinosoma propinquum T. & A. Scott, ♀. ①

— — T. & A. Scott, 1896, p. 428: pl. 36, f. 19, 27, 46,

— — T. Scott, 1906, p. 307; 1903, p. 8

— — Thompson & Scott, 1903, p. 257,

— — Sars, 1904, p. 32: pl. 17, f. 2,

— —, LANG, 1948, p. 208, pl. 112: 4, 5-201-116: 1-5-210.

Habitat. British Seas: Franz Josef Land.

— — T. Scott, 1899^e, p. 95,

-- --, Chappuis, 1957. Puget Sound

— —, Chappuis 1958, p 411

-- , BODIN 1968: p. 279. — (Halec.) —.

-- KRISHNASWAMY 1957d: 12

Halectinosoma propinquum (T. & A. Scott, 1894)

(2)

-- --, Bodin, 1972, p. 845, 859.

--, Bodin 1970: pp. 393, TAB. 3

--, BODIN 1971: pp. 417, 428 - Tab.

-- CHISLENKO 1977b: 271, FRANZ JOSEF LAND

-- MOORE, C.G. 1976c: 131, ISLE OF MAN; FIG. 1(A)

ECTINOSOMA (H.) -, BODIN 1964: 121, GULF OF MARSEILLES,

Pl. I FIG. 3

H. -, CLÉMENT & MOORE 1995: 264, 267-269, SYN. OF

H. CHRYSALLI, NEW SYNONYMY.

Leucinosomidae - Harpacticoida
T. ctinosoma proximum G.O. Sars. ♀ /

- — Sars, 1919, p. 23: pl. 15, fig. 1.
— —, LANG, 1948, p. 213, Pl. 116: 8-5-210.
— —, Jakobi, 1959, p. 141

Habitat. Norwegian Coast.

Malectinosoma proximum (Sars)

2

--, Bodin, et al, 1971, pp. 118.

--, SOYER, 1972: 121

ECTINOSOMA -, SHIH ET AL. 1971: 51, CANADA -
ATLANTIC

H. -, CLÉMENT + MOORE 1995: 269-274, FIGS. 9-11,
SCOTLAND, NORWAY

HALECTINOSOMA PSEUDOSARSI CLÉMENT & MOORE, 1995
-- CLÉMENT & MOORE 1995: 247, 249-257, FIGS. 1-3,
N.SP., SCOTLAND, NORWAY, CANADA

Halectinosoma pterinum Moore, 1974

-- Bodin 1977:312-314, fig. 1, Rivedoux, France

HALECTINOSOMA ROUCHI SOYER, 1972

- SOYER, 1972: 102, 121-125 ♀; PL. IX-X
-- BODIN 1977: 314-

= HALECTINOSOMA

Ectinosomidae - Harpacticoida

Ectinosoma sarsii Boeck, ¹⁸⁷² ♀
1

— — Boeck, 1873, p. 45.

— — Norman & Brady, 1909, p. 118.

— spinipes Brady, 1880, vol. 2, p. 9: pl. 36, fig. 1-10

— sarsii Sars, 1904, p. 30: pl. 16.

Habitat. Tide pools, etc., English coast,
Norway Fjords

- — T. Scott, 1906, p. 306; 1903, p. 8.
— melaniceps Brady, 1872, p. 435: pl. 20, f. 1-12.
— — Brady & Robertson, 1873, p. 130,
— sarsi Pesta, 1921, p. 565: text-fig. H9.
— — T. Scott, 1849^c, p. 94.
— — A. Monard, 1928, p. 294: fig. 4.
— — Lang, 1936, p. 9;
— — , LANG, 1948, p. 206, K. 112:3, S. 201.
— — , Wells, 1965. p. 2, 29, fig 100-102
— — , Wells, 1970, pg. 255

= HALECTINOSOMA

Ectinosoma sarsi Boeck

card 2

--, Dolzonolskaya, 1970, p. 60, pl. VII, fig. 1

- Sarsii, Giesbrecht, p. 108, 1882

" " , Giesbrecht, 1881, p 255

--, Jakobi, 1959, p. 141

--, Lang, 1944, p. 6 (subgen. Halectinosoma nov.)

- Scott & Scott, 1901: 342

E. -, SHIH ET AL. 1971: 51, CANADA - ATLANTIC

H. -, COULH 1968: 59, BERMUDA

E. (H.) -, BODIN 1964: 121

Halectinosoma sarsi (Boeck)

3

- - , Bodin, et al, 1971, pp. 118-119.

--, COLL, 1970: 341

-- REID 1990g: 198

-- CHISLENKO 1977b: 271, FRANZ JOSEF LAND

-- GRANDORI 1914: 164, VENICE LAGOON

-- CLÉMENT & MOORE 1995: 256, SPECIES INCERTAE SEDIS.

HALECTINOSOMA SIMILIDISTINCTUM LANG

-Lang, 1965: 38 - 42, fig. 15a-g, 16

--, SOYER, 1972: 107

HALECTINOSOMA SMIRNOVI (Chislenko
~~TEHISLENKO~~, 1967)

--, = H. UNICUM, COLL, 1975:114

Halectinosoma spinicauda (Wells, 1961

Ectinosoma Wells, 1961:264-

Ectinosoma -, Wells 1970:256

Halectinosoma -, Bodin 1977:317-

= HALECTINOSOMA

Rictinosomidae - Harpacticoida

Fictinosoma spinipes Brady, ♀

E. — Brady, 1880, vol. 2, p. 9: pl. 36, f. 1-10.

E. — Thompson, 1893, p. 192: pl. 18, f. 8, a-b.

E., Giesbrecht, 1882, p. 108

A synonym of Fictinosoma sarsii,
(Norman & Brady, 1909, p. 118.)

E., Giesbrecht, 1881, p. 255

E. — THOMPSON, I. C. 1889c: 192, LIVERPOOL BAY, ENGLAND

H. — CLÉMENT + MOORE 1995: 293, SPECIES DUBIUM

HALECTINOSOMA TRAVEI SOYER, 1972

-- SOYER, 1972: 102, 107-112 ♀; PL. III-IV

-- BODIN 1977: 314-

Halectinosoma uniarticulatum Borutzky, 1972

-- Rouch 1986b: 326

HALECTINOSOMA UNICUM LANG

- Lang, 1965: 57-61, fig. 28-29

--, COUL, 1975: 114 ; SYN: H. SMIRNOVI

HALECTINOSOMA VALERIAE SOYER, 1972

-- SOYER, 1972: 102, 112-115 ♀; Pl. IV-VI

-- BODIN 1977: 314-

Halectinosoma wieséi (Smirnov, 1932)

-- Chislenko, 1977b: 271, Franz Josef Land

HALECTINOSOMA WINONAE COULL, 1975

-- COULL, 1975: 113, 114-117 ♀♂; FIG. 1, 2

-- COULL, ET AL, 1979: 183, 186; FIG. 1; TAB. 2

-- Montagna et al 1983: passim

-- BODIN 1977: 314-

Halectinosoma sp.

-- BRICKMAN 1972: 132-, NEW JERSEY

--- Coull and Vernberg, 1975, pp. 290-292, figs 1-3.

~~sp. 1: BODIN 1970: pp. 394-396, Pls. 4, 5, TAB. B.~~

~~sp. 2: BODIN 1970: pp. 396-398; Pl. 6, TAB. B.~~

--, Becker, Von K., 1970, p. 58 (see species listed p. 58)

--, Montagna & Carey, 1978, p. 119

--, Coull & Wells, 1981: passim

— Reidenauer & Thistle, 1981: tbl. 4

-- RANGA REDDY 1980: 165

-- REID 1979: 45-, NORTH CAROLINA

Halectinosoma sp.

card 2

- Ishida 1993a: 164, Hokkaido, Japan

ECTINOSOMA (HALECTINOSOMA) SP.?, BODIN 1964: 120-

GULF OF MARSEILLES; PL. I FIG. 2

-- FLERGER, TANG + HIGGINS 1983: 940-942, 945,
TABS. 1, 2, CHINA

HALECTINOSOMA OR PSEUDOBADYA SP.?, REED 1990

--- REED 1990 b: 342, FIGS. 26, 27, TUKTOYAKTUK, N.W.T.,

CANADA

Halectinosoma sp. 1, Bodin 1970

-- Bodin 1970:394-396, Pls. 4,5; Tab. B

-- Bodin 1977:314

Halectinosoma sp. 2, Bodin 1970

-- Bodin 1970:396-398, Pl. 6, Tab. B

-- Bodin 1977:314--

HALLECTINOSOMA spp.

- spp. 1+2, DUMONT + MAAS 1988b: 4, 6, IVORY COAST

HALECTINOSOMA JPP.

-- KASK ET AL. 1982: 33, BRITISH COLUMBIA