

Interleptomesochra ^{Ameiridae; Harpacticoida} Lang

-Lang, 1965: 375 Key

= INTERLEPTOMESOCHRA ^{CANTHOCAMPTIDAE - HARPACTICOIDA}

Leptomesochra attenuata (A. Scott), 1

Normanella — A. Scott, 1895, p. 16; pl. 4, fig. 8-20.

Leptomesochra — Sara, 1911, p. 419; Suppl. pl. 41,

— — Monard, 1935a, p. 60, Roscoff, France

— —, LANG, 1948, P. 840.

LEPTOMESOCHRA ATTENUATA: NOOT 1955 mentioned that

Habitat. British Isles: Norway Coast,

IRELAND.

SCOTT'S species preoccupied the name, therefore proposed a new name for *L. attenuata* NICHOLES.

INTERLEPTOMESOCHRA ATTENUATA (A. SCOTT)^{2.}

• LANG 1965: 338, INTERLEPTOMESOCHRA N. COMB.

--, SOYER, 1974d: 406

Interleptomesochra boguensis n. sp.

--, Lindgren, 1975, p. 462, figs. 11-12, tbl. 4,

NORTH CAROLINA

Interleptomesochra eulitoralis (Noodt, 1952)

- Mielke, 1975:71, fig. 46

- Mielke, 1976:49-51

-- WILLEMS 1981: 200, NORTH SEA

Interleptomesochra noodti Galhano

-- -- Galhano, 1968, pg. 9-15 , figs. 1-3

Interleptommesochra reducta Lang

—Lang, 1965: 375-377, fig. 207, CALIFORNIA