

Irodes - valid Cyclopora  
Poecilostomatoida Ergasilidae.  
Wilson, 1911. I. gracilis

Includes certain species formerly  
called Bomolochus.

Syn. Irodes, Wilson, 1911, p. 390

Irus, the well-known beggar of Ithaca  
and Eidos, similarity or likeness.

First seg't united with head for carapace -  
5 free seg'ts, & last forming & gen. seg't. 1<sup>st</sup> Ant.  
neither very large nor heavily armed with se-  
tae - Mouth-parts close to antennae - 2<sup>nd</sup> Ant.  
2-jointed & tipped with setae - 1<sup>st</sup> mx. present  
close to & margin of carapace as in Caligidae.  
2<sup>nd</sup> mx as in Bomolochus - 2<sup>nd</sup> mx. p'ds in  
normal median position, not lateral - armed  
with ordinary claws & without plumose setae.  
1<sup>st</sup> legs with wide rami like those in Ar-  
tacolar; other legs like Bomolochus -

Irodes WILSON, 1911

CARD 2

- , Ho, 1969, p. 129, generic name should be discarded
- , DOJIRI + CRESSY 1987: 1-7, <sup>162-</sup>163, REVISION, DIAGNOSIS  
+ KEY TO ? ; BOMOLOCHUS GRACILIS HELLER, TYPE SPECIES;  
194
- BALARAMAN 1983a: 41, INVALID

IRODES ANGUILLARIS DEVI + SHYAMASUNDARI, 1980

-- DOJIRI + CRESSEY 1987: 22, 26, TRANSFERRED TO  
TAENIACANTHUS; 162

IRODES CALLIONYMI (YAMAGUTI, 1939)

ANCHISTROTOS -, YAMAGUTI 1939: 412, PL. 13, FIGS. 112-118,  
HOST-GILLS, CALLIONYMUS ALTIVELIS TENN. + SCHLEG.,  
KÖTI, JAPAN

A. -, HO 1969: 128

A. -, AUDERU 1977: 138; SYN. IRODES C.

A. -, HOLMES 1985: 24

IRODES -, N. COMB., DOJIRI + CRESSEY 1987: 163

A. -, HUMES + ROSENFELD 1960: 185

Irodes gracilis. Heller. ♀ Ergasilidae.

Bomolochus gracilis, Heller, 1865, p. 157;  
pl. XIII, fig. 3.

— —. B. Smilk, 1899, p. 442.

Irodes g., Wilson, 1911, pp. 384, 390. —  
MADE TYPE OF N. GEN. IRODES

Host, Gills, of Zygæna malleus, Tava.

—, Ho, 1969, p. 127, 129, = Anchistrotos gracilis

IRODES GRACILIS HELLER

CARD 2

-- DOJIRI + CRESSEY 1987: 5, 162-169, FIGS. 112-115, 161F,  
162A, B; REDESCRIBED ♀♂; HOSTS + LOCALITIES; TYPE OF  
GENUS - TRANSFERRED BACK TO IRODES FROM BOMOLOCHUS;  
NEW SYNONYMS TAENIACANTHUS ALBIDUS, T. FLAGELLANS +  
T. INDICUS; 176

ANCHISTROTOS -, HOLMES 1985: 24

TAENIACANTHUS ALBIDUS, WILSON 1911: 388, pl. 60, FIG. 41 - N. SP.

TAENIACANTHUS ALBIDUS, PILLAI 19?: 1559

T. FLAGELLANS, WILSON 1913: 206, pl. 25, FIGS. 54-61, N. SP.

IRODES GRACILIS HELLER

CARD 3

TAENIACANTHUS FLAGELLANS, PILLAI 197: 1559

T. INDICUS, PILLAI 1963: 112-114, FIG. 1 - N. SP.

T. INDICUS, HO 1969: 128

T. INDICUS, PILLAI 197: 1559, FIG. 1.

ANCHISTROTOS -, KABATA 1979: 74

BONOLUCHUS -, BALARAMAN 1983b: 41-



Irodes lagocephali (Pearse)

Taeniacanthus lagocephali Pearse, 1952. p. 8, fig. 1-4

Irodes lagocephali (Pearse)--Pillai 1963. pp. 124-126.  
fig. 7

- , Ho, 1969, p. 111, 129, = Taeniacanthus lagocephali  
-- Pillai, 1973, p. 1563, fig. 9  
-- DOJIRI + CRESSY 1987: 54, 60, = TAENIACANTHUS L.

IRODES REMIPES DOJIRI + CRESSEY 1987

- DOJIRI + CRESSEY 1987: 163, 169-176, FIGS. 116-120,  
N. SP. ♀, HOSTS PLOTOSUS LINEATUS + CNIDOGLANUS  
MACROCEPHALUS, WEST + INDO-PACIFIC.
- DOJIRI + CRESSEY 1991: 595

IRODES SAURIDI (PILLAI, 1963)

ANCHISTROTOS SAURIDI, PILLAI 1963: 126, FIG. 8 - N. SP.

A. -, PILLAI 19? : 1963, FIG. 10

A. -, HO 1969: 128

A. -, HOLMES 1985: 24; ALSO A. UPENEI

I. -, DOJIRI & CRESSAY 1987: 163, 176-180, FIGS. 121-123,  
REDESCRIBED ♀; HOSTS UPENEUS VITTATUS & PARUPENEUS  
CYCLOSTOMUS, INDIA & KENYA; TRANSFERRED TO IRODES;

ANCHISTROTOS UPENEI DEVI & SHYAMASUNDARI A SYNONYM; 184

A. -, AVDEYEV 1977: 132-133, 138, FIG. 1 (= IRODES S.)

Irodes <sup>tetradon</sup>tetradontus, B. Smith, ♀. Ergasilidae.

Bomolochus <sup>tetradon</sup>tetradontus, B. Smith, 1898<sup>a</sup>, p. 4: pl.

I, fig. 2, a — h.

B — tetradontis, B. Smith, 1899, p. 442.

Irodes t., Wilson, 1911, p. 386, 390.

Host. Gills of Tetrodon oblongus.  
Bombay.

— — Yamaguti, 1936, Pl. 3, figs. 30-39, pl. 4, figs. 40-48.  
—, Ho, 1969, p. 127, = Taeniocanthus tetraodontis  
—, Yamaguti & Yamasu, <sup>129</sup>~~1958~~ 1959, p. 106  
— —, Pillai, 19?, p. 1562, fig. 8

IRODES —, DOTIRI & CRESSEY 1987: 137, 142, — — SENSU

YAMAGUTI, 1936 = TAENIACANTHUS YAMAGUTII;

BONOLOCHUS TETRAODONTIS BASSETT-SMITH = TAENIACANTHUS T.

IRODES UPENEI (YAMAUTI, 1954)

TAENIACANTHUS -, YAMAUTI 1954: 377-378, pl. I Figs. 8-10,  
pl. II FIG. 20, N. SP.

T. -, HO 1969: 128

--, DOJIRI & CRESSY 1987: 163, 180-184, FIGS. 124-126,  
REDESCRIBED ♀, NEW HOST RECORDS; TRANSFERRED TO

IRODES; SYNONYMIZED ANCHISTROTOS PARUPENEI

ANCHISTROTOS PARUPENEI, HOLMES 1985: 24

Irodes yamaguti Shiino, 1957

1957---Shiino, Suetō M., pp. 376-383, figs. 1-3.

--, Ho, 1969, p. 127, = Taeniocanthus tetraodontis

--, Yamaguti & Yamasu, 1959, p. 106

-- DOJIRI + CRESSEY 1987: 137, 142, <sup>162</sup><sub>1</sub> = TAENIACANTHUS YAMAGUTI