

in) ~~Laophontidae - Harpacticoida.~~
LAOPHONTOPSIDAE
Laophontopsis

Sars, 1908.

L. lamellifera (M).

Syn. Laophontopsis Sars, 1908, p. 265,

Laophonte and opsis, likeness.

Body slender, cylindrical; integument hard with pitted sculpturing. Caudal rami lamellar, the setae short and rudimentary. First antennae with reduced seg'ts. Second antennae and the mouth parts like those of Laophonte.

Endopod of swimming legs reduced to 2 joints. Last legs in ♀ with both distal and proximal joints narrowly produced.

LAOPHONTOPSIS SARS, 1908

CARD 2

- HUYS + WILLEMS 1989: 203; TRANSFERRED TO
LAOPHONTOPSIDAE N. FAM.; DIAGNOSIS, KEY

Laophontopsis borealis Huys & Willems, 1989

-- Huys & Willems 1989: 206-, figs. 1-7, n. sp. female + male, Eastern Scheldt (The Netherlands), Norfolk, England, Christiana Fjord, Norway, France, Sweden, Belgium

— WILLEN 1995: 254

Laophontidae - Harpacticoida.

Laophontopsis lamelligera (Claus),

Cleta — Claus, 1863, p. 123: pl. 15, f. 21-25.

Laophonte — Brady, 1880, vol. 2, p. 83: pl. 75, f. 15-23.

Laophontopsis — Sars, 1909, p. 266: pl. 185.

— — Norman & Brady, 1909, p. 140.

L. —, HAYS + WILLEMS 1989: 206, TYPE OF GENUS.

Habitat, British Seas: Norway:

— — Monard, 1928, p. 428 : fig. 44.

— — Monard 1935a, p. 73, Roscoff, France, fig. 206-207

— —, Mathias & Euzet, 1951, Étang de Thau. (p. 186)

— —, Wells, 1970, p. 267

— —, WELLS, 1979: 76

— — HICKS 1980: 164-, BRITAIN

Laophontopsis monardi Huys & Willems, 1989

-- Huys & Willems 1989: 216, n. sp., Banyuls, France

Laophontopsis secunda - see *Telodocus*