

in)

Midias valid

Wilson, 1911 —

Caligidae
Caligoida

m. lobodes

— Dojiri, 1983: 251 - 256

— DOJIRI + CRESSEY 1991: 605 -

— PRABHA 1983: 53; SYNONYM OF CALIGUS (NEW
SYNONYMY)

Midias = a disreputable Athenian.

First 3 segts. united with head; frontal plates poorly defined but with lunules. Free segt. short and wide, with rudiments of dorsal plates in the ♀. Gen. segt. enlarged with legs at the posterior corners in both sexes. Abdomen long, 2-jointed in ♀, the basal joint with large lateral lobes, indistinctly jointed and without lobes in ♂. Max. hooks and furca present; first 3 pairs of legs biramous, endopod of first pair rudimentary.

Midias carangis Rangnekar

1956---Rangnekar, pp. 49-52, 1 pl.

--, Lewis, 1967: 93, 100, 101

-- PRABHA & PILLAI 1983: 23, IN CALIGUS

Caligidae.

Midias lobodes, n. gen.: n. sp. Wilson.

---, Wilson, ^{1911-b} p. 625: pl. 65, figs. 1-12.

---, Wilson, 1913, p. 225.

---, Shiino 1963. p. 343

--- Lewis, Dean, + Gilfillan, 1969, p. 421, fig 4, Tbl. 19

--- Pillai, 19?, p. 1602, fig. 100

Host. Outside surface of Great Barracuda
Sphyræna barracuda.

West Indies.

Cressey & Lachner, 1970, p. 317

--, Lewis, 1967, pp. ^{1, 92,} 94, 96, 98, 100, 101, figs. 34-36

— Dojiri, 1983: 256-261, fig. 103-107

-- PRABHA & PILLAI 1983: 20-24, FIGS. 101-121 & 907,
HOST SAHYRAENA PICUDA, TRIVANDRUM, INDIA

-- SHIINO, 1965: 343, HAWAII, EX SAHYRAENA
BARRACAUDA