

Diaptomidae - Calanoidae

Mixodiaptomus Kiefer 1932

Wierzejski, 1882.

M. tetricus

①

Syn. Mixodiaptomus, Kiefer, 1932, p. 472.
=

MIXODIAPTONUS TIEFER, 1932

CARD 2

- , BALDI 1936: p. 836, Key to genus.
- , BORUTZKY, 1960: 18, 20, 35-37, KEY
- , STELLA 1984: 34, 76 - DIAGNOSIS + KEY TO ITALIAN SPECIES.
- STELLA 1982: 56-57, " " " "
- DASSART 1989: 56-57, DIAGNOSIS, KEY - AFRICAN spp.
- BORUTZKY ET AL. 1991: 329-332, DIAGNOSIS, KEYS

Mixodiaptomus budapestinensis

— Pirocchi, 1944, p. 39

Diaptomidae - Caranocida

Mixodiaptomus incrassatus (Sars) ♂♂.

Diaptomus — Sars, 1903, p. 202 : pl. II, figs. 2, a-9.

Mixod. — Kiefer, 1932, p. 506 (key).

— —, Kiefer, 1954, pp. 332, figs. 34-37. Morocco.

— — : de Lépiney, 1961, p. 51, fig. II. Morocco, temporary ponds.

— —, 1964, B. H. Dussart, p. 122;

Habitat. Mongolia.

—, Academia Sinica, 1979: 112-113; FIG. 55; SYN:

DIAPTOMOS I. ; D. PONTIFEX

—, Domont & Decraemer, 1977: 258

--, BREHM 1949: 416, 418.

Mixodiaptomus incrassatus (Sars)

card 2

--, Stella, 1970, p. 81-82

--, Borutzky, 1959: 47 - 48

--, Gauthier, 1934: 67, 123

- de Lepiney, 1959: 157 - 159, fig. 1-4

-- BREHM 1955 c: 262

- Petkovski, 1983: 168-170, fig. 41A-I

- Alonso & Comelles, 1984: 1701

-- BORUTSKY 1960: 35, 37, FIG. 10 (1, 2)

-- STEPANOVA, 1983: 1745

-- KI: S-1970: 212

MIXODIAPTONUS INCRASSATUS (SARS)

CARD 3

-- STELLA 1984: 3, 76, 83-85, FIG. 33, GIVES DISTRIBUTION-
ITALY + MAJOR SYNONYMY.

D. PONTIFEX, BREHM 1925: 182, FIGS. 1-6, N. sp. ♀♂, SPAIN,
NORTH AMERICA.

D. PONTIFEX, KIEFER 1927: 104

D. PONTIFEX, BREHM 1947: 58

D. PONTIFEX, BREHM 1949: 413.

D. PONTIFEX, MARGALEF 1943: 382-383, FIGS. 10-12

-- STELLA 1967: 377-384, FIGS. 1-5, SARDINIA; SW.

D. PONTIFEX

Mixodiaptomus incrassatus (Sars)

card 4

- STELLA 1979a: 317-, distribution, Italy
- STELLA 1982: 27, 61-63, FIG. 38 - ITALY
- STELLA + MARGARITORA 1975-76: 4-, SARDINIA
- D. -, SARS 1903: 234-, RECORDS - CENTRAL ASIA
- M. -, DUSSART 1989: 60-61, FIG. 34, RANGE - AFRICA
- D. -, BREHM 1959c: 933
- M. -, JAUME 1989: 107-, MAJORCA
- M. -, JAUME 1990: 207, 209-211, FIG. 1, BALEARIC IS. -
INLAND.

Mixodiaptomus incrassatus (Sars, 1903)

card 5

- Borutzky et al. 1991: 338-341, Fig. 144, dist.-USSR
- Stepanova 1994: 134, NORTH KAZAKHSTAN
- Alonso 1984: LSF, Figs. 2Aa, 2B5, 3a, 4a, 5e, 6d,
SPAIN; SYNONYMY
- Kieffer 1938: 123, 124, Morocco

Mixodiaptomus kozhovi Stepanova, 1983

-- Stepanova, 1983: 1743-1745, figs. a-m, n. sp. ♀♂,
Lake Khubsugul, North Mongolia

-- Borutzky et al. 1991: 341-342, Fig. 145, DIST. - USSR

Diaptomidae-Calanocera.

[MIXO]

Diaptomus kupelwieseri Brehm, ♀. ♂

- SEE ALSO Mixodiaptomus KUPELWIESERI

-- Brehm, 1907, p. 321: 2 text-figs.

-- Kiefer, 1927, p. 407: figs. 9 - 15.

-- Kiefer, 1930, p. 315:

Transferred to Mixodiaptomus Kiefer, 1932, p. 507.
--, Brehm, 1953, p. 163

Habitat. Alps; Southern France;

--, BALDI 1936a: p. 842, synonym with
Mixodiaptomus.

Diaptomidae-Calanoida

Mixodiaptomus Kupelwieseri (Bröhm) ②

-- Pirocchi, 1944, p. 39-52 fig 1-6, TAB I-IV

-- Kiefer, 1932, p. 515, : figs. 75-79

Diaptomus — Bröhm, 1907, p. 321: figs. 9-15

M— — , Hertzog, 1935.

— — , Aguesse, 1957, p. 242. List.

— — , Dussart, in Aguesse + Dussart, 1957, p. 490. Camargue, France.

Habitat North America

Myxo — , Banarescu + Serban, 1954, pp. 42-43.

Mixo — , Kubíček, 1959.

-- --, Stella, 1961. pp. 51-74, fig. 1-21

-- --, Petkovski, 1961, p. 180

-- --, Ponyi, 1967, pp. 180-181

-- -- , Champeau, 1970, pp. 155-189, diapause eggs.

--, Baldi, 1950, p. 92

--, Aguesse & Dussart, 1957, p. 480

Diaptomus —, BALDI 1936 a: p. 842

Mixodiaptomus kupelwieseri (BREHM)

card 3

--, Tonolli, 1949, p. 146

--, Stella, 1970, p. 78-80

- Marcus, 1976: 215, fig. 1

- Pirocchi, 1949: 365-366

-- WALTON 1985: 175

- Petkovski, 1983: 162-164, fig. 38 A-L

- Damian-Georgescu, 1966: 100 - 104 fig. 38-39

-- Borutzky, 1960: 35, FIG. 10 (6)

- Kiefer, 1978: 212

MIXODIAPTOMUS KUPELWIESERI (BREHM)

CARD 4

-- STELLA 1984: 3, 4, 14, 76-79, FIG. 30, DISTRIBUTION - ITALY;
GIVES MAJOR SYNONYMY.

DIAPT. BUDAPESTINENSIS, JUNG-MAYER 1914: 95, FIGS. - N. SP.

D. LAMELLATUS, KIEFER 1930: 316, FIG. 4

D. LAMELLATUS, KIEFER 1933: 601, FIGS. 162-169, SYNONYM
OF D. KUPELWIESERI

D. LAMELLATUS, BREHM 1953: 163.

-- STELLA 1964: 237-, LATIUM, ITALY
-- STELLA 1967: 377

Mixodiaptomus kupełwieseri (Brehm)

card 5

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1979b: 343 - 344, SICILY

-- STELLA 1982: 27, 57-59, FIG. 35 - ITALY

-- STELLA & MARGARITORA 1975-76: 4-, SARDINIA

D., BREHM 1908a: 450 -

D., LÖPFLER 1958b: 11-, AUSTRIA (SEEWINKEL)

D., LÖPFLER 1959c: 390 -, AUSTRIA

M., KIEFER 1971: 187, ARCTODIAPTOMUS KLIFI ♀

Possibly a synonym.

Mixodiaptomus kupelwieseri (Brehm)

card 6

-- Herzig 1983:65-, Austria

-- Borutzky et al. 1991: 333-335, FIG. 141, DIST. - USSR

-- Alonso 1988: 137-, FIGS. 2Ad, 2Bd, 3d, 4d, 5d, 6e,
SPAIN; SYNONYMY

-- Lescher-Mouroué 1996: 907-

[Mixo] Diaptomidae - Calanoida.
Diaptomus laciniatus Lilljeborg, ♀.

(99)¹⁰¹

- — Lilljeborg, 1889, p. 47⁴⁹, pl. I, fig. 22, 24, 25.
- — Burckhardt, 1900, p. 164.
- — Matscheck, 1910, p. 39; pl. 6, fig. 54-58.
- — Richard, 1891, p. 250

Habitat. Minnesota: France: Norway:
Switzerland: Germany: Lappland.

- — G.O.Sars, 1902, p. 91: pl. 62.
— — Herrick, 1895, p. 74: pl. 8, fig. 15: pl. 10, fig. 12.
— — De Guerne & Richard, 1889², "pl. 18: Table
— — Scourfield, 1903, p. 533.
— — Schmeil, 1898, p. 167: pl. 13, fig. 3-5.
— — Giesbrecht & Schmeil, 1898, p. 87.
— — Gurney, 1931, p. 139.-148, figs. 170-182.
— — Pesta, 1924, p. 556.
— — Rylow, 1930, p. 160: fig. 41.
— — Kiefer, 1928, p. 98: fig. —
Transferred to *Mikodiaptomus* Kiefer, 1932, p. 506.
— — migoti. Monard, 1928, p. 257: figs. 11-12.

[Mixo]

Diaptomus laciniatus

card 2

--, Pesta, 1928, p. 42-3, fig. 32

--Geiling and Campbell, 1972, pp. 304-305.

--, MAIN, 1962: 116

--, COMITA + COMITA, 1957: 321 S TAB. 1

--, COMITA + McDONELL, 1976: 123

--, BALDI 1936a: p. 842. = Mixodiaptomus.

--, COMITA 1956: 579.

— Löffler, 1958: 22, 24

— Haberbosch, 1920: 108

Diaptomidae - Calanoida

Mixodiaptomus laciniatus (Lilljeborg) ♂♀ ♂

Diaptomus — Lilljeborg, 1889, p. 47(99); pl. I, f. 22, 24, 25.

Mixod. — Kiefer, 1932, p. 506 (key)

— — , Ravera, 1953. Developmental stages, pl. 2, 8, 9.

— — , Herbst, 1955. p. 114

— — , Edmondson, et al, 1962. p. 627. Development rate of eggs,
from Eichhorn 1957.

Habitat. Minnesota: Europe

— , Roff, 1972, p. 157, 159

— , Pirocchi, 1944, p. 40

— , Heip & Smets, 1976: TAB. 5

- , Herbst, 1953, p. 146
--, Kiefer, 1952, p. 52, 61
--, Kiefer, 1958, p. 47-48
--, Baldi, 1949, p. 62
--, Baldi, 1950, p. 95
--, Evans, 1970: 86
--, Comita & Comita, 1964: 153-164 O₂ UPTAKE, Lake Maggiore,
Italy.
--, Comita, 1965: 466, 467
--, Comita & Mc NEIL, 1976: 123
--, Comita & Comita, 1966: 180
--, BALDI et al. 1949: 297-305, ♂ + ♀, size corr. depth.
--, BALDI 1951: p. 39, fig. 1, Tab. 1.

Mixodiaptomus

Iaciniatus

CARD 4

Diaptomus —, BALDI 1936a: p. 842.

—, BALDI 1946: pp. 10-12, 15; Figs 8-9b; Tabs. 9, 10.

—, BALDI et al. 1953: pp. 63, 75, 103, 105-107;
Tabs. 4-7, 9.

—, BALDI 1951: pp. 67, 68.

Misodiaptomus —, BURGIS 1970: 746.

—, COMITA 1956: 588.

—, Grimaldi, E., 1964, p. 211

—, Ravera, 1955, p. 436

card 5

Mixodiaptomus laciniatus

--, Tonolli, 1949, p. 145-155

--, Burgis, 1970, p. 746

-- Fryer, 1980 : tabl. 1

- Armengol, 1978: 72-74 , fig. 63.

- Tonolli, 1949: 283-293

- Tonolli, 19~~61~~⁶¹: 921, fig 1. & (1961)

-- Nilsson & PEJLER 1973: 54-77.

-- PECORINI 1959: 219-237.

-- Rey 1984: 149 f.

Mixodiaptomus laciniatus (Lilljeborg)

card 6

-- Rey & Capblancq 1975: 1-43, Lac de Port- Bielh,
Pyrenees.

— Petkovski, 1983: 166-168, fig. 40A-G

~~-- Borutzky, 1960: 35~~

— Kiefer, 1978: 212

-- Kamal & Armitage 1967: 573

-- Stella 1984: 3, 14, 17, 19-21, 25, 76, 85-87, FIG. 34- GIVES
DISTRIBUTION - ITALY, & MAJOR SYNONYMY.

-- Stella 1967: 377

Mixodiaptomus laciniatus (Lilljeborg)

card 7

-- Stella 1982: 27, 63-64, fig. 39

-- ANTONIETTI ET AL. 1988: 550

D., MAUCHLINE 1988: 712

D., FORRÓ 1986: 560

M. - : Bussart, 1967: 145-147, fig. 50.

D., EKMAN 1904: 39-, SWEDEN

M. - , CAVALLI 1949: 309-315, LAGO MAGGIORE, ITALY

D., BREHM 1908a: 452 -

Lilljeborg in

MIXODIAPTONUS LACINIATUS (GUERNE ET RICHARD) 8

-- PIROCCI 1947C: 60-, LAGO MAGGIORE, ITALY

--, BORUTZKY 1960: 35, FIG. 10(3-4)

-- [STELLA 1984: 85, LILLJEBORG'S ARTICLE WAS CONTAINED
IN A LONGER ONE BY GUERNE + RICHARD.]

-- STELLA 1979a: 317-, DISTR. - ITALY

~~-- STELLA 1982: 27~~

-- DAVIS 1976: 820

D., VAN DOUWE 1909b: 12-13, FIGS. 29-31, GERMANY

M., COMITA 1968: 51-, LAKE MAGGIORE

Mixodiaptomus laciniatus (Lilljeborg)

card 9

-- Herzig 1983:70-

-- Bowman 1990: 293, 295-297, Fig. 3, RECORDS, SPAIN

-- Whitehouse & Lewis 1973: 233 -

D., Harding & Smith 1974: 14-, Figs. 6b, 7a, 9b, BRITAIN

-- Ohman 1988b: 537 -

D., Robert 1921: 46 -, LAKE NEUCHÂTEL, FRANCE

-- Kawabata 1983: 133

M., Borutzky & Itak. 1991: 342-344, FIG. 146, DIST. - USSR

M., Alonso 1984: 144 -, FIGS. 2Ab, 2Be, 3b, 4b, 5c, 6b, SPAIN;
SYNONYMY

MIXODIAPTOMUS LACINIATUS (LILLTEBORG)

CARD 10

-- BOWMAN 1990: 293, 295-297, FIG. 3, SPAN, GROUNDWATER

Mixodiaptomus laciniatus laciniatus Lilljeborg

--- -- --, Champeau, 1970, pp. 155-189.

H. L. STR., DUSSART 1989: 58-59, FIG. 33, RANGE - AFRICA

Mixodiaptomus laciniatus atlantis Kiefer

-- -- Kiefer, 1954 pp. 329-332, figs. 26-29.. Morocco.

--, DUMONT & DECRAMER, 1977: 258, 259, 267; FIG. 1
— Kiefer, 1978: 212

-- BOWMAN 1990: 297

-- DUSSART 1989: 59-60, RANGE - AFRICA

-- ALONSO 1984: 144; FIGS. 2Ae, 2Bc, 3e, 4c, 5a, 6a,
SPAIN

-- BOWMAN 1990: 297

Mixodiaptomus laciniatus migoti Monard, 1928

-- Bowman 1990:297

[Mixo.]

Diaptomidae - Calanoida.

Diaptomus lilljeborgii de Guerne & Richard, ♀.

-- De Guerne & Richard, 1889, pl. 18 : Table,

-- Richard, 1891, p. 248,

-- Herrick, 1895, p. 76 : pl. 9, fig. 6.

-- De Guerne & Richard, 1888, p. 161.

-- Berk & Cole, 1975 : 212

Habitat. France : Algiers.

— Chappuis, 1927 : 41

--, COLE 1968: 465, 468.

— — Giesbrecht & Schmeil, 1898, p. 89.
Transferred to *Mixodiaptomus* Kiefer, 1932, p. 507.

D. — OF DADAY, 1890: STELLA, 1894: 77, SYNONYM OF

MIXODIAPTOMUS KUPELWIESERI

Diaptomidae - Calanoida

Mixodiaptomus lilljeborgi (Guerne + Richard) ♂ ②
— Procchi, 1974, p. 40

— Kiefer, 1932, p. 515: figs. 75 — 79

Diaptomus — Guerne + Richard, 1889: pl. 18, map.

--, Stella, 1970, p. 80-81, figs. 19-20

— Gauthier, 1934: 64

Habitat North America

— Kiefer, 1978: 213

— STELLA 1984: 3, 76, 79-80, FIG. 31 — FIGURES DISTRIBUTION-

ITALY * MAJOR SYNONYMY.

Mixodiaptomus lilljeborgi (Guerne & Richard, 1889) card 3

-- Stella 1967: 377

-- STELLA 1979a: 317-, DISTRIBUTION - ITALY

-- STELLA 1979b: 342-343, RECORDS - SICILY

-- STELLA 1982: 27, 59-60, FIG. 36

-- STELLA + MARGARITORA 1975-76: 4-, SARDINIA

Myxodiaptomus -, HUTCHINSON 1953: 572-

D. LILLJEBORG, BREHM 1908a: 453-

M., DUSSART 1989: 57-58, FIG. 32B, RANGE - AFRICA

M., BORUTZKY ET AL. 1991: 335-336, FIG. 14a, DIST. - USSR

Mixodiaptomus lilljeborgi (Guerne & Richard, 1889) card 4

-- Alonso 1984: 144-, not found in Spain

D., LABBÉ 1927e: 435-

Mixodiaptomus lobulifer (Rylov) - see Arctodiaptomus

Mixodiaptomus ortizi Alonso, 1984

-- Alonso 1984: 140-, figs. 2Ac, 2Ba, -Bb, 3c, 4e, 5b, 6c,
n. sp. female + male, Spain; synonym M. lacinitatus
var. atlantis of Ortiz, 1957

Mixodiaptomus reedi Streletskaya - see M. theeli

Mixodiaptomus sarsi Streletskaya - see M. theeli

Mixodiaptomus skabitschewskyi - see Nordodiaptomus

Diaptomidae - Calanoidae.

[Mixo]

Diaptomus tatricus Wierzejski, ♀. ♂.

D-lacinulatus Wierzejski, 1882, p. 234: pl. 3, fig. 10-13.

D-tatricus Wierzejski, 1883, p. 26

— De Guerne de Richard, 1889, pl. 18: table.

— Herrick, 1895, p. 65: pl. 10, fig. 8.

Habitat. Scandinavia.

--, PESTA 1938: 150-152; Figs 1, 2.

- — Brehm, 1907, p. 319; text-fig. 1.
— — Schmeil, 1898, p. 175: pl. 13, f. 6-7.
— — Giesbrecht & Schmeil, 1898, p. 88.
— — Pesta, 1924, p. 556.

Transferred to *Mixodiaptomus*, Kiefer, 1932, p. 507.
Diaptomus Hartmann, 1915, p. 458: figs. 1-3 variety.

- , Pesta, 1928, p. 43, fig. 34
--, BALDI 1936a: p. 844.

Diaptomidae — Catanoidea

Mixodiaptomus tatraicus (Wierzejski) ②

-- Procchi, 1944, p. 40

-- , Kiefer, 1932, p. 519: p. 507 (key -

Diaptomus — Wierzejski, 1882, p. 234: pl. 3, figs. 10-13.

Myxodiaptomus — , Banarescu & Serban, 1954, p. 42.

-- --, Petkovski, 1961, pp. 180-182

-- , Herbst, 1953, p. 146

Habitat. North America

-- , ACADEMIA SINICA, 1979: 111

-- Petkovski, 1983: 164-166, fig. 39A - H

-- Kiefer, 1978: ~~212~~ 213

-Damian- Georgescu, 1966: 98-100, fig. 36
--, Borutzky, 1960: 35, 37, FIG. 10(5)

-- STELLA 1984: 3, 20, 76, 81-83, FIG. 32, GIVES DISTRIBUTION-
ITALY & MAJOR SYNONYMY.

DIAPOMUS AUREDANUS, LORENZI 1912: 86, FIGS. 1-5, N. SP. ♂, ♀,
FRIULI, ITALY.

D. AUREDANUS, BALDI 1936a: 838

D. APENNICUS, BRIAN 1928: 30, FIGS., N. SP. ♂♀ - ALPINE LAKES.

D. APENNICUS, BALDI 1936a: 838

D. APENNICUS, BRIAN 1927: 30, 1 PL.

-- STELLA 1967: 377

Mixodiaptomus tetricus (Wierzejski)

card 3

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1982: 27, 60-61, FIG. 37- ITALY

D., FORRO' 1986: 560

M., TONOLLI + TONOLLI 1951: 53-136, ITALIAN ALPS

D. AUREDANUS, BREHM 1908a: 450 -; ALSO D. TATRICUS

M., BORUTZKY ET AL. 1991: 332-333, FIG. 140, DIST.-

USSR

M., BREHM 1959: 934

= MIXODIAPTONUS

Diaptomidae - Calanoida.

Diaptomus theeli Lilljeborg, ♂♀ ♂ ♂ ♂

- — De Guerne & Richard, 1889, pl. 18: table.
— — Herrick, 1895, p. 77: pl. 8, f. 11.
— — Lilljeborg, 1889, p. 109: pl. 1, f. 9, 10, 11: pl. 4, f. 18.
— — Giesbrecht & Schmeil, 1898, p. 93.
— Spandl, 1926: 122

Habitat. Siberia.

--, Grochmalicki 1921: 51-52; 6 Figs.

— — Rylov, 1930, p. 150 : fig. 43.

Transferred to *Mixodiaptomus* Kiefer, 1932, p. 507

-- -- Reed, 1962, pp. 27-50.

--, Juday & Muttkowski, 1915, p. 26

--, STELLA 1984: 77, D. I. OF SPANDL, 1925 =

MIXODIAPTOMUS KUPELWIESERI

— Smirnov, 1929: 161 — 162

-- REED 1959: 23, ALASKA

D. FORRO' 1986: 560

D--, SARS 1898: 333-, Pl. 7 FIGS. 12-17, JANA/SIBERIA

Diaptomidae - Calanocaud

Mixodiaptomus theeli (Tilliéborg) ♂♀. ②

Diaptomus — Tilliéborg, 1889, p. 109: pl. I, f. 9-11; pl. 4, f. 18.

Mixod. — Kiefer, 1932, p. 507 (key).

-- MÄEMETS & VELDRE 1956a: 19, 54, 67-68, Pl. II,
FIGS. 13-17, POSSIBLE RECORDS - ESTONIA

Habitat. Siberia.

Mixodiaptomus theeli (Lilljeborg)

card 3

--, Maemets, 1959, p. 32-33

--, BORUTZKY, 1960: 35, 37, FIG. 10 (7,8)

- Kiefer, 1978: ~~1982~~ 213

-- BORUTZKY ET AL., 1991: 336-338, FIG. 143, DIST. - USSR

442, NEW SYNONYMS: M. SARSII & M. REEDI

STRELETSKAYA 1986

DIAPTOMUS (M.) --, REED 1958a: 152 - 155, FIGS. 1-3,

ARCTIC ALASKA - 1ST NORTH AMERICAN RECORD;

IV. I. VAR. LITHUANICA A SYNONYM.

MIXODIAPTONUS THEELI (LILLJEBORG)

(4)

M. REEDI, STRELETSKAYA 1986: 69-71, FIG. 3A(II),
N.SP.

M. REEDI, STRELETSKAYA 1986: 94, 97

M. SARSI, STRELETSKAYA 1986: 69-71, FIG. 3A(I),
N.SP.

M. SARSI, STRELETSKAYA 1986: 97

M. THEELI, STRELETSKAYA 1986: 71

M. THEELI, STRELETSKAYA 1986: 94, 97

M. THEELI, VETHOU 1997: 25-27, TABS. 1, 2, F. BARENTS SEA
+ ISLANDS.

Mixodiaptomus theeli var. lithuanica - syn. of theeli