

DIATOMIDAE - CALANOIDA

MONGOLODIATOMUS KIEFER, 1932

- KIEFER 1937: 60, N. SURGEN.; TYPE M. ?
- , BORUTZKY 1960: 14, IN KEY; 17; 51, KEY TO SP.
- M.S. WILSON 1951: 172
- KIEFER 1938j: 54-55, DIAGNOSIS; 56, SPECIES LIST
- BORUTZKY ET AL. 1991: 408, DIAGNOSIS, KEY

Mongolodiaptomus amurensis Borutzky - see M. birulai

Mongolia -

Diaptomus birulai

Diaptomidae - Calanoida

W. Rylov ♀, ♂ ①

D — Rylov, 1930, p. 108 : fig. 24.

D — Rylov, 1922, p. 73 : figs. 8-10.

Transferred to Eudiaptomus Kiefer, 1932, p. 500

D —, SHEN & TAI, 1962a : 107

D —, SHEN & TAI, 1964d : 621

Habitat. Russia

D —, BREHM 1930 : p. 146; figs. 7-8.

Diaptomidae - Calanoida.

Eudiaptomus birulai (Rylov) ♂ ♀. ②

Diaptomus — Rylov, 1930, p. 108: fig. 24, a-e.

Eudiap. — Kiefer, 1932, p. 500

E., Ueno, 1938, p. 163

E. Kikuchi, 1936: 278

D., Rylov 1932: 270

Habitat. Russia.

Mongolodiaptomus Birulai (Rylov, 1923)

③

--, Ueno, 1938, p. 163

--, SHEN & TAI, 1962: 107

--, ACADEMIA SINICA, 1979: 95-96; FIG. 44; SYN: DIAPTOMUS B.;  
EUDIPTOMUS (M.) B. ; EUDIPTOMUS B. ; M. FORMOSANUS

--, Chia-jui & Ta-hsiang, 1965, passim

--, BORUTZKY, 1960: 51

MONGOLODIPTOMUS -, COMB. NOV. KIEFER 1937: 60

D. -, RYLOV 1923: 63-67, PL. I FIG. 4-8, MANCHURIA

M. -, BORUTZKY ET AL. 1991: 409-411, FIG. 182, DIST.;  
441, NEW SYNONYMS: HELIODIPTOMUS BUKDOVSKII,  
MONGOLODIPTOMUS AMURENSIS,

Mongolodiaptomus birulai (Rylov, 1922)

card 4

M. amurensis, Borutzky 1961: 8-11, fig. 3a-f, n. sp.

M. amurensis, Borutzky 1960: 51, fig. 18(13)

M. buldovskii, Borutzky 1960: 51, fig. 18(11)

M. BIRULAI, SHEN & SUNG 1965b: 18, 25

Mongolodiaptomus buldovskii (Rylov) - see M. birulai

Diaptomidae - Calanoida

Mongolodiaptomus formosanus Kiefer, ♂ ♀, CARD 1

— — Kiefer, 1937, p. 58: text-figs. 1-6

--, Shen & Lee, 1963, p. 589

--, Ueno, 1938, p. 162-

--, SHEN & TAI, 1962a: 100, 105-107, 116, 117, 118; FIG. 1-7

--, SHEN & TAI, 1962b: 403, 406

Habitat, Mongolia.

= MONGOLODIAPTOMUS BIRULAI, ACADEMIA SINICA, 1979: 95

-- SHEN & LEE 1966: 220.



MONGOLODIAPTOMUS FORMOSANUS KIEFFER

CARD 2

--, BORUTZKY 1960: 51, FIG. 18(12)

-- KIEFFER 1938j: 50-56, FIGS. 18-23, FORMOSA;  
GIVES SYNONYMY; 54

~~4.2, 1~~

M.-, BORUTZKY ET AL. 1991: 411-413, FIG. 183, DIST.;  
444, DISTINCT SPECIES FROM M. BIRULAI

Mongolodiaptomus formosus - see Neutrodiaptomus

Mongolodiaptomus mariadvigae & spp- see Neutrodiaptomus

Mongolodiaptomus subquadratus - see Phyllodiaptomus

BLANCI

Mongolodiaptomus uenoi

- SEE NEODIAPTOMUS

--, Ueno, 1938, p. 162 (?Diaptomus u.?)