

in) Enterocolidae - Notodelphyoidea

Mychophilus.

Hesse, 1866.

M. roseus, (D).

Syn. Mychophilus Hesse, 1866, p. 232

Mychophilus Chatton & Brement, 1909, c,

Enteropsis T. Scott, 1901, p. 241. | p. 234.

Enteropsis T. Scott, 1907,

Mychophilus Schellenberg, 1921^b, p. 292

Mychophilus G. O. Sars, 1921, p. 78,

(Sars also writes Mychophilus)

MYCOPHILUS HESSE

CARD 2

MYCOPHILUS, KOGA 1968: 16, EGGS.

- ILLG & DUDLEY 1980: 9, 94-98, DIAGNOSIS, SYNONYMY &

KEY TO SPECIES. SYNS: MYCHEPHILUS, MYCOPHILUS,
MICOPHILUS, ENTEROPSIS T. SCOTT (PART.), ADRANESIUS
CHATTON & BRÉMENT, (PART.)

- GOTTO 1993: 61, DIAGNOSIS

MYCOPHILUS

Enterocolidae-Notodelphyoidea.

Mycophilus curvatus Chatton & Brément, ♀.

— — Chatton & Brément, 1909, c, p. 234: 4 text-figs

— —, Stock, 1967a, p. 11

— —, ILLG & DUDLEY 1980: 97, SYN. OF M. ROSEUS; 98

Habitat. On Polycyclus renieri (a mollusk).

On Botryllus schlosseri, violaceus, & smaragdi

Coast of France.

mychophilus fallax Stock, 1962

--, Stock, 1967a, p. 9-11.

--, ILLG + DUDLEY 1980: 98, 103.

-- OOHISHI 1991: 62 -

Enterocolidae - Notodelphyoida:

Mischophilus pachygaster Hesse, ♀.

— Hesse, 1866, p. 235: (no figs).

—, Stoeck, 1967a, p. 11.

—, ILLG + DUDLEY 1980: 98, = M. ROSEUS

Habitat. Compound Ascidian.

Coast of France.

Enterocolidae-Notodelphyoidea

Mycophilus roseus Hesse, ♀. ①

— — Hesse, 1866, p. 232: pl. 6, f. 1-8.

-- --, Bresciani et Lutzen 1962. p. 376

--, Gotto, 1966, p. 193

--, Hamond, 1973, p. 350

--, StocK, 1967a, p. 11.

Habitat. Compound Ascidian.

→ Gotto, et al, 1984: 305-312, fig 1, 2, pl. 4.

Coast of France.

MYCOPHILUS ROSEUS HESSE

CARD 2

--, ILLG & DUDLEY 1980: 97-103, FIGS. 38, 39, SYNONYMY &
HOST LISTS; 159

MYCOPHILUS -, IZAWA 1987: 155-

-- DUDLEY & ILLG 1991: 12-

-- OISHI 1991: 52-, JAPAN (AKKESHI BAY),
HOST BOTRYLLUS SP.

-- GOTTO 1993: 61, FIGS. 12A-D

Enterocolidae - Notodelphyoidea

Mycophilus^h rosovula Gray,

— — Gray, 1933, p. 525: 2 text-figs.

— —, Stock, 1967a, p. 11.

— —, ILLG + DUDLEY 1980: 98, = M. ROSEUS

MYCOPHILUS —, IZAWA 1987: 155 —

Host. In canals of Botrylloides leachii Sav.

Enterocolidae - Notodelphyoidea
Mycophilus vararensis (T. Scott), ♀. ①

Enteropsis - T. Scott, 1901, p. 241: pl. 17, figs. 28-34.

Adranesius Chatton & Brément, 1909, a, p. 202.

(= Adranesius ruber Hesse).

Mycophilus - Chatton & Brément, 1909, c, p. 239.

--, Stock, 1967a, p. 11.

Habitat. Branchial chamber of Botryllus sp

Scotland.

MYCHOPHILUS VARARENSIS (T. SCOTT)

(2)

ENTEROPSIS -, ADRANESIUS -, ILLG + DUDLEY 1980:98, =

M. ROSEUS