

LN) Neopontius ^{Myzopontidae - Cyclopoida.}
^{ARTOTROGIDAE - SIPH.} N. angularis (D) (M)

Th. Scott, 1898 —

N. angularis.

Syn. Neopontius T. Scott, 1898^f, p. 271.

Neopontius G. O. Sars, 1915, p. 115.

Neopontius Giesbrecht, 1899, p. 106.

Neos, new and Pontius

Postero-lateral corners of Thorax segts prolonged
into flaps: abdomen elongate: forward part of
gen. segt in ♀ little wider than v hinder. 1° ant!
12-joints in ♀ + ♂ - 2° ant! 3 joints: B2 fused with
Ri1. Li 1° mx. (with 3 long + 1 short spines) less
than twice as long as B2 (2 long + 1 short spine).
End claw 2° mx. stout, strongly bent, with long
spines on concave margin - Spines on inner
margin - 2 end joints of Ri - maxpds quite long
Spines on swimming legs + form of endopod of
4° legs as in Myzopontius - Ri 2 with
small double teeth at v end outer margin.
5° leg relatively large - end joint flattened.

Myzopontiidae - Cyclopoida.

Neopontius angularis T. Scott, ♀. ♂

— — T. Scott, 1898, p. 271: pl. 14, fig. 1-11.

— — Sara, 1915, p. 115: pl. 69.

-- GOTTO 1993: 174-, FIG. 42 G-K

Habitat. British Isles: Norway Coast.

Myzopontiidae - Cyclopoida.

Neopontius dilatatus G.O. Sars.

— — Sars, 1916, pp. 2 & 9: pl. 1.

Habitat, Mediterranean.