

in Oncaeola Krämer, 1895.
Oncaeidae - Cyclopoida.
Poecilostomatoida (M)
O. specialis

Syn. Oncaeola Krämer, 1895, p. 219

ONCEOLA, HERON + BRADFORD - GRIEVE 1995: 11,
SEPARATE FROM ONCAEIDAE; "SOME SIMILARITIES"
TO SOME LICHOMOLGIDAE.

ONCAEOLA, HAYES + BÖTTGER-SCHNACK 1997: 244, GENUS
INCERTAE SEDIS IN MACROCHIRONIDAE (POEC.)

1° antennae 6-jointed : 2° pair 4-jointed
Endopod of 4° foot much shorter than the
exopod, and the same size and form as the
5° foot, with 2 setae on the end; 1° mxpd.
like a cock's comb: 2° mxpds. not of equal size
3° joint of exopod of 3° and 4° legs has 3 exter-
nal and one terminal spine, all toothed.
Endopod of 4° 2-jointed: 5° legs 1-jointed.
Abdomen 5-jointed: genital segt. with rudimen-
tary 6 legs on lateral margins.

Oncaeola specialis Krämer, ♀.

— — Krämer, 1895, p. 220: pls. 18 & 19. figs. 1-9.
-- Huys + Böttger-Schnack 1997: 244

Habitat. Hauraki Gulf.