

Ooneides

Ascaliconidae - Notodelphyoida
cyclopoida (M)

Chatton & Brément, 1915

O. amela

Syn Ooneides, Chatton & Brément, 1915, p. 135

- GOTTO 1993: 46, DIAGNOSIS

Body symmetrical, globular, very elongate dorsally,
shortened & condensed ventrally. Metasome & urosome
distinct, the latter invaginated into the former.
Cuticle reticular, covered with spinules. Head fused
with thorax, its ventral surface invaginated
into the metasome, forming a buccal atrium.

- 1^o Ant. conical, indistinctly 7-segmented.
2^o Ant. prehensile, uniramous, 2-segmented, with
terminal claw. Mds. with coxopodite chewing
blade. 1^o Mx. uniramous, with apical claw.
2^o Mx. biramous -
No trace of swimming legs.

Ooneides Chatton et Brement, 1915

--, Lafargue & Laubier, 1968, p. 2163

Notodelphyoida

Ooneides amela Chatton & Brément, ♀

- — C. & B., 1915, p. 135: figs. 1-4, FRANCE
-- -- Illg & Dudley, 1961. pp. 111-116, fig. 39-41,
-- --, Ooishi, 1972, p. 303, tbl. 1, FRANCE
-- GOTTO 1993: 46-, FIG. 9F
-- LAFARGUE & LAUBIER 1978: 277-
Host. In Polyclinum (ascidian).