

Ternaeopodoida

Ophioika.

Stephensen, 1933.

O. ophiacanthae.  
M

Syn. Ophioika, Stephensen, 1933, p. 205.

Chordeumiiidae: Cyclopoida

OPHIOIKA STEPHENSEN

CARD 2

- , BRESCIANI & LÜTZEN 1961: 369  
-, Boxshall, 1988: 267, 269

Ophioidae - Hernaeopodoidea

Ophioka.amphiumae (Hérouard) ♀.

Philichthys — Hérouard, 1906, p. 2, figs. 1-3.

Ophioica — Stephensen, 1935, p. 17.

Host Amphiura squamata, at Roscoff.

Ophioikidae - Hernaeopodidae

Ophioika appendiculata Stephensen, ♀

— Stephensen, 1935, p. 13; text-figs. 8-10

--, Stephensen, 1940, p. 15

OPHIOICA —, Pyefinch 1940: 1-17

— Boxshall, 1988: 268

Host Ophiomitrella clavigera - (Ophiurid).

Ophioika asymmetrica Pyefinch, 1940 - see

Ophioicodes

Ophioikidae - Lernaeopodoidea

Ophioika ophiacanthae Stephensen, ♀.

— — Stephensen, p. 205: fig. 4 (3 figs). 1933.

OPHIOICA —, Pyefinch 1940: 1-17

— — Boxshall, 1988: 267

Host. Endoparasite in Ophiacantha severa Koehler

*Ophioika tenuibrachia* Heegaard

1951---Heegaard, Poul, pp. 176-182, figs. 3 a-d;  
pl. I, figs. 1-4; pl. II, figs. 1-4