

Bomolochidae - Poecilostomatoidea

Orbitacolax Shen, 1957

- Shen 1957a: 323-, n.g. for O. uniunguis n. sp.
- Vervoort 1962: 79-81, diagnosis, key
- Ho 1967: 287
- Cressey 1977: 471
- Balaraman 1983a: 36-38

Orbitocolax, Cressey, Collette & Russo 1983: 232-

- Pillai 1985: 31, 80
- Cressey 1986: 140, fig. 8

Orbitacolax aculeatus (Pillai)

--, Cressey & Boyle, 1973, p.7

-- nov. comb., CRESSEY & CRESSEY 1980: 20; Figs. 34, 35a-

--, Pillai, 195<sup>100</sup>, p. 1569, fig. 21

-- Pillai 1985: 81-2 fig 18

-- BALARAMAN 1983a: 36

Orbitacolax analogus Vervoort, 1969

(1)

--, Cressey & Boyle, 1973, p.7

- Vervoort, 1969: 89-101, Figs. 40-46

-- BALARAMAN 1983a: 36

-- CRESSEY & CRESSEY 1989: 2902-2905, FIGS. 1-15

REDESCRIPTIONS & NEW RECORDS - GULF OF MEXICO,  
CARIBBEAN; SYN. O. ONISCOIDES VERVOORT, NEW  
SYNONYMY. [ PUERTO RICO; CHARLOTTE HARBOR, FLORIDA; BELIZE;  
HAITI ]

ORBITACOLAX ONISCOIDES, VERVOORT 1969: 101-113,

FIGS. 47-53, N.SP.

O.O., BALARAMAN 1983a: 36

ORBITACOLAX ANALOGUS VERVOORT, 1969

2

-- KAZACHENKO 1994: 39, FIG. 7E

Orbitacolax dactylopterusi (Carvalho)

--, Cressey & Boyle, 1973, p.7

-- VERVOORT 1962: 83-84

-- BALARAMAN 1983a: 36

Orbitacolax depressus Balaraman, 1983

-- Balaraman 1983: 36, "sp. nov." (no description)

Orbitacolax hapalogenyis (Yamaguti & Yamasu, 1959) ①

Taeniacanthus -, Yamaguti & Yamasu 1959: 95-97, pl. II  
figs. 44-55, n. sp., host Hapalogenys mucronatus,

Inland Sea, Japan, female only

Orbitacolax -, <sup>Vervoort, 1962:84</sup> Cressey & Boyle 1973:7

O. -, Ho & Dojiri 1976: 257-258, fig. 2

O. -, Ho, DO & Kasahara 1983:11-12, fig. 122-141, ex  
Hapalogenys mucronatus, Japan

HAPALOGENYOS  
O. -, <sup>1</sup> Cressey & Cressey, 1989: 2905-2909, fig. 16-  
JAPAN, PUERTO RICO  
BRAZIL, BELIZE

O. -, VERVOORT 1962:84-85

O. -, BALARAMAN 1983a: 36, as HAPALOGENYOS

ORBITACOLAX HAPALOGENYOS (YAMAGUTI + YAMASU, 1959) (2)

-- BYRNES 1986: 225



Orbitacolax leptoscari (Yamaguti, 1953)

Bomolochus -, Yamaguti, S. 1953: 222-223, P. I figs. 9-11  
pl. II figs. 12-18, n. sp.

Orbitacolax -, n. comb, Shen 1957a: 323-324 (leptoscaris)

B. -, Shiino 1960: 501-507, figs. 1-3

B. -, Vervoort 1964: 6, 54, figs. 15, 16

O. -, Vervoort 1962: 81-82

B. -, Pillai 1965: 38

O. -, Cressey & Boyle 1973: 7

O. -, Balaraman 1983a: 36

Orbitacolax nudus Cressey & Boyle

--, Cressey & Boyle, 1973, pp. 6-7, figs. 63-73.

-- CRESSEY + CRESSEY 1980b: 724, TRANSFERRED TO

PSEUDORBITACOLAX

Orbitacolax oniscoides - see O. analogus

Orbitacolax uniunguis Shen, 1957

Orbitacolax uniunguis Shen, 1957a: 322-; Pl. VII, n. sp.

EX CARANX sp., HAINAN ISLAND, CHINA

Bomolochus uniunguis (Shen). - Pillai

O. -, VERVOORT 1962: 82-83

O. -, BALARAMAN 1983a: 36

Orbitacolax uniquis Shen

--, Cressey & Boyle, 1973, p.7

Orbitacolax williamsi Cressey & Cressey, 1989

-- Cressey & Cressey 1989: 2902, 2909, figs. 28-38,  
n. sp. female only, ex fish Scolopsis dubiosus,  
Okinawa, Japan.