

Pachos, valid.
Stebbing, 1910.

(1)

Syn. Pachysoma (preoccupied) Claus, 1863, p. 162,
Pachysoma Giesbrecht, 1892, p. 612.
Pachos Stebbing, 1910, p. 556.
Pachos Pesta, 1921, p. 653.

πάχος, thickness.

ONCAEIDAE - PORCILOSTOMATOIDEA

PACHOS STEBBING, 1910

(2)

- HERON & DANKAER 1978: 3, EXCLUDED PACHOS FROM ONCAEIDAE - BUT DID NOT PROPOSE A NEW FAMILY FOR IT!
- HERON & BRADFORD-GRIEVE 1995: 11, PACHOS HAS BEEN EXCLUDED FROM THE ONCAEIDAE.

~~Coelocanthidae Cyclopoida~~

Pachos punctatum (Claus) ♂♀

①

Takes place of Pachysoma ♀.

Pachysoma — Claus, 1863, p. 162: pl. 9, fig. 8: pl. 25, figs. 6-11.

Pachos — Stebbing, 1910, p. 556.

— — Rose, 1933, p. 306: fig. 396, 5 figs.

Pachysoma — Brady 1883 p. 121

" Scott 1909 p. 262

Habitat Atlantic, Mediterranean, Adriatic, Pacific.

— — Wilson 1942, p. 200

— — Boxshall, 1977, pp. 148-153, figs. ~~18, 20~~ 24

— — Owre, 1962

(see back)

- Hure, 1961: 29
- —, Hure & Scotto di Carlo, 1968, p. 67.
- , Vives, 1972, p. 231, fig. 11.
- , Binet & Dessier, 1971: 443
- , Calef & Grice (unpubl.) in Ketchum & Rynter
1966 (unpubl.): APPENDIX
- Sander & Moore 1978: 233, BARBADOS.
- Grice & Hart 1962a: 293, w. NORTH ATLANTIC
- Grice & Hart 1962b: TABLE 3
- Grice & Hart 1968: 8
- Binet & Dessier, 1968: 8
- Björnberg, 1981: 668, fig. 225 #12
- Deesey & Brooks, 1977: 266

Poecilostomatidae: Oncaeidae - Cyclopoida.

Pachos punctatum (Claus), ♂. ♀. ②

Pachysoma — Claus, 1863, p. 163; pl. 25, fig. 6-11

— — Carus, 1885, p. 346; Sars, 1916, p. 4,

— — T. Scott, 1894, p. 119; pl. 13, fig. 18-24,

Pachos — Stebbing, 1910, p. 556.

-- DEEVEY, 1971: TAB. 3

Habitat, Philippine Is.: Mediterranean.

Clytemnestra atlantica(?) Lubbock, 1856, p. 25: pl. 12.
Pachysoma punctatum Giesbrecht, 1892, p. 612: pl. 48.
Pachos — Pesta, 1921, p. 653: text-fig. Q79.
Pachysoma — Brady, p. 121.
—, Björnberg, 1963: 123
— Rose 1934: 60-81, OFF ALGERIA

Pachos punctatum (Claus, 1863)

card 3

- Kiortsis et al. 1969: 39-, Aegean
- BÖTTGER-SCHNACK 1988: 313-, RED SEA
- BÖTTGER 1985: 123-, RED SEA
- OLSEN 1949: 9
- REID 1990g: 195
- ALVAREZ-SILVA 1996: 19, TAB. 2, VERACRUZ, MEXICO

~~Bryoceraidae~~ - Cyclopoida.
Pachos tuberosum (Giesbrecht), ♀.

Pachysoma — Giesbrecht, 1891, p. 478,
— — Giesbrecht, 1892, p. 612; pl. 48, fig. 37.
— — Cleve, 1904, p. 194.

Pachos — Stebbing, 1910, p. 556.
— Boxshall, 1977, pp. 153, 154.

Habitat. So. Atlantic: Philippines: Gulf
of Panama.

PACHYSOMA —, OLSEN 1949: 10

Pachysoma punctatum Brady, 1883, p. 121.

— Wilson 1942, p. 200

— — Decker, 1964. p. 23. South Africa

—, DeDecker, 1962, p. 110