

in)

Paeon

Wilson, 1919

Sphyriade - ~~Belonopoda~~

Siphonostomatoida ①

P. ferox

Syn. Paeon Wilson, 1919, p. 590

- KABATA 1988b: 4, ORIGIN OF NAME
- Dojiri + Deets 1988: 682
- LUKINA 1953: 16

(Paeon, a son of Poseidon),

Sphyriidae - Lernaeopoda

Paeon elongatus, n. sp. ♀.

— — Wilson, 1931,

— — Wilson, 1932, p. 524: pls. 40 - 41.

Host. Gill cavity, Carcharhinus milberti, and
C. obscurus.

Woods Hole,

Paeon elongatus

card 2

--, Ho, 1977, p. 1, 3, fig. 1, p. 11

-- JONES, D. H. + MATTHEWS 1968:183--

Sphyrillidae - Lernaeopoda

Paeon ferox Wilson ♂♀.

— — Wilson, 1919, p. 592: pl. 56: pl. 57,
figs. 60, 61, 63, 64, 66.

—, Kabata, 1970, fig. 56

Host. Gill cavity of Scoliodon terraenovae

Beaufort.

Paeon lobatus Kirtisinghe, 1964

—, Pillai, 1967, p. 1669, fig. 264

Sphyriidae

Paeon vaissierei D.-Deboutteville &
N.-Ruivo, 1953.

P. vaissierei Delamare-Deboutteville &
Nunes-Ruivo, 1953, p. 161, fig. 15.

-- --, Lewis, 1966, pp. 141-146.

--, Kabata, 1970, p. 45, fig. 58

Reported Host: Sphyrna couardi.

Distribution: Sénégal.

--, Lewis, 1966, pp. 141, 142, 144, 146, figs. 39a-f,
40a-h, HAWAII

Sphyriidae - Kernaepodaceae

Paeon versicolor Wilson ♂♀.

— — Wilson, 1919, p. 596: pl. 57, figs 62, 63, 67: pl. 58, figs. 75, 76.

— — Lüning 1953: 16

Host. Mouth of Mustelus canis.

Beaufort.