

Cyclopinidae - Cyclopoida

Paracyclopina valid

♂

Smirnov, 1935

P. nana.

Syn. Paracyclopina, Smirnov, 1935, p. 204.

Paracyclopina Smirnov, 1935

card 2

- Mohammed & Neuhof 1985: 2389, 2394
- KRISHNASWAMY 1957d: 133, 138

Paracyclops intermedia

--, Lindberg, 1952, passim

Paracyclopsina longitarsa

--, Lindberg, 1952, passim

Paracyclopina minuta

--, Lindberg, 1952, passim

Cyclopinidae - Cyclopoida

Paracyclops nana Smirnov, ♂ ♀

— — Smirnov, 1935, p. 204: figs. 1-5

— —, Ito, 1957, pl. 30, fig. 39-48, Eel culture ponds,  
w. coast Ise Bay, Japan. pl. 31, fig. 49-50 (♂)

—, Vervoort, 1964, p. 26

—, ACADEMIA SINICA, 1979: 306-308; FIG. 172

Habitat River mouth, Vladivostok.

—, Mashiro, 1951, p. 22

—, ILLG, 1955: 223

Paracyclopsina nana

--, Lindberg, 1952, passim

-- ISHIDA 1993a: 165

-- KAWABATA & DEFAYE 1994: 144, TAB. I

*Paracyclopina setifera* Herbst

1952-- Herbst, H.V. pp. 100-102, pl. 19.

*Hemicyclopina* — , Herbst, 1953, p. 257. (Genotype of Hemicyclopina)

Paracyclopina sp.

- Coull and Vernberg, 1975, pp. 290-292, figs. 1-3.
- Lonesdale & Coull, 1977, pp. 275, 278
- , Ivester ~ Coull, 1977: 139, 149
- , Turner, 1981, p. 369, tbl. 2
- Lindberg, 1953i: 324 Key

PARACYCLOPINA sp.

-- Ho & PERKINS 1985: 593-