

Cancerillidae - Cyclopoida.
SIPHONOSTOMATOIDA

Parartotrogus

Th. & A. Scott, 1893. P. richiardi^{M.}

- Syn. Parartotrogus T. & A. Scott, 1893, p. 211.
Parartotrogus G. O. Sars, 1915, p. 135.
Parartotrogus Giesbrecht, 1899, p. 111.
Parartotrogus Giesbrecht, 1895, p. 180.

Ant. body broad & flat: abdomen elongate
3-segts. 1^o ant: 9-jointed - 2^o ant: with
relatively long Re, Mds, stylet-shaped -
without teeth. 10 mx, with T_{ci} & B2.

End claw of 2^o mx, 2-jointed - 1^o to 3^o
legs biramous, with plumose setae -
 $Re + Ri$ of 1^o legs, and Ri of 3^o legs 2-jointed,
all & other rami 3-jointed - Egg-mass
made up of a single ellipsoidal egg.

Parartotrogus: Synonym

PARARTOTROGUS T. & A. SCOTT, 1893

2

- CHANGEUX 1957: 303 -

- GOTTO 1993: 178, DIAGNOSIS

- Pillai 1976: 37

Cancerillidae - Cyclopoidea.

Parartotroqus arcticus T. Scott, ♀. ♂.

P. richardi var. arctica T. Scott, 1901, p. 352: pl. 6.

P. arcticus Sars, 1915, p. 136: pl. 79.

— — Hausen, 1923, p. 18: pl. 2, fig. 6, a-d.

— —, Fosshagen, 1970, p. 38

— — SHIH ET AL. 1971: 213, CANADA-ARCTIC

Habitat. Arctic Sea: Norway: Greenland,

— WILSON, C. B. 1936: 375, FOX CHANNEL + PENDULUM IS.,

CANADIAN ARCTIC

Artotrogidae - Cyclopoida.

Parartotrogus richiardi T. & A. Scott, ♀.

-- T. & A. Scott, 1893, p. 211: pl. 7, fig. 1-11.

-- T. Scott, 1906, b, p. 360.

-- Giesbrecht, 1897, p. 12 (sep.).

-- Giesbrecht, 1895, p. 180.

--, Fosshagen, 1970, p. 38

Habitat. British Seas.

--, Humes & Hendler, p. 545

Scott & Scott 1901: 352-354 Pl. 6

--, Stock, Humes. & Gooding, 1963, p. 10

- RICHARDI, GOTTO 1993: 178; FIG. 44A, B