

n)

Calanoida Stephidae

Parastephus valid

Sars, 1902 -

P. pallidus

Syn.

Parastephus - Haeckel - Protozoa - 1881.

Parastephus - Sars, 1902, p. 65.

Parastephus - Sars, 1919, p. 5.

Para and Stephus.

Body more slender than Stephos, with
urosome more elongated - masticatory
part of mandibles very much expanded,
the outer tooth claw-like.

5^o legs in ♂ very asymmetrical, right
leg slender, left one much stouter.

PARASTEPHOS G.O. SARS, 1903

CARD 2

- MAUCHLINE 1988: 739

Parastephos esterlyi Fleminger, 1988

- Fleminger, 1988, new species, pp. 309-313
figs 1-19, table I p. 310, San Diego Bay California

Calanoida

Parastephos occatum Damkaer, 1971

-- -- Damkaer, 1971; p. 505-514, fig.1(a-e), 2(a-g),
3(a-h).

-- Fleminger, 1988:309, 310,313

Stephidae - Calanoida.

Parastephos pallidus G.O. Sars. ♀, ♂

— G.O. Sars, 1902, p. 65: pl. 44, ♂.

— G.O. Sars, 1919, p. 6: pl. 3, ♀.

— Fleminger, 1988: 309-311, 313

Habitat. Norwegian Coast.