

Peltidium valid. Harpacticorda - Peltidiidae

Philippi, 1839. --- P. purpuraceum ^(M)

Syn. Oniscidium Claus. - 1860, p.

Reticulina Cleve.

Peltidium Philippi, 1839, p. 131.

Peltidium M-Edwards, 1840, p. 415.

Peltidium G.O. Sars, 1904, p. 65.

not Peltidium Brady, 1880, vol. 2, p. 158.

Peltidium Pesta, 1921, p. 574.

Peltidium Brian, 1921, p. 69.

Body flattened: head large, expanded
laterally, not flexed ventrally: urosome
very short, gen. seg't. expanded on either
side. 1^o antennae 6-8-jointed -
1^o legs with outer ramus like that in
Altena, inner one broad, lamellar &
2-jointed. 5^o legs 2-jointed, falciformly
curved -

Pesta 1935 p.365-367. lists sp.

Nicholls 1941 a, p.390

PELTIDIUM

- , KEYS TO FEMALES, MALES: NICHOLLS, 1941
- , HICKS, 1976: 363, 364, 370; TAB. 1

Peltidiidae - Harpacticoida.

Peltidium angulatum Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 273: pl. 13. ♀, 7-11.

— —, LANG, 1948, p. 434, PL. 185: 3.

— —, GEDDES, 1968b: 17

Habitat. Pearl-oyster washings, Ceylon.

Peltidiidae - Harpacticoida

Peltidium armatum (Claus) ♀.

Oniscidium — Claus, 1860, p. 9: pl. 2. figs. 23-28.

— — Claus, 1866, p. 19.

A synonym of Peltidium purpureum,
(Pesta, 1921, p. 576).

Habitat. Nizza.

Peltidiidae-Harpacticoida

Peltidium aurivillii (Cleve)

Cleve 1901

Nicholls 1941a, p. 391

Peltidiidae - Harpacticoida
Peltidium cinereum Brady, ♀.

— — Brady, 1915, p. 141: pl. 14, fig. 1-9.

— —, LANG, 1948, p. 437, pl. 187:1 - AFRICA - DURBAN BAY AREA.

Habitat. English Seas.

Peltididae - Harpacticoida
Peltidium conophorum Poppe, ♀.

-- Poppe, 1885, p. : pl. 7, fig. 19.

--, Pesta, 1932, p. 36

A synonym of Alteutha interrupta.
(Norman & Brady, 1909, p. 123).

Peltidium conspicuum Norman & Scott, ♀

Norman & Scott, 1905, p. 296.

Habitat British Seas.

Harpacticoida Peltidiidae

Peltidium crenulatum Brady, ♂, ♀.

— — Brady, 1880, p. 163: pl. 72, figs. 6-15.

A synonym of Alteutha depressa.
(Norman + Brady, 1909, p. 123).

PELTIDIUM DEFREITASI WELLS, 1967

— Wells, 1967: 258-260; fig. 36G-L, 37A-H
-- GEDDES, 1968: 16, 34; TAB. 1

Harpacticoida Peltididae

Peltidium depressum Brady, J. Z.

= Alteutha depressa

— — Brady, 1880, p. 160: pl. 72, figs. 1-5

A synonym of ^{Alteutha} Eupelte purpurocincta.
(Norman & Brady, 1909, p. 123).

A. depressa Pesta 1935, p. 366

Peltidium elegans Wolfenden, ♀

— — Wolfenden, 1906, p. 1033; ¹⁰³⁴ pl. 99, figs. 21-27.
— —, LANG, 1948, p. 44, PL. 187:11. MALDIVES IS.

Habitat. South Seas.

Peltidiidae - Harpacticoida

Peltidium exiguum A. Scott, ♀

— — A. Scott, 1909, p. 204: pl. 65, f. 11-15

— — Sewell 1940, p. 143, Maldive Arch. ♀

— —, LANG, 1948, p. 436, PL. 186:3 - ARU IS.

— —, GEDDES, 1968 b: 17; FIG. 5; TAB. 1

Habitat. Washings, dredged invertebrates,
Malaysia.

Peltidiidae - Harpacticoida

Peltidium falcatum A. Scott, ♀.

— — A. Scott, 1909, p. 203: pl. 64, f. 7-11.

— —, LANG, 1948, p. 435, pl. 186:1

--, GEODES, 1968b: 17

Habitat. Washings, dredged invertebrates.
Malaysia.

PELTIDIUM FENESTRATUM GEDDES, 1968

-- GEDDES, 1968b: 17, 30-34 ♀♂; FIGS. 13-15;

TAB. 1; BAHAMAS

-- REID 1990g: 201

Peltidiidae - Harpacticoida

Peltidium forcipatum Monard ♂

— Monard, 1928, p. 317: fig. 10.

--, GEDDES, 1968b: 17; TAB. 1

Habitat. Banyuls

Peltidiidae - Harpacticoida

Peltidium gracile (Claus), ♂.♀.

Oniscidium — Claus, 1889,

Peltidium — Pesta, 1921, p. 575: text-f. 318.

— —, HANG, 1948, P. 434, PL. 185: 1 —

--, GEDDES, 1968 b : 17; TAB. 1

Habitat. Adriatic.

Peltidiidae - Harpacticoida

Peltidium gracilioides Pesta, ♀

— — Pesta, 1935, p. 372: fig. 5.

Nicholls 1941 a, p. 391: original specimen may be ♂

--, LANG, 1946, p. 440 - Pl. 187:7.

--, GEDDES, 1968 b: 17

Habitat. Hawaiian Islands.

Peltidiidae - Harpacticoida

Peltidium kawaiense Pesta, ♀.

— — Pesta, 1935, p. 368: figs. 1 & 2.

— —, LANG, 1948, p. 439, Pl. 189: 3 - WAIKIKI BEACH.

--, GEDDES, 1968: 17

— POR, 1977: 88

Habitat, Hawaiian Islands.

Harpacticoida Peltidiidae.

Peltidium incertum (Haller) ♀.

Syn. of ?

Oniscidium — Haller, 1879, p. 179.

Peltidium — Carus, 1885, p. 330.

Habitat. Mediterranean.

Peltidiidae - Harpacticoida

Peltidium intermedium A. Scott, ♀

— — A. Scott, 1909, p. 203: pl. 65, f. 6-10.

— — Sewell, 1940, p. 143, Maldives Arch. ♀

— —, HANE, 1948, p. 436, Pl. 186: 2-

--, Vervoort, 1964, p. 4, 128, 131--6, figs. 46xxx a, b,
47, 48, 139

Habitat. Saleyer Island.

--, GEDDES, 1968b: 17; TAB. 1

Harpacticoida - Peltidiidae

Peltidium interruptum Brady, ♂. ♀.

— — Brady, 1880, p. 162: pl. 71, figs. 4-15.

a synonym of Alteutha interrupta.
(Sars, 1904, p. 62).

PELTIDIUM LAUDATUM TANAKA & HUE, 1966

--, GEDDES, 1968b : 16, 17; TAB. 1

PELTIDIUM KERNERI GEDDES, 1968

-- GEDDES, 1968b: 17, 22-25 f; FIGS. 8-9;

TAB. 1; PANAMA S

-- REID 1990g: 201

Peltidium maldivianum Sewell

_____ Sewell 1940, p. 144, fig. 6, ♀, Maldive Arch.

--, GEDDES, 1968b: 16, 17, 20; TAB. 1

- MALDIVIANUM, KRISHNASWAMY 1957d: 17-18,

KRUDASAI Is.; INDIA

Peltidiidae - Harpacticoida

Peltidium minutum A. Scott, ♀.

= *P. speciosum*

— — A. Scott, 1909, p. 205: pl. 65, f. 16-20

Nicholls, 1941 a, p. 390 = syn. of *P. speciosum*

Sewell, 1940, p. 144, ♀, Maldives Arch.

— —, LANG, 1948, p. 437, Pl. 186:4. - ARU is.

--, GEDDES, 1968b: 17; TAB. 1

Habitat. Washings, dredged invertebrates,
Malaysia.

Peltidiidae - Harpacticoida

Peltidium monardi Pesta ♀

— — Pesta, 1935, p. 370: figs. 3 & 4.

— —, LANG, 1948, p. 439, Pl. 187: 4. - OAHU IS. (T.H.)

--, GEDDES, 1968b: 17

Habitat. Hawaiian Islands.

PELTIDIUM NICHOLLSI GEDDES, 1968

-- GEDDES, 1968b: 17, 19-22 ♀; FIGS. 6-7; TAB. 1,
BAHAMAS

-- REID 1990g: 201

Peltidiidae - Harpacticoida

Peltidium novae-zealandiae Brady ♀

= Alteutha novae-zealandiae

Brady, ¹⁹⁰¹1899, p. 44; pl. 9, f. 28-29;
pl. 12, f. 12-15.

Alteutha _____ Nicholls 1941 a, p. 387 in key

Habitat. New Zealand.

Peltidiidae — Harpacticoida,
Peltidium ovale Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 273; pl. 13, fig. 1-6,

Nicholls 1941 a, p. 391 original specimen was ♂

— — Sewell 1940, p. 143, fig. 5, ♀, Nicobar Ids.

— —, HANG, 1948, p. 434, Pl. 159: 2 — CEYLON.

— —, GAMO, 1969, pp. 350-354, Fig. 3-4

Habitat. Pearl oyster washings, Ceylon.

—, GENDES, 1968b: 17

Peltididae — Harpacticoida.
Peltidium perplexum Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 274: pl. 13, f. 23-27.

— —, LANG. 1948, p. 435, Pl. 185: 5 — CEYLON.

--, GEDDES, 1968 b: 17

Habitat. Pearl oyster washings, Ceylon.

PELTIDIUM PERTURBATUM GEDDES, 1968

-- GEDDES, 1968 b: 17, 25-29 ♀♂; FIGS. 5, 10-12;

TAB. 1; BAHAMAS

-- REID 1990 g: 201

-- ROBICHAUX ET AL. 1981: 82-, SAN SALVADOR, BAHAMAS

Peltidiidae-Harpacticoida

Peltidium proximum Nicholls

Nicholls 1941^a, pp. 395-396, fig. 5 B, 7, S. Australia ♀♂

--, GEDDES, 1968^b: 16, 17; TAB. 1

Peltidium ^Npurpureum Philippi, ♂.♀.

- — Philippi, 1839, p. 131: pl. 4, fig. 12-13.
— — Carus, 1885, p. 330.
— — Heller, 1866, p. 750.
— — G. O. Sars, 1904; p. 66: pls. 39 & 40 ♂

Habitat. Mediterranean;
Norway Fjords.

— Wells, 1967: 192

- — M-Edwards, 1840, p. 416: pl. 37, f. 18,
Oniscidium armatum Claus, 1889, p. 18 fig. 1-8
— *quadrangulum* Claus, 1889, p. 19: pl. 4, f. 3-8: pl. 5,
Zausoscidium folii Heller, 1879, p. 178.
Peltidium purpureum Pesta, 1921, p. 576: t. f. 519.
Oniscidium armatum, Claus, 1860, p. 9: pl. 2, f. 23, 28.
— — Claus, 1863, p. 141: pl. 22, f. 6-9
Peltidium purpureum Brady, 1886, pl. 19, f. 5-13,
— — Briau, 1921, p. 69: pl. 2, f. 7,
— — Monard, 1928, p. 315: fig. 9.
— —, Mathias + Euzet, 1951, p. 186, Étang de Chau.
— —, LANG, 1948, P. 431, Pl. 184: 1 -

Harpacticoida Peltidiidae

Peltidium purpureum White ♀

— — White, 1857, p. 308: pl. 18, fig. 4.

A synonym of Alteutha depressa.

Peltidium purpureum

card 2

- , Vervoort, 1964, p. 6, 128-131, figs. 45
- , Jakobi, 1959, p. 137
- , GEDDES, 1968: 17; FIG. 5; TAB. 1
- , ACLOQUE, 1899: 195, Pl. 93.
- BRADY 1872: 442, BRITISH COAST
- PESTA 1959: 109-, OFF NAPLES, ITALY
- POR 1962: 16, MEDITERRANEAN COAST, ISRAEL

Peltidiidae - Harpacticoida.

Peltidium robustum (Claus), ♂, ♀.

Oniscidium - Claus, 1889, p.

Peltidium - Pesta, 1921, p. 576! text-fig. J 20.

-- --, LANG, 1948, p. 432, PL. 184:2-

-- --, Wells, 1970, p. 258

--, Jakobi, 1959, p. 137

Habitat. Adriatic.

--, GEDDES, 1968 b: 17

--, ROE, 1958: 226

Peltidiidae-Harpacticoida

Peltidium rosei Monard

Monard 1936, p. 35, Algeria

Nicholls 1941a, p. 390, 392 in key

Peltidiidae - Harpacticoida
Peltidium rubrum Brady - ♂. ♀.

— — Brady, 1915, p. 142: pl. 13, f. 1-13.

Habitat. British Seas.

Peltidiidae - Harpacticoida

Peltidium sacesphorum Monard ♀, ♂

— — Monard, 1928, p. 316 : fig. 9, 10.

— —, LANG, 1948, p. 437, pl. 187: 2 - ALGERIA -

--, GEDDES, 1968 b : 17 ; TAB. 1

Habitat. Banyuls

Harpacticoida Peltidiidae

Peltidium sculptum (Haller), ♀.

syn. of ?

Oniscidium — Haller, 1879, p. 179.

Peltidium — Carus, 1885, p. 330.

Habitat. Mediterranean.

Peltidiidae - Harpacticoida.

Peltidium serratum Thompson & Scott, ♀.

= Parapeltidium serratum

— — Thompson & Scott, 1903, p. 274: pl. 13, f. 18-22.

Para. — Nicholls 1941 a, p. 390, p. 398

— —, LANG, 1948, p. 441, pl. 187: 10.

Habitat. Tow-net, Ceylon.

Peltidiidae-Harpacticoida

Peltidium simplex Nicholls

Nicholls 1941^a, pp. 393-395, figs. 5A, 6. S. Australia ♂♂

--, GEDDES, 1968 b: 16, 17; TAB. 1

Peltidiidae - Harpacticoida,

Peltidium speciosum Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 274: pl. 13, fig. 12-17.

— — ♂ Nicholls 1941 a, p. 397, fig. 5 C; fig. 8

— —, LANG, 1948, p. 435, pl. 155:4 - CEYLON.

--, GEODES, 1968 b: 17, 25; TAB. 1

-- KRISHNASWAMY 1957 d: 18, CAPE COMORIN, INDIA

Habitat. Pearl oyster washings, Ceylon.

Harpacticoida - Peltidiidae

Peltidium triarticulatum (Haller), ♀.

= Alteutha triarticulatum

Oniscidium — Haller, 1879, p. 179.

Peltidium — Carus, 1885, p. 330.

Habitat. Mediterranean.

PELTIDIUM sp.

-- ROBICHAUX ET AL. 1981: 82-, SAN SALVADOR, BAHAMAS