

in
Caligidæ. Caligoidæ.
Perissopus, PANDARIDÆ - SIPHONOSTOMATOÏDA
Steenstrup & Lütken, 1861.

P. dentatus,

Syn. Perissopus Stp. & Ltk., 1861, p. 393.
Chlamys R. Beneden, 1892, p.

περισσός = exceptional number or size
πούς = foot.

Carapace broad, produced backwards laterally.
First antennae very small, 2-jointed. 3 pairs
of dorsal plates, the first placed laterally,
the second small and central, the third large
lateral and spreading. Gen. segt. as large as
the cephalothorax; abdomen small, hidden.

Swimming legs rudimentary, rami of 1st. and
2nd. pairs 2-jointed, the others 1-jointed.
Male unknown

Perissopus

-, Heegaard, 1972, p. 307

Caligidæ - Caligocoræ.

Perissopus caelebs (Heller). ♂

Noqagus caelebs, Heller, 1865, p. 208; pl. 20, fig. 4.
Perissopus caelebs, Wilson, 1907, p. 450

Host Swimming freely in Adriatic -

Perissopus communis, Rathbun. ♀. ♂.
Caligidae.

- R. Rathbun, 1887, p. 560; pl. XXIX, figs. 6 & 7;
pl. XXX, figs. 1—6.
— dentatus, B. Smith, 1899, p. 468 (pars).
— communis, M. J. Rathbun, 1905, p. 94.

Host. Dusky shark (Carcharhinus obscurus): Blue
shark (C. milberti): Shovel-head shark (Pen-
iceps tiburo): Sharp - nosed shark (Scoliodon
terracae norae). Florida—Woods Hole,

-- Wilson, 1907, p. 354, pls. 17 & 18.

-- Fowler, 1912, p. 117: pl. 30 & 31.

-- Brian, 1924, p. 33.

-- Wilson, 1932, p. 425: fig. 267.

-- HEGGARD, 1955, P. 53. W. AFRICA.

-- Causey, 1960, p. 331. Acapulco, Guerrero, Mexico. From unident. shark.

--, Brian, 1924, p. 394-95

Caligidae - Caligoidae

Perissopus crenatus Leigh-Sharpe, ♀

— Leigh-Sharpe, 1930, p. 7: pl. 4, fig. 2:
pl. 5, figs. 1-4.

Host. Outside Carcharhinus borneensis.

Caligidae.

Perissopus dentatus, Stp. & Lth., ♀.

— —, Stp. + Lth., 1861, p. 393; pl. XII, fig. 25.

— —, Heller, 1866, p. 754.

— —, Canis, 1885, p. 361.

— —, Brian, 1898, p. 12.

— —, Cressey, 1967, p. 35.

Host., Carcharias sp.; Galeus canis; Muraena laevis; M. vulgaris.

— —, Cressey, 1970, p. 9

, fig. 34, 35

European Seas.

- , Richardson, 1880, p. 3.
- , Valle, 1880, p. 61. Tail of Squalus nilberti. 13p.
- , B. Smith, 1899, p. 468.
- , Stossich, 1880, p. 258. Skin of Prionodon nilberti. Val. & Mustelus plebejus
- , Wilson, 1907, p. 353 (key).
- , Cressey, 1967, p. 3
- , Kabata, 1970, fig. 20
- , CRESSY, 1967: 3, 18, 19

Perissopus dentatus STEENSTRUP & LÜTTKEN card 2

--, Hewitt & Hine, 1972, p. 75

--, Hewitt, 1967, p. 255-260, figs. 149-159

-- KENSLEY & GRINDLEY 1973: 125

-- BENZ 1986: 216, 219, HOST RECORDS

-- BENZ, 1984: 741 N. ATLANTIC HOST: sand bar Shark

Association w/ Conchoderma virgatum

-- ODEWAGE 1992: 44-45, 49, 50; SYNONYMY

Pandaridae -- Caligocera.

Perissopus elongatus (Heller). ♂

Nogagus elongatus, Heller, 1865, p. 206: pl. 20, fig. 5
Perissopus elongatus, Wilson, 1907, p. 451

Host. On a "shark"

Auckland.

Caligidae.

Perissopus incisus, van Beneden, ♀. ♂.

Chlamys incisus, Beneden, 1892, p. 227; pl. II, fig. 1.

Perissopus —, T. Smits, 1899, p. 468.

Pandarus cranchii (♂ form only), Beneden, 1892, a.,
p. 221; pl. I, figs. 1—5.

Host. An unknown fish



Senegal.

Perissopterus incisus Wilson, 1907, p. 353 (key).

(1)

Perissopus manuelensis Gnanamuthu

1951----Gnanamuthu, C.P., pp. 9-12, 1 plate.

--, Pillai, 1964, p. 67-69, figs. 40-59, ?syn.:
P. travancorensis

(2)

Perissopus manuelensis Gnanamuthu, 1951

Spolia Zeylanica 26: 9-12, plate

Mustelus manazo

Dhanushkodi, India.

I think this could fit the
American species very well!!
Synonymise *ö dentatus*!

Perissopus oblongatus (Wilson, 1908) - SEE oblongus

-- --, Cressey, 1967, p. 34.

= PERISSOPUS,

Caligidae.

Achtherinus oblongus, ♀, n. sp. ♂

— —, Wilson, 1908, p. 450: pl. 73.

— oblongatus [sic!], Causey 1960, p. 330-31. From Carcharhinus lamiella,
Cholla Bay, near Puerto Penasco, Sonora, Mexico.

— Ho, 1975 : 71

Host. Leopard Shark - Triakis
semifasciata.

La Jolla, Calif.

Perissopus oblongus (C.B. Wilson, 1908)

card 2

P. oblongatus, n. comb., Cressey 1967:34

P. oblongus, Oldewage 1992:44-50, Fig. 1^a2^b, redescribed
female, described male, sharks, southern Africa;

GIVES SYNONYMY

Perissopus serratus Heegaard

--- ---, Heegaard 1962. pp. 175-176, fig. 154-161

Pandapidae - Catgutum.

Perissopus socialis (Olsson). ♂

Nogagus socialis, Olsson, 1869, p. 16: pl. 1, fig. 5
Perissopus socialis, Wilson, 1907, p. 457.

Host. On a shark, Acanthias vulgaris.

Skagerrack.

Periissopus travancoriensis

-- --, Kurian 1955, pp 111, fig. 30-37 Indo Chāma
--, Pillai, 1964, p. 67, ?=P. manuelensis