

SUPERFAM. CLAUSOCALANOIDEA - CALANOIDEA

PHAENNIDAE CLAUS, 1863

- MAUCHLINE 1988: 699, 734-, PORE SIGNATURE
- sp. (nr. ANALLOTHRIX), COPLEY & WIEBE 1990:
5, 13, GUAYMAS BASIN

in)

Phaënnidae — Calanoida.

Phaënnna valid
Claus, 1863.

P. spinifera.^(M)

Phaënnna Claus, 1863, p. 188

Phaënnna Giesb. & Schm., 1898, p. 50.

Phaënnna Giesbrecht, 1892, p. 57, 293.

Phaënnna Thompson, 1888, c. p. 142.

Φαεννός, shining. brilliant.

Phaënnna Pesta, 1921, p. 513.

Body stout; anterior portion almost globose;
rostrum bifurcate: 1^o antennae 24-jointed
♂ right joints 19 + 20 fused, not geniculate,
armed with stout appendages. Primary
ramus of 2^o pair short - mds. elongate and
armed with small teeth. Chewing part of
mx. almost equaling the palp in length.
anterior mxd., armed with a stout claw.
apical part of inferior mxd. 4-jointed (5^o joint
obsolete). No 5^o legs in ♀ - in ♂ uniramous,
prehensile - right one with claw - abdomen
♂ 5-jointed, ♀ 4-jointed.

1^o legs 1-Eu, 3 Ex. 2^o legs 2-Eu. 3 Ex. 3^o & 4^o, 3-Eu. 3 Ex.

Phaenna Claus 1863.

2

- Park 1983b: 318.
- ~ BRADFORD ET AL 1983: 60, 67, DIAGNOSIS
- MAUCHLINE 1988: 734-

Phaënnidae-Calanoida.

Phaënnna spinifera Claus, ♂. ♀.

- , n. sp., Claus, 1863, p. 189: pl. 31, figs. 1-7.
— Giesbrecht, 1892, p. 293: pls. 5, 12, 37.
— Th. Scott, 1894, p. 81: pl. 6, fig. 35; pl. 7, figs. 1-2.
— Giesbrecht & Schmeil, 1898, p. 50.
— Thompson, 1900: 279

Habitat. N. & S. Atlantic: Mediterranean:
Red Sea: Indian Ocean: Pacific.

- — Thompson, 1903, p. 23: Cleve, 1903, p. 367.
- — Thompson & Scott, 1903, p. 246.
- — Wolfenden, 1904, p. 111: Cleve, 1904, p. 194.
- — Wolfenden, 1906, p. 1009: Sars, 1905, p. 5.
- — Farran, 1905, p. 47: Pearson, 1906, p. 21.
- — Farran, 1908, p. 47: v. Breemen, 1908, p. 56: fig. 63.
- — Pesta, 1909, p. 22: A. Scott, 1909, p. 80.
- — Wolfenden, 1911, p. 285: Pesta, 1912, p. 24.
- — Witk, 1915, p. 241: ^{fig. 243} pl. 2, fig. 1, a-c: text fig. 79.
- — Carus, 1885, p. 335. Thompson, 1888, c. p. 142.
- — Stebbing, 1910, p. 530.
- — Giesbrecht, 1888 ⁹, p. 338.
- — Pesta, 1921, p. 514: text fig. C 26

-- -- Farran, 1929, p. 255

-- -- G.O. Sars, 1925, p. 124.

-- -- Wilson 1942, p. 202

-- -- ? Sewell 1929, p. 175, Indian O.

-- -- , Matoda and Anraku 1955, p. 212 Idzu Is.

-- -- , An raku, 1954, pp. 123-136, ... Aleutian 's.

-- -- , Anraku , 1954, pp. 1-8.. N W Pacific

-- -- , Mori, 1937 P. 54, JAPAN
-- -- , Chiba, Tsuruta, + Maeda, 1955. Bikini.

-- -- , Grice, 1962. p. 203, pl.15, fig. 1

-- -- , Owre, 1962

-- -- Park, 1968, pp. 527-572.

-- -- Hojo et al, 1957, pp. 120-128.

-- -- Bradford, 1970, p. 355, fig 24, 25

(sec back)

Phaenina spinifera; Bradford, 1970, p. 346.

-- --, Hure & Scotto di Carlo, 1968, p. 51.

-- --, Chiba, 1956, p. 32, fig. 21

-- --, Bradford, 1972, p. 40, fig. 9.5

-- --, Corral, 1970, pp. 156-7

-- --, Berdugo & Kimor, 1968, p. 448

-- --, Fhrhardt, 1967, p. 738-

-- --, Kolesnikov, 1966, p. 156

-- --, Bowman, 1971, p. 6 -

-- --, Morris, 1970, p. 2300.

-- --, Roe, 1972a, pp. 295- .

(3)

Phaenna spinifera Claus, 1863

--, Vives, 1972, pp. 212-213.

--, Bradford, 1974, p. 134.

--, VERVOORT, 1965: 25-27 syn: Onchoceranus nudipes;

O. latus

--, STEPANJANTS, 1977: 78, 82, 85; TAB. 1, 3

--, DEEVEY, 1971: TAB. 3

--, BINET ~ DESSEIER, 1971: 429

--, OWRE ~ FOYO, 1970: TAB. 3

--, FURUHASHI, 1961: 106

--, CALEF ~ GRIECHE (UNPUBL.) n) KETCHUM ~ RYTHEM, 1966
(UNPUBL.): APPENDIX

--, BRIAN 1927: 8.

Phaenna spinifera Claus, 1863

card 4

--, Moore & Sander, 1976, p. 595, tbl. 3

-- Park, 1983b: 318-319 fig 1-2.

-- Marikova & Campos, 1967: 67

-- MASSUTI & NAVARRO 1950: 20.

-- SANDER & MOORE 1978: 233.

-- YOUNGBLUTH 1982: 120, SAHANAS

-- YOUNGBLUTH 1979: 23, CARIBBEAN

-- GRICE & HART 1962b: TABLE 3, w. NORTH AMERICA

-- Tanaka, 1960a: 85 - , fig. 81a-d

-- Marikova & Campos, 1966: 131, passim

Cuba

- Turner & Dagg, 1983: tbl. 2, 3
- Tanaka, 1965a: 23, fig 15a-b
- Bjornberg, 1981: 635, fig. 212 #1
- MADHUPRATAP & HARIDAS, 1986: 108, 110 - INDIAN OC.
- Deevey & Brooks, 1977: 264
- De Decker, 1984: 316
- Hure, 1955: 27
- Hure, 1961: 20
- Vives, 1978: 265, +tbl. 1

Phaenna spinifera Claus, 1863

card 5

-- Bradford et al. 1983: 60, 62, 63, 64, 65, 67, 70, 133,
141, figs. 34, 35, 89; records - sw Pacific

-- MAUCHLINE 1988: 734-, FIG. 23A, PORE SIGNATURE
PHAEENA -, KIORTSIS ET AL. 1969: 37-, AEGEAN

-- Soldevilla et al. 1988: 58 Canary Islands
-- CAMMINGA 1982: 33-, GULF OF MEXICO
-- JIMENEZ-PEREZ + LARA-LARA 1988: 126-,
GULF OF CALIFORNIA

PHAEENA -, SUAREZ, E. + GASCA 1989a: 198-,
YUCATAN CHANNEL

Phaenna spinifera Claus, 1863

card 6

- Suarez, E. & Gasca 1989c:94-, Costa Rica Dome
- SUAREZ, E. + GASCA 1990: 62, QUINTANA ROO, MEXICO
- COPLER ET AL. 1989: 13-, NW ATLANTIC
- LAKKIS 1984: 290-, E. MEDITERRANEAN
- SUÁREZ, E. ET AL. 1990: 126-, W. GULF OF MEXICO
- REID 1990g: 189
- SUÁREZ, E. 1992: 138, GULF OF MEXICO
- SUÁREZ + GASCA 1991: 596, GULF OF MEXICO
- ROSE 1927: 145, OFF ALGERIA

PHAEENNA SPINIFERA CLAUS, 1863

(7)

-- ROSE 1934: 54-81, OFF ALGERIA

Phaënnidae - Calanoida.

Phaënnia zetlandica T. Scott. ♂.

— T. Scott, 1902, b, p. 453: pl. 22, fig. 5-7.

Habitat. British Seas.