

Phagus, valid - Cyclopoida Ergasilidae.  
Wilson 1911. ——— P. muraenae, Rich.

A name proposed for "Bomolochus"  
muraenae, Richiardi as described by  
Brian, 1906. p. 28-30 - pl. XII, figs. 1-9.

Φάγος, a glutton.

Cephalothorax larger than any free segt: gen. segt  
enlarged to twice diam. of abdomen - latter cylindrical  
& tapering - anal lam. short, with 3 setae, inner of which  
is half v length v entire body - 1<sup>o</sup> anten. cylindrical,  
basal joint enlarged & flattened, with serraggy row of  
short setae & a few tactile ones near distal end -  
2<sup>o</sup> anten. 3-jointed - second joint nearly as long as  
terminal, v latter roughened & tipped with 2 slender  
processes & a tuft of spines. No 1<sup>o</sup> max, mds, and  
1<sup>o</sup> mxd. slender, 2-jointed, last joint bipartite -  
2<sup>o</sup> max. - large knobs each with 3 plumose setae.  
2<sup>o</sup> mxd. behind first pair - composed of flattened &  
enlarged basal joint bent at r.a. near v center,  
and 2 spines extending backward from near v tip  
parallel with body axis. Both pairs of 1<sup>o</sup> legs  
wide & 2-jointed - other legs as in Bombus -

Taeniocanthidae: Poeculostomatidae

PHAGUS WILSON, 1911

CARD 2

- , DOJIRI & CRESSEY 1987: 1-7, 199, REVISION & DIAGNOSIS,

SYNONYMY; BONOLOGHUS MURAENAE BRIAN TYPE SPECIES.

- BALARAMAN 1983b: 41, INVALID

Thagus (Bonolochus) muraenae

BRIAN, 1906  
Richiardi.

Bonolochus muraenae, Richiardi, 1880, p. 147. <sup>not</sup> described.

— —, Carus, 1885, p. 353.

— —, Brian, 1903, p. 178. Short description.

— —, Brian, 1906, p. 28, pl. XII, figs. 1-9.

Host. Gills of Muraena helena.

Mediterranean.

Phagus muraenae, Wilson, 1911, pp. 386, 391.

--, Ho, 1969, p. 127

-- DOJIRI + CRESSEY 1987: 4, 5, 194-200, FIGS. 133-136,  
REDESCRIBED ♀♂; HOST MURAENA HELENA, PORT SAID,  
EGYPT, + LIVORNO, ITALY.

PHAGUS -, ~~BY~~ BALARAMAN 1983b: 42