

in Cletodidae-Harpacticoida.

Pseudocletodes

T. Scott, 1893,

P. vararensis ^(M).

var.

Syn. Pseudocletodes T. Scott, 1893, p. 239.

not Pseudocletodes G.O. Sars, 1920, p. 89.

- LANG 1948: 1295, DIAGNOSIS

1° antennae 6-jointed in ♀ and ♂. 2° antennae 2-jointed with 1-jointed outer ramus - abdomen with 4 joints between gen. segt. and furca. 10 legs with 3-jointed exopod - endopod represented by a short seta. Exopods of 2°, 3°, and 4° legs 3-jointed - endopods 2-jointed - 5° legs uniramous, 2-jointed.

Cletodidae - Harpacticoida.

Pseudocletodes vararensis T. Scott, ♀.

♀ A.

- — T. Scott, 1893^b, p. 239: pl. 12, fig. 4-14,
— — Sharpe, 1910, p. 433 (name only),
— —, LANG, 1948, p. 1295, PL. 520.
— —, Coull, 1972, p. 49 Species diversity

Habitat, Scotland. MORAY FIRTH., FIRTH OF
CLYDE.

Cletodidae - Harpacticoida

Pseudocletodes = synonym,

G.O. Sars, 1920,

(M)

P. typicus.

Syn. Pseudocletodes Sars, 1920, p. 89,

not. Pseudocletodes T. Scott, 1893¹, p. 239

Sarsocletodes Wilson -

1^o Antennae 4-jointed - 2^o Antennae 2-jointed with short 1-jointed outer ramus.

Abdomen with 4 joints between gen. segt. and furca -

1^o legs with 2-jointed rami: exopods of 2^o, 3^o, and 4^o legs 3-jointed - endopods 2-jointed

5^o legs uniramous, 2-jointed -

Pseudocletodes G. O. Sars

card 2

-- Smirnov 1946: 240

- Por 1986: 421, "probably" in Huntamanniidae fam. nov.

IN: Schrieber, Schmunke and Shih 1984

- LANG 1948: 1428-1429, ~~SYNONYM OF CH~~ HAS
BEEN CHANGED TO SARSOCLETODES C.B. WILSON;
SYNONYM PSEUDOPLATYCHELIPUS LANG.

PSEUDOCLETODES TYPICUS - SEE SARSOCKETODES