

(in) Taophontidae - Harpacticoida.

Pseudolaophonte

A. Scott, 1896

P. aculeata (M) ①

Syn. Taophontina Norman & Scott,
Pseudolaophonte A. Scott, 1896, p.
Pseudolaophonte Sars, 1911, p. 427.

Pseudo, false and Taophonte.

General form like *Iaophonte*; caudal rami produced. First antennae strongly built, 2nd. joint produced outside into an unguiform process. Posterior antennae, mouth parts, and first and last swimming legs like *Iaophonte*. Second, third and fourth legs rudimentary and quite unfit for swimming.

Pseudolaophonte A. Scott, 1896

card 2

Kim, I-H, 1991: 435

Laophontidae - Harpacticoida.

Pseudolaophonte aculeata A. Scott, ♂, ♀

— — A. Scott, 1896 (1900), p. 69: pl. 3, figs. 7-23.

--, Vervoort, 1964, p. 315, 357

A synonym of Pseudolaophonte spinosa.
(Sars, 1911, p. 428).

Habitat. Liverpool Bay.

PSEUDOLAOPHONTE GLEMARECI Bodin, 1977

-- Bodin, 1977:

--, Wells, 1979: 5

Pseudolaophonte proteus Klie, 1950.

O.D.

Kiel. Meeresforsch., VII: 124-126, fig. 155-159.

--, Vervoort, 1964, p. 357

Pseudolaophonte - Harpacticoida.

Pseudolaophonte spinosa (Thompson) ♂, ♀. ①

Laophonte — I. C. Thompson, 1893, p. 198: pl. 33.

Pseudolaophonte — Sara, 1911, p. 428: Suppl. pl. 47.

P. aculeata A. Scott,

P. spinosa, Wells, 1963 p. 25

-- --, Wells, 1970, p. 267

Habitat, British Isles: Norway Coast,

--, Jakobi, 1959, p. 145, 280

--, Klie, 1950, p. 124

--, WELLS, ET AL., 1975: 189

PSEUDOLAOPHONTE SPINOSA (I. C. THOMPSON, 1893) (2)

-- WILLEN 1995: 254

Pseudolaophonte sp.

— —, Coffin, 1978-79, p. 593