

(17) Lichomolgidae - ~~Cytopoidea~~
Poecilostomatoida

Pseudomolgus. valid.

G. O. Sars, 1916.

P. arenicola[Ⓟ]

Syn. Pseudomolgus Sars, 1916, p. 51.

Pseudomolgus Sars, 1918, p. 181.

Pseudo = false and μόλγος = a bag -

Anterior division expanded, posterior one slender. First antennae 7-jointed, with short setae. Posterior antennae short and stout. Maxillae with masticatory part bifid. 2nd. mxpds. in ♀ imperfectly developed. Both rami of all the legs 3-jointed.

Michomolgidae - Cyclopoida.

Pseudomolgus dilatatus G.O. Sars, ♀.

— — Sars, 1918, p. 184: pl. 104.

Habitat. Norway Fjord.

Lichomolgidae - Cyclopoida

Pseudomolgus groenlandicus Hansen, ♀.

— — Hansen, 1923, p. 19: pl. 2, fig. 7, a-g.

-- C. B. WILSON 1936: 375, E. GREENLAND

Habitat, Greenland.

Lichomolgidae - Cyclopoidea

Pseudomolgus hawaiiensis Wilson ♂♀.

— — Wilson, 1921, p. 13: pl. 4, figs. 35-38: pl. 5, figs.
44-48: pl. 6, figs. 49-57.

Anthessius h. Monod & Dollfus, 1932, p. 151.

Anthessius h., Illg, 1960. pp. 341-345, fig. 1-11

P. -, BONNET 1948: 7

Host. Pleurobranchus sp, a tehti'branch mollusk.

Hawaii.

PSEUDOMOLGUS LEPTOSTYLIS - SEE ANTHESSIUS

Pseudomolgus navanacis Wilson, 1935. ^{O.D.}

Amer. Midl. Nat. 16: 780-781, pl. 26, fig. 13-24.

Anthessius navanacis (Wilson) - Illg, 1960. pp. 345-51

Navanax inermis fig. 12-26

Laguna Beach

Anaheim Slough

La Jolla